

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AdB—Ade loamy fine sand, 2 to 6 percent slopes					
Ade	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.57	Unstable excavation walls	0.57
AdC—Ade loamy fine sand, 6 to 12 percent slopes					
Ade	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.84	Unstable excavation walls	0.57
		Unstable excavation walls	0.57	Slope	0.16
AfB2—Alford silt loam, 2 to 6 percent slopes, eroded					
Alford	100	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfB3—Alford silt loam, 2 to 6 percent slopes, severely eroded					
Alford, severely eroded	100	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AfC2—Alford silt loam, 6 to 12 percent slopes, eroded					
Alford	100	Somewhat limited		Somewhat limited	
		Slope	0.37	Dusty	0.07
		Dusty	0.07	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
AfC3—Alford silt loam, 6 to 12 percent slopes, severely eroded					
Alford, severely eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.84	Slope	0.16
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfD2—Alford silt loam, 12 to 18 percent slopes, eroded					
Alford	100	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfD3—Alford silt loam, 12 to 18 percent slopes, severely eroded					
Alford, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfE—Alford silt loam, 18 to 25 percent slopes					
Alford	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AfF—Alford silt loam, 25 to 50 percent slopes					
Alford	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ak--Atkins silt loam					
Atkins	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AIA--Ava silt loam, 0 to 2 percent slopes					
Ava	100	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AIB2--Ava silt loam, 2 to 6 percent slopes, eroded					
Ava	100	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AIB3--Ava silt loam, 2 to 6 percent slopes, severely eroded					
Ava, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AsA--Ayshire fine sandy loam, 0 to 2 percent slopes					
Ayrshire	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
AsB—Ayshire fine sandy loam, 2 to 4 percent slopes					
Ayrshire	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
AyA—Ayshire loam, 0 to 2 percent slopes					
Ayrshire	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BIB—Bloomfield loamy fine sand, 2 to 6 percent slopes					
Bloomfield	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.41	Unstable excavation walls	0.41
		Sand content	0.32	Sand content	0.32
BIC—Bloomfield loamy fine sand, 6 to 12 percent slopes					
Bloomfield	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Unstable excavation walls	0.41
		Unstable excavation walls	0.41	Sand content	0.32
		Sand content	0.32	Slope	0.04
BID—Bloomfield loamy fine sand, 12 to 18 percent slopes					
Bloomfield	100	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Slope	0.96
		Unstable excavation walls	0.41	Unstable excavation walls	0.41
		Sand content	0.32	Sand content	0.32

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BIF--Bloomfield loamy fine sand, 18 to 40 percent slopes					
Bloomfield	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.41	Unstable excavation walls	0.41
		Sand content	0.32	Sand content	0.32
Bp--Borrow pits					
Borrow pits	100	Not rated		Not rated	
Ca--Houghton muck, drained, 0 to 1 percent slopes					
Houghton, drained	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Organic matter content	1.00	Organic matter content	1.00
		Water gathering surface	0.50	Water gathering surface	0.50
		Seepage	0.16	Seepage	0.16
CnB2--Cincinnati silt loam, 2 to 6 percent slopes, eroded					
Cincinnati	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CnC2--Cincinnati silt loam, 6 to 12 percent slopes, eroded					
Cincinnati	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.37	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
CnC3--Cincinnati silt loam, 6 to 12 percent slopes, severely eroded					
Cincinnati, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.84	Slope	0.16
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CnD2—Cincinnati silt loam, 12 to 18 percent slopes, eroded					
Cincinnati	100	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CnD3—Cincinnati silt loam, 12 to 18 percent slopes, severely eroded					
Cincinnati, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Co—Cory silt loam					
Cory	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Cu—Cuba silt loam					
Cuba	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.07	Unstable excavation walls	0.07
		Dusty	0.06	Dusty	0.06
Du—Dumps					
Udorthents, rubbish	100	Not rated		Not rated	
Es—Eel silt loam					
Eel	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EtA—Elston fine sandy loam, 0 to 2 percent slopes					
Elston	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
EtB—Elston fine sandy loam, 2 to 6 percent slopes					
Elston	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
EuA—Elston loam, 0 to 2 percent slopes					
Elston	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EuB—Elston loam, 2 to 6 percent slopes					
Elston	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FcE—Fairpoint parachannery clay loam, 18 to 35 percent slopes					
Fairpoint	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	1.00	Unstable excavation walls	1.00
		Dusty	0.06	Dusty	0.06
FsA—Fox sandy loam, 0 to 2 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FsB—Fox sandy loam, 2 to 6 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FxA—Fox loam, 0 to 2 percent slopes					
Fox	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gn—Genesee fine sandy loam, sandy variant					
Genesee variant	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.52	Seepage	0.52
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Dusty	0.01	Dusty	0.01
Gs—Genesee silt loam					
Genesee	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Gu—Gullied land					
Gullied land, very severely eroded	100	Not rated		Not rated	
HeA—Henshaw silt loam, 0 to 2 percent slopes					
Henshaw	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HeB2--Henshaw silt loam, 2 to 4 percent slopes, eroded					
Henshaw	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HkE--Hickory silt loam, 18 to 25 percent slopes					
Hickory	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HkF--Hickory silt loam, 25 to 35 percent slopes					
Hickory	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HkF3--Hickory silt loam, 18 to 35 percent slopes, severely eroded					
Hickory, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HkG--Hickory silt loam, 35 to 50 percent slopes					
Hickory	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
IoA--Iona silt loam, 0 to 2 percent slopes					
Iona	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
loB2—Iona silt loam, 2 to 6 percent slopes, eroded					
Iona	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
loB3—Iona silt loam, 2 to 6 percent slopes, severely eroded					
Iona, severely eroded	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
IvA—Iva silt loam, 0 to 2 percent slopes					
Iva	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
IvB2—Iva silt loam, 2 to 4 percent slopes, eroded					
Iva	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Kg—Kings silty clay					
Kings	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ly--Lyles loam					
Lyles	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Too sandy	1.00	Too sandy	1.00
		Seepage	0.52	Seepage	0.52
		Water gathering surface	0.33	Water gathering surface	0.33
MaB2--Markland silt loam, 2 to 6 percent slopes, eroded					
Markland	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07
MaD2--Markland silt loam, 12 to 18 percent slopes, eroded					
Markland	100	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07
MaE2--Markland silt loam, 18 to 25 percent slopes, eroded					
Markland	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07
McD3--Markland silty clay loam, 6 to 18 percent slopes, severely eroded					
Markland, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07
Mg--McGary silt loam					
Mcgary	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Mn--Mine dumps					
Dumps, mine	90	Not rated		Not rated	
MuB2--Muren silt loam, 2 to 6 percent slopes, eroded					
Muren	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PaC3--Parke silt loam, 6 to 12 percent slopes, severely eroded					
Parke, severely eroded	100	Somewhat limited		Somewhat limited	
		Slope	0.84	Slope	0.16
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PaD3--Parke silt loam, 12 to 18 percent slopes, severely eroded					
Parke, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pc--Patton silty clay loam					
Patton	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pg--Pits, gravel					
Pits, gravel	100	Not rated		Not rated	

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Po--Petrolia silty clay loam					
Petrolia	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
PrA--Princeton fine sandy loam, 0 to 2 percent slopes					
Princeton	100	Somewhat limited		Somewhat limited	
		Seepage	0.52	Seepage	0.52
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PrB2--Princeton fine sandy loam, 2 to 6 percent slopes, eroded					
Princeton	90	Somewhat limited		Somewhat limited	
		Seepage	0.52	Seepage	0.52
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PrC2--Princeton fine sandy loam, 6 to 12 percent slopes, eroded					
Princeton	90	Somewhat limited		Somewhat limited	
		Seepage	0.52	Seepage	0.52
		Slope	0.37	Dusty	0.02
		Dusty	0.02	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
PrD2--Princeton fine sandy loam, 12 to 18 percent slopes, eroded					
Princeton	90	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.96
		Seepage	0.52	Seepage	0.52
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PrE2--Princeton fine sandy loam, 18 to 25 percent slopes, eroded					
Princeton	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PrG--Princeton fine sandy loam, 25 to 50 percent slopes					
Princeton	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ra--Ragsdale silt loam					
Ragsdale	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ReA--Reesville silt loam, 0 to 2 percent slopes					
Reesville variant	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ReB2--Reesville silt loam, 2 to 4 percent slopes, eroded					
Reesville variant	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Rm--Rensselaer loam					
Rensselaer	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Rr--Riverwash					
Riverwash	100	Not rated		Not rated	
Rs--Rock land					
Rock land	100	Not rated		Not rated	
Rt--Ross silt loam					
Ross	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Sh--Shadeland loam					
Shadeland	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Sn--Stendal silt loam					
Stendal	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
St--Strip mines					
Strip mines	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ud—Udorthents, loamy					
Udorthents	100	Somewhat limited		Somewhat limited	
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
VgA—Vigo silt loam, 0 to 2 percent slopes					
Vigo	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
VgB2—Vigo silt loam, 2 to 4 percent slopes, eroded					
Vigo	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
W—Water					
Water	100	Not rated		Not rated	
Wa—Wakeland silt loam					
Wakeland	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WrA—Warsaw sandy loam, 0 to 2 percent slopes					
Warsaw	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WrB—Warsaw sandy loam, 2 to 6 percent slopes					
Warsaw	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.01	Dusty	0.01
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WrC2--Warsaw sandy loam, 6 to 12 percent slopes, eroded					
Warsaw	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Slope	0.37	Dusty	0.01
		Dusty	0.01	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
WsA--Warsaw loam, 0 to 2 percent slopes					
Warsaw	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Wt--Westland silty clay loam					
Westland	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
Wv--Westland silty clay loam, shallow variant					
Westland variant	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
Ww--Wilbur silt loam					
Wilbur	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Sullivan County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Zc--Zipp silty clay					
Zipp	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07

### Data Source Information

Soil Survey Area: Sullivan County, Indiana  
 Survey Area Data: Version 17, Sep 15, 2014