

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Sullivan County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|------------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| AdB | Ade loamy fine sand, 2 to 6 percent slopes | Ade | 100 | 115 | 40 | 46 | 3.8 | 7.6 |
| AdC | Ade loamy fine sand, 6 to 12 percent slopes | Ade | 100 | 105 | 37 | 42 | 3.5 | 7.0 |
| AfB2 | Alford silt loam, 2 to 5 percent slopes, eroded | Alford, eroded | 95 | 155 | 54 | 62 | 5.1 | 10.2 |
| | | Hosmer, eroded | 5 | 120 | 42 | 54 | 4.0 | 8.0 |
| AfB3 | Alford silt loam, 2 to 5 percent slopes, severely eroded | Alford, severely eroded | 95 | 150 | 53 | 60 | 5.0 | 10.0 |
| | | Hosmer, severely eroded | 5 | 130 | 46 | 59 | 4.3 | 8.6 |
| AfC2 | Alford silt loam, 5 to 10 percent slopes, eroded | Alford, eroded | 90 | 145 | 51 | 58 | 4.8 | 9.6 |
| | | Hosmer, eroded | 6 | 110 | 39 | 50 | 3.6 | 7.2 |
| | | Alvin | 2 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| | | Wakeland, frequently flooded | 2 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| AfC3 | Alford silt loam, 5 to 10 percent slopes, severely eroded | Alford, severely eroded | 90 | 140 | 49 | 56 | 4.6 | 9.2 |
| | | Hosmer, severely eroded | 6 | 120 | 42 | 54 | 4.0 | 8.0 |
| | | Alvin | 2 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| | | Wakeland, frequently flooded | 2 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |

COMPONENT CROP YIELDS (RV)--Continued
 Sullivan County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|------------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| AfD2 | Alford silt loam, 10 to 18 percent slopes, eroded | Alford, eroded | 95 | 130 | 46 | 52 | 4.3 | 8.6 |
| | | Wakeland, frequently flooded | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| | | Alvin | 2 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| AfD3 | Alford silt loam, 10 to 18 percent slopes, severely eroded | Alford, severely eroded | 90 | 125 | 44 | 50 | 4.1 | 8.2 |
| | | Wakeland, frequently flooded | 6 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| | | Alvin | 4 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| AfE | Alford silt loam, 18 to 35 percent slopes | Alford | 95 | --- | --- | --- | 0.0 | 0.0 |
| | | Wellston | 5 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| AfF | Alford silt loam, 25 to 50 percent slopes | Alford | 100 | --- | --- | --- | 0.0 | 0.0 |
| Ak | Atkins silt loam | Atkins | 100 | 120 | 32 | 0 | 0.0 | 0.0 |
| AlA | Ava silt loam, 0 to 2 percent slopes | Ava | 100 | 130 | 46 | 59 | 4.3 | 8.6 |
| AlB2 | Ava silt loam, 2 to 6 percent slopes, eroded | Ava, eroded | 95 | 115 | 40 | 52 | 3.8 | 7.6 |
| | | Iva | 3 | 165 | 54 | 66 | 5.4 | 10.8 |
| | | Shakamak | 2 | 130 | 46 | 59 | 4.3 | 8.6 |
| AlB3 | Ava silt loam, 2 to 6 percent slopes, severely eroded | Ava, severely eroded | 100 | 120 | 42 | 54 | 4.0 | 8.0 |
| AsA | Ayrshire fine sandy loam, 0 to 2 percent slopes | Ayrshire | 90 | 150 | 49 | 60 | 5.0 | 10.0 |
| | | Lyles | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |

COMPONENT CROP YIELDS (RV)--Continued
 Sullivan County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|-----------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| AsB | Ayrshire fine sandy loam, 2 to 4 percent slopes | Ayrshire | 90 | 150 | 49 | 60 | 5.0 | 10.0 |
| | | Lyles | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| AyA | Ayrshire loam, 0 to 2 percent slopes | Ayrshire | 90 | 155 | 51 | 62 | 5.1 | 10.2 |
| | | Lyles | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| BlB | Bloomfield loamy fine sand, 2 to 6 percent slopes | Bloomfield | 100 | 95 | 33 | 38 | 3.1 | 6.2 |
| BlC | Bloomfield loamy fine sand, 6 to 12 percent slopes | Bloomfield | 100 | 85 | 30 | 34 | 2.8 | 5.6 |
| BlD | Bloomfield loamy fine sand, 12 to 18 percent slopes | Bloomfield | 100 | 70 | 25 | 28 | 2.3 | 4.6 |
| BlF | Bloomfield loamy fine sand, 18 to 40 percent slopes | Bloomfield | 100 | --- | --- | --- | 0.0 | 0.0 |
| Bp | Borrow pits | Borrow pits | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Ca | Houghton muck, drained, 0 to 1 percent slopes | Houghton, drained | 100 | 165 | 44 | 66 | 5.4 | 10.8 |
| CnB2 | Cincinnati silt loam, Wabash Lowland, 2 to 6 percent slopes, eroded | Cincinnati, eroded | 95 | 125 | 44 | 56 | 4.1 | 8.2 |
| | | Cincinnati, severely eroded | 5 | 105 | 37 | 47 | 3.5 | 7.0 |
| CnC2 | Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded | Cincinnati, eroded | 90 | 105 | 37 | 47 | 3.5 | 7.0 |
| | | Cincinnati, severely eroded | 5 | 100 | 35 | 45 | 3.3 | 6.6 |
| | | Stendal, rarely, very brief | 5 | 150 | 49 | 60 | 5.0 | 10.0 |

COMPONENT CROP YIELDS (RV)--Continued
 Sullivan County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|---|------------|------------|----------------|--------------------|--------------------------|-------------|
| CnC3 | Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded | Cincinnati, severely eroded | 95 | 100 | 35 | 45 | 3.3 | 6.6 |
| | | Stendal, occasionally flooded, very brief | 5 | 140 | 46 | 20 | 4.6 | 9.2 |
| CnD2 | Cincinnati silt loam, 12 to 18 percent slopes, eroded | Cincinnati | 100 | 105 | 37 | 47 | 3.5 | 7.0 |
| Co | Cory silt loam | Cory | 90 | 170 | 56 | 68 | 5.6 | 11.2 |
| | | poorly drained alfisol | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Cu | Cuba silt loam | Cuba | 100 | 125 | 44 | 18 | 4.1 | 8.2 |
| Du | Dumps | Udorthents, Rubbish | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Es | Eel silt loam | Eel | 90 | 120 | 42 | 0 | 0.0 | 0.0 |
| | | Eel | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| EtA | Elston fine sandy loam, 0 to 2 percent slopes | Elston | 100 | 140 | 49 | 70 | 4.6 | 9.2 |
| EtB | Elston fine sandy loam, 2 to 6 percent slopes | Elston | 100 | 140 | 49 | 70 | 4.6 | 9.2 |
| EuA | Elston loam, 0 to 2 percent slopes | Elston | 100 | 145 | 51 | 73 | 4.8 | 9.6 |
| EuB | Elston loam, 2 to 6 percent slopes | Elston | 100 | 145 | 51 | 73 | 4.8 | 9.6 |
| FcE | Fairpoint parachannery clay loam, 18 to 35 percent slopes | Fairpoint | 100 | --- | --- | --- | 0.0 | 0.0 |
| FsA | Fox sandy loam, 0 to 2 percent slopes | Fox | 100 | 130 | 46 | 65 | 4.3 | 8.6 |

COMPONENT CROP YIELDS (RV)--Continued
 Sullivan County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|------------------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| FsB | Fox sandy loam, 2 to 6 percent slopes | Fox | 100 | 130 | 46 | 65 | 4.3 | 8.6 |
| FxA | Fox loam, 0 to 2 percent slopes | Fox | 100 | 135 | 47 | 68 | 4.5 | 9.0 |
| Gn | Genesee fine sandy loam, sandy variant | Genesee variant | 90 | 100 | 35 | 0 | 0.0 | 0.0 |
| | | Genesee variant | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Gs | Genesee silt loam | Genesee | 90 | 120 | 42 | 0 | 0.0 | 0.0 |
| | | Genesee | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Gu | Gullied land | Gullied land, very severely eroded | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| HeA | Henshaw silt loam, 0 to 2 percent slopes | Henshaw | 90 | 155 | 51 | 62 | 5.1 | 10.2 |
| | | Patton | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| | | poorly drained aqualfs | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| HeB2 | Henshaw silt loam, 2 to 4 percent slopes, eroded | Henshaw | 100 | 150 | 49 | 60 | 5.0 | 10.0 |
| HkE | Hickory silt loam, 18 to 25 percent slopes | Hickory | 100 | --- | --- | --- | 3.3 | 6.6 |
| HkF | Hickory silt loam, 25 to 35 percent slopes | Hickory | 100 | --- | --- | --- | 0.0 | 0.0 |
| HkF3 | Hickory silt loam, 18 to 35 percent slopes, severely eroded | Hickory, severely eroded | 100 | --- | --- | --- | 0.0 | 0.0 |
| HkG | Hickory silt loam, 35 to 50 percent slopes | Hickory | 100 | --- | --- | --- | 0.0 | 0.0 |

COMPONENT CROP YIELDS (RV)--Continued
 Sullivan County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|---------------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| IoA | Iona silt loam, 0 to 2 percent slopes | Iona | 100 | 160 | 56 | 64 | 5.3 | 10.6 |
| IoB2 | Iona silt loam, 2 to 6 percent slopes, eroded | Iona | 100 | 155 | 54 | 62 | 5.1 | 10.2 |
| IoB3 | Iona silt loam, 2 to 6 percent slopes, severely eroded | Iona, severely eroded | 100 | 150 | 53 | 60 | 5.0 | 10.0 |
| IvA | Iva silt loam, 0 to 2 percent slopes | Iva | 90 | 165 | 54 | 66 | 5.4 | 10.8 |
| | | Hoosierville, frequently ponded | 5 | 160 | 46 | 72 | 5.3 | 10.6 |
| | | Hosmer | 3 | 125 | 44 | 56 | 4.1 | 8.2 |
| | | Muren | 2 | 140 | 49 | 56 | 4.6 | 9.2 |
| IvB2 | Iva silt loam, 2 to 4 percent slopes, eroded | Iva | 90 | 160 | 53 | 64 | 5.3 | 10.6 |
| | | Ragsdale | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Kg | Kings silty clay | Kings | 100 | 150 | 42 | 68 | 5.0 | 10.0 |
| Ly | Lyles loam | Lyles | 100 | 155 | 44 | 62 | 5.1 | 10.2 |
| MaB2 | Markland silt loam, 2 to 6 percent slopes, eroded | Markland | 100 | 125 | 44 | 50 | 4.1 | 8.2 |
| MaD2 | Markland silt loam, 12 to 18 percent slopes, eroded | Markland | 100 | 100 | 35 | 40 | 3.3 | 6.6 |
| MaE2 | Markland silt loam, 18 to 25 percent slopes, eroded | Markland | 100 | --- | --- | --- | 2.8 | 5.6 |
| McD3 | Markland silty clay loam, 6 to 18 percent slopes, severely eroded | Markland, severely eroded | 100 | 90 | 32 | 36 | 3.0 | 6.0 |

COMPONENT CROP YIELDS (RV)--Continued
 Sullivan County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| Mg | McGary silt loam | McGary | 90 | 140 | 46 | 56 | 4.6 | 9.2 |
| | | Zipp | 4 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| | | Montgomery | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| | | poorly drained aqualfs | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Mn | Mine dumps | Dumps, mine | 90 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| | | Water | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| MuB2 | Muren silt loam, 2 to 6 percent slopes, eroded | Muren | 100 | 150 | 53 | 60 | 5.0 | 10.0 |
| PaC3 | Parke silt loam, 6 to 12 percent slopes, severely eroded | Parke, severely eroded | 100 | 120 | 42 | 48 | 4.0 | 8.0 |
| PaD3 | Parke silt loam, 12 to 18 percent slopes, severely eroded | Parke, severely eroded | 100 | 105 | 37 | 42 | 3.5 | 7.0 |
| Pc | Patton silty clay loam | Patton | 100 | 175 | 51 | 70 | 5.8 | 11.6 |
| Pg | Pits, gravel | Pits, gravel | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Po | Petrolia silty clay loam | Petrolia | 100 | 115 | 30 | 0 | 0.0 | 0.0 |
| PrA | Princeton fine sandy loam, 0 to 2 percent slopes | Princeton | 100 | 140 | 49 | 56 | 4.6 | 9.2 |
| PrB2 | Princeton fine sandy loam, 2 to 6 percent slopes, eroded | Princeton | 90 | 135 | 47 | 54 | 4.5 | 9.0 |
| | | Lyles | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| PrC2 | Princeton fine sandy loam, 6 to 12 percent slopes, eroded | Princeton | 90 | 125 | 44 | 50 | 4.1 | 8.2 |
| | | Lyles | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |

COMPONENT CROP YIELDS (RV)--Continued
 Sullivan County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|--|-------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| PrD2 | Princeton fine sandy loam, 12 to 18 percent slopes, eroded | Princeton | 90 | 110 | 39 | 44 | 3.6 | 7.2 |
| | | Lyles | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| PrE2 | Princeton fine sandy loam, 18 to 25 percent slopes, eroded | Princeton | 90 | --- | --- | --- | 3.1 | 6.2 |
| | | Lyles | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| PrG | Princeton fine sandy loam, 25 to 50 percent slopes | Princeton | 90 | --- | --- | --- | 0.0 | 0.0 |
| | | Lyles | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Ra | Ragsdale silt loam | Ragsdale | 100 | 190 | 56 | 76 | 6.3 | 12.6 |
| ReA | Reesville silt loam, 0 to 2 percent slopes | Reesville Variant | 90 | 170 | 56 | 68 | 5.6 | 11.2 |
| | | poorly drained aqualfts | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| | | Ragsdale | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| ReB2 | Reesville silt loam, 2 to 4 percent slopes, eroded | Reesville Variant | 90 | 165 | 54 | 66 | 5.4 | 10.8 |
| | | Ragsdale | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Rm | Rensselaer loam | Rensselaer | 100 | 175 | 51 | 70 | 5.8 | 11.6 |
| Rr | Riverwash | Riverwash | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Rs | Rock land | Rock land | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Rt | Ross silt loam | Ross | 90 | 135 | 47 | 0 | 0.0 | 0.0 |
| | | Ross | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |

COMPONENT CROP YIELDS (RV)--Continued
 Sullivan County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|------------------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| Sh | Shadeland loam | Shadeland | 90 | 120 | 39 | 48 | 4.0 | 8.0 |
| | | poorly drained aquolls | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Sn | Stendal silt loam | Stendal | 90 | 125 | 40 | 0 | 0.0 | 0.0 |
| | | Atkins | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| St | Strip mines | Strip mines | 90 | 0 | 0 | 0 | 0.0 | 0.0 |
| | | Water | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Ud | Udorthents, loamy | Udorthents | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| VgA | Vigo silt loam, 0 to 2 percent slopes | Vigo | 90 | 155 | 51 | 62 | 5.1 | 10.2 |
| | | poorly drained aqualfs | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| VgB2 | Vigo silt loam, 2 to 4 percent slopes, eroded | Vigo | 90 | 150 | 49 | 60 | 5.0 | 10.0 |
| | | poorly drained aqualfs | 3 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| W | Water | Water | 100 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| Wa | Wakeland silt loam, 0 to 2 percent slopes, frequently flooded | Wakeland, frequently flooded | 95 | 130 | 39 | 0 | 0.0 | 0.0 |
| | | Birds, frequently flooded | 5 | Not Rated | Not Rated | Not Rated | Not Rated | Not Rated |
| WrA | Warsaw sandy loam, 0 to 2 percent slopes | Warsaw | 100 | 105 | 37 | 53 | 3.5 | 7.0 |
| WrB | Warsaw sandy loam, 2 to 6 percent slopes | Warsaw | 100 | 105 | 37 | 53 | 3.5 | 7.0 |

COMPONENT CROP YIELDS (RV)--Continued
 Sullivan County, Indiana

| Map Unit Symbol | Map unit name | Component | Comp. Pct. | Corn Bu/Ac | Soybeans Bu/Ac | Winter Wheat Bu/Ac | Grass-Legume Hay Tons/AC | Pasture AUM |
|-----------------|---|------------------|------------|------------|----------------|--------------------|--------------------------|-------------|
| WrC2 | Warsaw sandy loam, 6 to 12 percent slopes, eroded | Warsaw | 100 | 90 | 32 | 45 | 3.0 | 6.0 |
| WsA | Warsaw loam, 0 to 2 percent slopes | Warsaw | 100 | 110 | 39 | 55 | 3.6 | 7.2 |
| Wt | Westland silty clay loam | Westland | 100 | 165 | 47 | 83 | 5.4 | 10.8 |
| Wv | Westland silty clay loam, shallow variant | Westland variant | 100 | 145 | 40 | 58 | 4.8 | 9.6 |
| Ww | Wilbur silt loam | Wilbur | 100 | 125 | 44 | 0 | 0.0 | 0.0 |
| Zc | Zipp silty clay, 0 to 2 percent slopes | Zipp | 95 | 140 | 39 | 63 | 4.6 | 9.2 |
| | | McGary | 5 | 140 | 46 | 56 | 4.6 | 9.2 |