

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Sullivan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AdB	Ade loamy fine sand, 2 to 6 percent slopes	Ade	100	115	40	46	3.8	7.6
AdC	Ade loamy fine sand, 6 to 12 percent slopes	Ade	100	105	37	42	3.5	7.0
AfB2	Alford silt loam, 2 to 5 percent slopes, eroded	Alford, eroded	95	155	54	62	5.1	10.2
AfB3	Alford silt loam, 2 to 5 percent slopes, severely eroded	Alford, severely eroded	95	150	53	60	5.0	10.0
AfC2	Alford silt loam, 5 to 10 percent slopes, eroded	Alford, eroded	90	145	51	58	4.8	9.6
AfC3	Alford silt loam, 5 to 10 percent slopes, severely eroded	Alford, severely eroded	90	140	49	56	4.6	9.2
AfD2	Alford silt loam, 10 to 18 percent slopes, eroded	Alford, eroded	95	130	46	52	4.3	8.6
AfD3	Alford silt loam, 10 to 18 percent slopes, severely eroded	Alford, severely eroded	90	125	44	50	4.1	8.2
AfE	Alford silt loam, 18 to 35 percent slopes	Alford	95	---	---	---	0.0	0.0
AfF	Alford silt loam, 25 to 50 percent slopes	Alford	100	---	---	---	0.0	0.0
Ak	Atkins silt loam	Atkins	100	120	32	0	0.0	0.0
AlA	Ava silt loam, 0 to 2 percent slopes	Ava	100	130	46	59	4.3	8.6
AlB2	Ava silt loam, 2 to 6 percent slopes, eroded	Ava, eroded	95	115	40	52	3.8	7.6
AlB3	Ava silt loam, 2 to 6 percent slopes, severely eroded	Ava, severely eroded	100	120	42	54	4.0	8.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Sullivan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AsA	Ayrshire fine sandy loam, 0 to 2 percent slopes	Ayrshire	90	150	49	60	5.0	10.0
AsB	Ayrshire fine sandy loam, 2 to 4 percent slopes	Ayrshire	90	150	49	60	5.0	10.0
AyA	Ayrshire loam, 0 to 2 percent slopes	Ayrshire	90	155	51	62	5.1	10.2
BlB	Bloomfield loamy fine sand, 2 to 6 percent slopes	Bloomfield	100	95	33	38	3.1	6.2
BlC	Bloomfield loamy fine sand, 6 to 12 percent slopes	Bloomfield	100	85	30	34	2.8	5.6
BlD	Bloomfield loamy fine sand, 12 to 18 percent slopes	Bloomfield	100	70	25	28	2.3	4.6
BlF	Bloomfield loamy fine sand, 18 to 40 percent slopes	Bloomfield	100	---	---	---	0.0	0.0
Bp	Borrow pits	Borrow pits	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ca	Houghton muck, drained, 0 to 1 percent slopes	Houghton, drained	100	165	44	66	5.4	10.8
CnB2	Cincinnati silt loam, Wabash Lowland, 2 to 6 percent slopes, eroded	Cincinnati, eroded	95	125	44	56	4.1	8.2
CnC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	Cincinnati, eroded	90	105	37	47	3.5	7.0
CnC3	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	95	100	35	45	3.3	6.6
CnD2	Cincinnati silt loam, 12 to 18 percent slopes, eroded	Cincinnati	100	105	37	47	3.5	7.0
Co	Cory silt loam	Cory	90	170	56	68	5.6	11.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Sullivan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Cu	Cuba silt loam	Cuba	100	125	44	18	4.1	8.2
Du	Dumps	Udorhents, Rubbish	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Es	Eel silt loam	Eel	90	120	42	0	0.0	0.0
EtA	Elston fine sandy loam, 0 to 2 percent slopes	Elston	100	140	49	70	4.6	9.2
EtB	Elston fine sandy loam, 2 to 6 percent slopes	Elston	100	140	49	70	4.6	9.2
EuA	Elston loam, 0 to 2 percent slopes	Elston	100	145	51	73	4.8	9.6
EuB	Elston loam, 2 to 6 percent slopes	Elston	100	145	51	73	4.8	9.6
FcE	Fairpoint parachannery clay loam, 18 to 35 percent slopes	Fairpoint	100	---	---	---	0.0	0.0
FsA	Fox sandy loam, 0 to 2 percent slopes	Fox	100	130	46	65	4.3	8.6
FsB	Fox sandy loam, 2 to 6 percent slopes	Fox	100	130	46	65	4.3	8.6
FxA	Fox loam, 0 to 2 percent slopes	Fox	100	135	47	68	4.5	9.0
Gn	Genesee fine sandy loam, sandy variant	Genesee variant	90	100	35	0	0.0	0.0
Gs	Genesee silt loam	Genesee	90	120	42	0	0.0	0.0
Gu	Gullied land	Gullied land, very severely eroded	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HeA	Henshaw silt loam, 0 to 2 percent slopes	Henshaw	90	155	51	62	5.1	10.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Sullivan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HeB2	Henshaw silt loam, 2 to 4 percent slopes, eroded	Henshaw	100	150	49	60	5.0	10.0
HkE	Hickory silt loam, 18 to 25 percent slopes	Hickory	100	---	---	---	3.3	6.6
HkF	Hickory silt loam, 25 to 35 percent slopes	Hickory	100	---	---	---	0.0	0.0
HkF3	Hickory silt loam, 18 to 35 percent slopes, severely eroded	Hickory, severely eroded	100	---	---	---	0.0	0.0
HkG	Hickory silt loam, 35 to 50 percent slopes	Hickory	100	---	---	---	0.0	0.0
IoA	Iona silt loam, 0 to 2 percent slopes	Iona	100	160	56	64	5.3	10.6
IoB2	Iona silt loam, 2 to 6 percent slopes, eroded	Iona	100	155	54	62	5.1	10.2
IoB3	Iona silt loam, 2 to 6 percent slopes, severely eroded	Iona, severely eroded	100	150	53	60	5.0	10.0
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	90	165	54	66	5.4	10.8
IvB2	Iva silt loam, 2 to 4 percent slopes, eroded	Iva	90	160	53	64	5.3	10.6
Kg	Kings silty clay	Kings	100	150	42	68	5.0	10.0
Ly	Lyles loam	Lyles	100	155	44	62	5.1	10.2
MaB2	Markland silt loam, 2 to 6 percent slopes, eroded	Markland	100	125	44	50	4.1	8.2
MaD2	Markland silt loam, 12 to 18 percent slopes, eroded	Markland	100	100	35	40	3.3	6.6
MaE2	Markland silt loam, 18 to 25 percent slopes, eroded	Markland	100	---	---	---	2.8	5.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Sullivan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
McD3	Markland silty clay loam, 6 to 18 percent slopes, severely eroded	Markland, severely eroded	100	90	32	36	3.0	6.0
Mg	McGary silt loam	McGary	90	140	46	56	4.6	9.2
Mn	Mine dumps	Dumps, mine	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MuB2	Muren silt loam, 2 to 6 percent slopes, eroded	Muren	100	150	53	60	5.0	10.0
PaC3	Parke silt loam, 6 to 12 percent slopes, severely eroded	Parke, severely eroded	100	120	42	48	4.0	8.0
PaD3	Parke silt loam, 12 to 18 percent slopes, severely eroded	Parke, severely eroded	100	105	37	42	3.5	7.0
Pc	Patton silty clay loam	Patton	100	175	51	70	5.8	11.6
Pg	Pits, gravel	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Po	Petrolia silty clay loam	Petrolia	100	115	30	0	0.0	0.0
PrA	Princeton fine sandy loam, 0 to 2 percent slopes	Princeton	100	140	49	56	4.6	9.2
PrB2	Princeton fine sandy loam, 2 to 6 percent slopes, eroded	Princeton	90	135	47	54	4.5	9.0
PrC2	Princeton fine sandy loam, 6 to 12 percent slopes, eroded	Princeton	90	125	44	50	4.1	8.2
PrD2	Princeton fine sandy loam, 12 to 18 percent slopes, eroded	Princeton	90	110	39	44	3.6	7.2
PrE2	Princeton fine sandy loam, 18 to 25 percent slopes, eroded	Princeton	90	---	---	---	3.1	6.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Sullivan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PrG	Princeton fine sandy loam, 25 to 50 percent slopes	Princeton	90	---	---	---	0.0	0.0
Ra	Ragsdale silt loam	Ragsdale	100	190	56	76	6.3	12.6
ReA	Reesville silt loam, 0 to 2 percent slopes	Reesville Variant	90	170	56	68	5.6	11.2
ReB2	Reesville silt loam, 2 to 4 percent slopes, eroded	Reesville Variant	90	165	54	66	5.4	10.8
Rm	Rensselaer loam	Rensselaer	100	175	51	70	5.8	11.6
Rr	Riverwash	Riverwash	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Rs	Rock land	Rock land	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Rt	Ross silt loam	Ross	90	135	47	0	0.0	0.0
Sh	Shadeland loam	Shadeland	90	120	39	48	4.0	8.0
Sn	Stendal silt loam	Stendal	90	125	40	0	0.0	0.0
St	Strip mines	Strip mines	90	0	0	0	0.0	0.0
Ud	Udorthents, loamy	Udorthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
VgA	Vigo silt loam, 0 to 2 percent slopes	Vigo	90	155	51	62	5.1	10.2
VgB2	Vigo silt loam, 2 to 4 percent slopes, eroded	Vigo	90	150	49	60	5.0	10.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	Wakeland, frequently flooded	95	130	39	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Sullivan County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WrA	Warsaw sandy loam, 0 to 2 percent slopes	Warsaw	100	105	37	53	3.5	7.0
WrB	Warsaw sandy loam, 2 to 6 percent slopes	Warsaw	100	105	37	53	3.5	7.0
WrC2	Warsaw sandy loam, 6 to 12 percent slopes, eroded	Warsaw	100	90	32	45	3.0	6.0
WsA	Warsaw loam, 0 to 2 percent slopes	Warsaw	100	110	39	55	3.6	7.2
Wt	Westland silty clay loam	Westland	100	165	47	83	5.4	10.8
Wv	Westland silty clay loam, shallow variant	Westland variant	100	145	40	58	4.8	9.6
Ww	Wilbur silt loam	Wilbur	100	125	44	0	0.0	0.0
Zc	Zipp silty clay, 0 to 2 percent slopes	Zipp	95	140	39	63	4.6	9.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.