

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Switzerland County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AvA	Avonburg silt loam, 0 to 2 percent slopes	145	48	65	4.8	9.6
AvB2	Avonburg silt loam, 2 to 4 percent slopes, eroded	137	46	60	4.4	8.7
BmC	Bloomfield loamy fine sand, 4 to 12 percent slopes	95	33	38	3.1	6.2
BoC2	Bonnell silty clay loam, 6 to 12 percent slopes, eroded	110	39	44	3.6	7.2
BoE2	Bonnell silty clay loam, 15 to 25 percent slopes, eroded	95	33	38	3.1	6.2
CaC2	Carmel silty clay loam, 6 to 12 percent slopes, eroded	95	33	43	3.1	6.2
CaC3	Carmel silty clay loam, 6 to 12 percent slopes, severely eroded	85	30	38	2.8	5.6
Ch	Chagrin silt loam, occasionally flooded	125	44	18	0.0	0.0
CnB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded	116	41	51	3.8	7.6
CnC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	106	37	47	3.5	7.0
CnC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded	99	35	44	3.3	6.6
Co	Cobbsfork silt loam, 0 to 1 percent slopes	139	43	61	5.0	10.1
Dn	Dearborn loam, frequently flooded	120	42	17	0.0	0.0
Dr	Dearborn channery silt loam, frequently flooded	115	40	16	0.0	0.0
EdF2	Eden flaggy silty clay, 25 to 50 percent slopes	---	---	---	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Switzerland County, Indiana

EeE2	Eden silty clay loam, 15 to 50 percent slopes, eroded	0	0	0	0.0	0.0
EkA	Elkinsville silt loam, rarely flooded, 0 to 2 percent slopes	150	53	60	5.0	10.0
EkB	Elkinsville silt loam, rarely flooded, 2 to 8 percent slopes	150	53	60	5.0	10.0
Hu	Huntington silt loam, 0 to 2 percent slopes, occasionally flooded	133	47	19	0.0	0.0
MaB2	Markland silt loam, 1 to 6 percent slopes, eroded	120	42	48	4.0	8.0
MaC2	Markland silt loam, 8 to 15 percent slopes, eroded	110	39	44	3.6	7.2
Ne	Newark silt loam, 0 to 2 percent slopes, occasionally flooded	134	44	19	0.0	0.0
PaE2	Pate silt loam, 15 to 25 percent slopes, eroded	0	0	0	0.0	0.0
PkB	Pekin silt loam, rarely flooded, 1 to 4 percent slopes	130	46	59	4.3	8.6
RoA	Rossmoyne silt loam, 0 to 2 percent slopes	135	47	61	4.5	9.0
RoB2	Nabb silt loam, 2 to 6 percent slopes, eroded	117	41	50	3.6	7.3
SwB2	Switzerland silt loam, 2 to 6 percent slopes, eroded	135	47	54	4.5	9.0
SwC2	Switzerland silt loam, 6 to 12 percent slopes, eroded	125	44	50	4.1	8.2
Ud	Udorthents, loamy	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
WgB2	Weisburg silt loam, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Switzerland County, Indiana

WgC2	Weisburg silt loam, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6
WhA	Wheeling loam, rarely flooded, 0 to 2 percent slopes	115	40	46	3.8	7.6
WhB	Wheeling loam, rarely flooded, 2 to 8 percent slopes	140	49	56	4.6	9.2
WhC	Wheeling loam, rarely flooded, 8 to 15 percent slopes	130	46	52	4.3	8.6
WhE	Wheeling loam, rarely flooded, 18 to 35 percent slopes	0	0	0	0.0	0.0
WvC	Woolper silty clay loam, 3 to 10 percent slopes	140	49	56	4.6	9.2