

NON-IRRIGATED COMPONENT CROP YIELDS (RV)  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BbA	Birkbeck silt loam, 0 to 2 percent slopes	Birkbeck	90	160	56	64	5.3	10.6
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BbB1	Birkbeck silt loam, 2 to 6 percent slopes, slightly eroded	Birkbeck	90	160	56	64	5.3	10.6
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BbB2	Birkbeck silt loam, 2 to 6 percent slopes, moderately eroded	Birkbeck	90	155	54	62	5.1	10.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Bp	Borrow pits	Borrow pits	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Br	Brookston silt loam	Brookston	100	185	54	74	6.1	12.2
By	Brookston silty clay loam, 0 to 2 percent slopes	Brookston	95	175	51	70	5.8	11.6
		Crosby	5	140	46	63	4.6	9.2
Co	Cope silt loam	Cope	100	185	54	83	6.1	12.2
Cp	Cope silty clay loam	Cope	100	185	54	83	6.1	12.2
CrA	Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	Crosby	90	140	46	63	4.6	9.2
		Kokomo, drained	5	170	49	68	5.6	11.2
		Celina, eroded	4	125	44	56	4.1	8.2
		Miamian, eroded	1	125	44	56	4.1	8.2
CrB2	Crosby silt loam, 2 to 6 percent slopes, moderately eroded	Crosby	90	135	44	61	4.5	9.0
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
De	Delmar silt loam	Delmar	90	175	51	79	5.8	11.6
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ee	Eel loam	Eel	90	120	42	0	0.0	0.0
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Es	Eel silt loam	Eel	90	120	42	0	0.0	0.0
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FaB	Fairmount silty clay loam, 2 to 6 percent slopes	Fairmount	100	75	26	34	2.5	5.0
FaC	Fairmount silty clay loam, 6 to 12 percent slopes	Fairmount	100	65	23	29	2.1	4.2
FaD	Fairmount silty clay loam, 12 to 18 percent slopes	Fairmount	100	50	18	23	1.7	3.4
FaE	Fairmount silty clay loam, 18 to 25 percent slopes	Fairmount	100	---	---	---	1.2	2.4
FaF	Fairmount silty clay loam, 25 to 35 percent slopes	Fairmount	100	---	---	---	0.0	0.0
FaG	Fairmount silty clay loam, 35 to 50 percent slopes	Fairmount	100	---	---	---	0.0	0.0
FcA	Fincastle silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	Fincastle	85	155	51	70	5.1	10.2
		Cyclone	5	190	56	76	6.3	12.6
		Ragsdale	5	190	56	76	6.3	12.6
		Xenia	5	155	54	70	5.1	10.2

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FcB1	Fincastle silt loam, 2 to 6 percent slopes, slightly eroded	Fincastle	90	165	54	74	5.4	10.8
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FeA	Fincastle-Crosby silt loams, 0 to 2 percent slopes	Fincastle	55	165	54	74	5.4	10.8
		Crosby	30	140	46	63	4.6	9.2
		Williamstown	10	140	49	63	4.6	9.2
		Treaty	5	185	54	74	6.1	12.2
FeB	Fincastle and Crosby silt loams, 2 to 6 percent slopes	Fincastle	45	165	54	74	5.4	10.8
		Crosby	45	140	46	63	4.6	9.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FeB2	Fincastle and Crosby silt loams, 2 to 6 percent slopes, eroded	Fincastle	45	160	53	72	5.3	10.6
		Crosby	45	135	44	61	4.5	9.0
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FmA	Fox loam, 0 to 2 percent slopes	Fox	80	100	35	50	3.3	6.6
		Ockley	14	135	47	68	4.5	9.0
		Westland, drained	4	175	51	88	5.8	11.6
		Whitaker	2	155	51	62	5.1	10.2
FmB1	Fox loam, 2 to 6 percent slopes, slightly eroded	Fox	100	100	35	50	3.3	6.6
FmB2	Fox loam, 2 to 6 percent slopes, moderately eroded	Fox	100	95	33	48	3.1	6.2
FmC2	Fox loam, 6 to 12 percent slopes, moderately eroded	Fox	100	85	30	43	2.8	5.6

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FnA	Fox silt loam, 0 to 2 percent slopes	Fox	85	100	35	50	3.3	6.6
		Ockley	10	135	47	68	4.5	9.0
		Westland, drained	5	175	51	88	5.8	11.6
FnB1	Fox silt loam, 2 to 6 percent slopes, slightly eroded	Fox	100	100	35	50	3.3	6.6
FnB2	Fox silt loam, 2 to 6 percent slopes, moderately eroded	Fox	100	95	33	48	3.1	6.2
FnC2	Fox silt loam, 6 to 12 percent slopes, moderately eroded	Fox	100	85	30	43	2.8	5.6
FnD1	Fox silt loam, 12 to 18 percent slopes, slightly eroded	Fox	100	75	26	38	2.5	5.0
FnD2	Fox silt loam, 12 to 18 percent slopes, moderately eroded	Fox	100	70	25	35	2.3	4.6
FoB2	Fox silt loam, kames, 2 to 6 percent slopes, moderately eroded	Fox, kames	100	95	33	48	3.1	6.2
FoC2	Fox silt loam, kames, 6 to 12 percent slopes, moderately eroded	Fox, kames	100	85	30	43	2.8	5.6
FpC3	Fox soils, 6 to 12 percent slopes, severely eroded	Fox, severely eroded	100	80	28	40	2.6	5.2
FrC3	Fox soils, kames, 6 to 12 percent slopes, severely eroded	Fox, kames	100	80	28	40	2.6	5.2
FsD2	Fox and Rodman loams, 12 to 18 percent slopes, moderately eroded	Fox	50	70	25	35	2.3	4.6
		Rodman	50	40	14	20	1.3	2.6

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
FtD2	Fox and Rodman loams, kames, 12 to 18 percent slopes, moderately eroded	Fox, kames	50	70	25	35	2.3	4.6
		Rodman, kames	50	40	14	20	1.3	2.6
FtE2	Fox and Rodman loams, kames, 18 to 25 percent slopes, moderately eroded	Fox, kames	50	---	---	---	1.8	3.6
		Rodman, kames	50	---	---	---	0.8	1.6
FvD3	Fox and Rodman soils, 12 to 18 percent slopes, severely eroded	Fox, severely eroded	50	65	23	33	2.1	4.2
		Rodman, severely eroded	50	30	11	15	1.0	2.0
FxD3	Fox and Rodman soils, kames, 12 to 18 percent slopes, severely eroded	Fox, kames, severely eroded	50	65	23	33	2.1	4.2
		Rodman, kames, severely eroded	50	30	11	15	1.0	2.0
Ge	Genesee fine sandy loam	Genesee	90	115	40	0	0.0	0.0
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Gg	Genesee gravelly loam	Genesee	90	115	40	0	0.0	0.0
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Gm	Genesee loam	Genesee	90	120	42	0	0.0	0.0
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Go	Genesee loam, high bottom	Genesee, high bottom	90	135	47	19	4.5	9.0
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Gs	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Genesee	90	120	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Armiesburg	2	135	47	19	4.5	9.0
		Shoals	2	130	42	0	0.0	0.0
		Stonelick	2	90	32	0	0.0	0.0
Gt	Genesee silt loam, 0 to 2 percent slopes, occasionally flooded	Genesee	85	125	44	18	4.1	8.2
		Sloan	6	155	44	22	5.1	10.2
		Eel	3	125	44	18	4.1	8.2
		Ross	2	140	49	20	4.6	9.2
		Shoals	2	140	46	20	4.6	9.2
		Stonelick	2	100	35	14	3.3	6.6
Gv	Gravel pits	Pits, gravel	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HeF1	Hennepin loam, 25 to 35 percent slopes, slightly eroded	Hennepin	100	---	---	---	0.0	0.0
HeF2	Hennepin loam, 25 to 35 percent slopes, moderately eroded	Hennepin	100	---	---	---	0.0	0.0
HeG1	Hennepin loam, 35 to 50 percent slopes, slightly eroded	Hennepin	100	---	---	---	0.0	0.0
HeG2	Hennepin loam, 35 to 50 percent slopes, moderately eroded	Hennepin	100	---	---	---	0.0	0.0
Ho	Homer silt loam	Homer	90	110	35	55	3.6	7.2
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ko	Kokomo silty clay loam, 0 to 2 percent slopes	Kokomo	90	170	49	68	5.6	11.2
		Celina	5	130	46	59	4.3	8.6
		Crosby	5	140	46	63	4.6	9.2
La	Lake beach	Lake beach	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ma	Made land	Made land	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MbA	Manlove silt loam, 0 to 2 percent slopes	Manlove	100	160	56	72	5.3	10.6
MbB1	Manlove silt loam, 2 to 6 percent slopes, slightly eroded	Manlove	100	160	56	72	5.3	10.6
MbB2	Manlove silt loam, 2 to 6 percent slopes, moderately eroded	Manlove	100	155	54	70	5.1	10.2
McA	Martinsville silt loam, 0 to 2 percent slopes	Martinsville	100	140	49	56	4.6	9.2
McB1	Martinsville silt loam, 2 to 6 percent slopes, slightly eroded	Martinsville	100	140	49	56	4.6	9.2
McB2	Martinsville silt loam, 2 to 6 percent slopes, moderately eroded	Martinsville	100	135	47	54	4.5	9.0
McC2	Martinsville silt loam, 6 to 12 percent slopes, moderately eroded	Martinsville	100	125	44	50	4.1	8.2
MmA	Miami silt loam, 0 to 2 percent slopes	Miami	100	145	51	58	4.8	9.6
MmB1	Miami silt loam, 2 to 6 percent slopes, slightly eroded	Miami	90	145	51	65	4.8	9.6
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MmB2	Miami silt loam, 2 to 6 percent slopes, moderately eroded	Miami	90	140	49	63	4.6	9.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MmC1	Miami silt loam, 6 to 12 percent slopes, slightly eroded	Miami	90	135	47	61	4.5	9.0
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MmC2	Miami silt loam, 6 to 12 percent slopes, moderately eroded	Miami	90	130	46	59	4.3	8.6
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MmD1	Miami silt loam, 12 to 18 percent slopes, slightly eroded	Miami	90	120	42	54	4.0	8.0
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MmD2	Miami silt loam, 12 to 18 percent slopes, moderately eroded	Miami	90	115	40	52	3.8	7.6
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MmE1	Miami silt loam, 18 to 25 percent slopes, slightly eroded	Miami	90	---	---	---	3.5	7.0
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MmE2	Miami silt loam, 18 to 25 percent slopes, moderately eroded	Miami	90	---	---	---	3.3	6.6
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MsC3	Miami soils, 6 to 12 percent slopes, severely eroded	Miami, shallow subsoil, severely eroded	90	125	44	56	4.1	8.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MsD3	Miami soils, 12 to 18 percent slopes, severely eroded	Miami, shallow subsoil, severely eroded	90	110	39	50	3.6	7.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MsE3	Miami soils, 18 to 25 percent slopes, severely eroded	Miami, shallow subsoil, severely eroded	90	---	---	---	3.1	6.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MtB1	Milton silt loam, 2 to 6 percent slopes, slightly eroded	Milton	100	100	35	40	3.3	6.6
MtB2	Milton silt loam, 2 to 6 percent slopes, moderately eroded	Milton	100	95	33	38	3.1	6.2
Nn	Nineveh loam	Nineveh	100	110	39	55	3.6	7.2
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	100	135	47	68	4.5	9.0
OcB1	Ockley silt loam, 2 to 6 percent slopes, slightly eroded	Ockley	100	135	47	68	4.5	9.0
OcB2	Ockley silt loam, 2 to 6 percent slopes, moderately eroded	Ockley	100	130	46	65	4.3	8.6
OcC2	Ockley silt loam, 6 to 12 percent slopes, moderately eroded	Ockley	100	120	42	60	4.0	8.0

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OkB3	Ockley soils, 2 to 6 percent slopes, severely eroded	Ockley, severely eroded	100	125	44	63	4.1	8.2
OkC3	Ockley soils, 6 to 12 percent slopes, severely eroded	Ockley, severely eroded	100	115	40	58	3.8	7.6
ReA	Reesville silt loam, 0 to 2 percent slopes	Reesville	90	170	56	77	5.6	11.2
		Ragsdale	5	190	56	76	6.3	12.6
		Fincastle	5	165	54	74	5.4	10.8
ReA2	Reesville silt loam, 0 to 2 percent slopes, moderately eroded	Reesville	90	165	54	74	5.4	10.8
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
ReB2	Reesville silt loam, 2 to 6 percent slopes, moderately eroded	Reesville	90	165	54	74	5.4	10.8
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RgD2	Rodman gravelly loam, 12 to 18 percent slopes, moderately eroded	Rodman	100	35	12	18	1.2	2.4
RgE1	Rodman gravelly loam, 18 to 25 percent slopes, slightly eroded	Rodman	100	---	---	---	0.7	1.4
RgE2	Rodman gravelly loam, 18 to 25 percent slopes, moderately eroded	Rodman	100	---	---	---	0.7	1.4
RgF2	Rodman gravelly loam, 25 to 50 percent slopes, eroded	Rodman	100	0	0	0	0.0	0.0
Ro	Ross silt loam	Ross	100	140	49	20	4.6	9.2
RsA	Russell silt loam, 0 to 2 percent slopes	Russell	100	155	54	70	5.1	10.2

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RsB1	Russell silt loam, 2 to 6 percent slopes, slightly eroded	Russell	100	155	54	70	5.1	10.2
RsB2	Russell silt loam, 2 to 6 percent slopes, eroded	Russell, eroded	85	150	53	68	5.0	10.0
		Williamstown, eroded	10	140	49	63	4.6	9.2
		Fincastle	3	165	54	74	5.4	10.8
		Treaty	2	185	54	74	6.1	12.2
RsC1	Russell silt loam, 6 to 12 percent slopes, slightly eroded	Russell	100	145	51	65	4.8	9.6
RsC2	Russell silt loam, 6 to 12 percent slopes, moderately eroded	Russell	100	140	49	63	4.6	9.2
RsD1	Russell silt loam, 12 to 18 percent slopes, slightly eroded	Russell	100	130	46	59	4.3	8.6
RsD2	Russell silt loam, 12 to 18 percent slopes, moderately eroded	Russell	100	125	44	56	4.1	8.2
RsE1	Russell silt loam, 18 to 25 percent slopes, slightly eroded	Russell	100	---	---	---	3.8	7.6
RsE2	Russell silt loam, 18 to 25 percent slopes, moderately eroded	Russell	100	---	---	---	3.6	7.2
RtB3	Russell soils, 2 to 6 percent slopes, severely eroded	Russell, thin solum, severely eroded	100	145	51	65	4.8	9.6
RtC3	Russell soils, 6 to 12 percent slopes, severely eroded	Russell, thin solum, severely eroded	100	135	47	61	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RtD3	Russell soils, 12 to 18 percent slopes, severely eroded	Russell, thin solum, severely eroded	100	120	42	54	4.0	8.0
RtE3	Russell soils, 18 to 25 percent slopes, severely eroded	Russell, thin solum, severely eroded	100	---	---	---	3.5	7.0
RuA	Russell and Miami silt loams, 0 to 2 percent slopes	Russell	50	155	54	70	5.1	10.2
		Miami	50	145	51	65	4.8	9.6
RuB1	Russell and Miami silt loams, 2 to 6 percent slopes, slightly eroded	Russell	50	155	54	70	5.1	10.2
		Miami	50	145	51	65	4.8	9.6
RuB2	Russell and Miami silt loams, 2 to 6 percent slopes, moderately eroded	Russell	50	150	53	68	5.0	10.0
		Miami	50	140	49	63	4.6	9.2
RuC1	Russell and Miami silt loams, 6 to 12 percent slopes, slightly eroded	Russell	50	145	51	65	4.8	9.6
		Miami	50	135	47	61	4.5	9.0
RuC2	Russell and Miami silt loams, 6 to 12 percent slopes, moderately eroded	Russell	50	140	49	63	4.6	9.2
		Miami	50	130	46	59	4.3	8.6
RvB3	Russell and Miami soils, 2 to 6 percent slopes, severely eroded	Russell, severely eroded	50	145	51	65	4.8	9.6
		Miami, severely eroded	50	135	47	61	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RvC3	Russell and Miami soils, 6 to 12 percent slopes, severely eroded	Russell, severely eroded	50	135	47	61	4.5	9.0
		Miami, severely eroded	50	125	44	56	4.1	8.2
Rw	Riverwash	Riverwash	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Sloan	4	145	40	20	4.8	9.6
		Genesee	2	120	42	0	0.0	0.0
Sn	Sloan silt loam	Sloan	100	140	39	0	0.0	0.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
We	Westland silt loam	Westland	100	165	47	83	5.4	10.8
WnB1	Wynn silt loam, 2 to 6 percent slopes, slightly eroded	Wynn	100	100	35	40	3.3	6.6
WnB2	Wynn silt loam, 2 to 6 percent slopes, moderately eroded	Wynn	100	95	33	38	3.1	6.2
WnC2	Wynn silt loam, 6 to 12 percent slopes, moderately eroded	Wynn	100	85	30	34	2.8	5.6
WnD2	Wynn silt loam, 12 to 25 percent slopes, moderately eroded	Wynn	100	70	25	28	2.3	4.6
WyC3	Wynn soils, 6 to 12 percent slopes, severely eroded	Wynn, severely eroded	100	75	26	30	2.5	5.0

COMPONENT CROP YIELDS (RV)--Continued  
 Union County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
XeA	Xenia silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	Xenia	85	155	54	70	5.1	10.2
		Celina	5	130	46	59	4.3	8.6
		Fincastle	5	165	54	74	5.4	10.8
		Treaty	5	185	54	74	6.1	12.2
XeB1	Xenia silt loam, 2 to 6 percent slopes, slightly eroded	Xenia	100	155	54	70	5.1	10.2
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0
		Fincastle	5	165	54	74	5.4	10.8
		Russell, eroded	5	150	53	68	5.0	10.0
		Treaty	5	185	54	74	6.1	12.2
XnA	Xenia and Celina silt loams, 0 to 2 percent slopes	Xenia	50	155	54	70	5.1	10.2
		Celina	50	130	46	59	4.3	8.6
XnB1	Xenia and Celina silt loams, 2 to 6 percent slopes, slightly eroded	Xenia	50	155	54	70	5.1	10.2
		Celina	50	130	46	59	4.3	8.6
XnB2	Xenia and Celina silt loams, 2 to 6 percent slopes, moderately eroded	Xenia	50	150	53	68	5.0	10.0
		Celina	50	125	44	56	4.1	8.2