

NON-IRRIGATED COMPONENT CROP YIELDS (RV)  
 Vigo County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AdB	Ade loamy fine sand, 2 to 6 percent slopes	Ade	100	115	40	46	3.8	7.6
AdC	Ade loamy fine sand, 6 to 12 percent slopes	Ade	100	110	39	44	3.6	7.2
AlB2	Alford silt loam, 2 to 5 percent slopes, eroded	Alford, eroded	95	155	54	62	5.1	10.2
		Hosmer, eroded	5	120	42	54	4.0	8.0
AlC2	Alford silt loam, 5 to 10 percent slopes, eroded	Alford, eroded	90	145	51	58	4.8	9.6
		Hosmer, eroded	6	110	39	50	3.6	7.2
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland, frequently flooded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AlC3	Alford silt loam, 5 to 10 percent slopes, severely eroded	Alford, severely eroded	90	140	49	56	4.6	9.2
		Hosmer, severely eroded	6	120	42	54	4.0	8.0
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland, frequently flooded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AlD2	Alford silt loam, 10 to 18 percent slopes, eroded	Alford, eroded	95	130	46	52	4.3	8.6
		Wakeland, frequently flooded	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Vigo County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AlD3	Alford silt loam, 10 to 18 percent slopes, severely eroded	Alford, severely eroded	90	125	44	50	4.1	8.2
		Wakeland, frequently flooded	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AlE2	Alford silt loam, 18 to 35 percent slopes, eroded	Alford, eroded	95	---	---	---	0.0	0.0
		Princeton, eroded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AlF	Alford silt loam, 25 to 40 percent slopes	Alford	100	---	---	---	0.0	0.0
Ar	Armiesburg silty clay loam	Armiesburg	90	130	46	0	0.0	0.0
		Armiesburg	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AvB2	Ava silt loam, 2 to 6 percent slopes, eroded	Ava, eroded	95	115	40	52	3.8	7.6
		Iva	3	165	54	66	5.4	10.8
		Shakamak	2	130	46	59	4.3	8.6
Ay	Ayrshire fine sandy loam	Ayrshire	90	150	49	60	5.0	10.0
		Rensselaer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ba	Bartle silt loam	Bartle	90	125	42	56	4.1	8.2
		Vincennes	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BlB	Bloomfield loamy fine sand, 2 to 6 percent slopes	Bloomfield	100	95	33	38	3.1	6.2
BlC	Bloomfield loamy fine sand, 6 to 12 percent slopes	Bloomfield	100	85	30	34	2.8	5.6
BlD	Bloomfield loamy fine sand, 12 to 18 percent slopes	Bloomfield	100	70	25	28	2.3	4.6

COMPONENT CROP YIELDS (RV)--Continued  
 Vigo County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Bp	Borrow pits	Borrow pits	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CaA	Camden silt loam, 0 to 2 percent slopes	Camden	100	155	54	62	5.1	10.2
CaB	Camden silt loam, 2 to 6 percent slopes	Camden	100	155	54	62	5.1	10.2
CnC2	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, eroded	Cincinnati, eroded	90	105	37	47	3.5	7.0
		Cincinnati, severely eroded	5	100	35	45	3.3	6.6
		Stendal, rarely, very brief	5	150	49	60	5.0	10.0
CnC3	Cincinnati silt loam, Wabash Lowland, 6 to 12 percent slopes, severely eroded	Cincinnati, severely eroded	95	100	35	45	3.3	6.6
		Stendal, occasionally flooded, very brief	5	140	46	20	4.6	9.2
Co	Cory silt loam	Cory	90	170	56	68	5.6	11.2
		poorly drained alfisols	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Cr	Crane silt loam	Crane	90	165	54	66	5.4	10.8
		Rensselaer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ee	Eel silt loam	Eel	90	120	42	0	0.0	0.0
		Eel	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Vigo County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
ElA	Elston sandy loam, 0 to 2 percent slopes	Elston	100	120	42	60	4.0	8.0
ElB	Elston sandy loam, 2 to 6 percent slopes	Elston	100	120	42	60	4.0	8.0
Fn	Fincastle silt loam, Bloomington Ridged Plain, 0 to 2 percent slopes	Fincastle	94	165	54	74	5.4	10.8
		Drummer, drained	3	190	56	76	6.3	12.6
		Ragsdale, drained	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FoA	Fox sandy loam, 0 to 2 percent slopes	Fox	100	95	33	48	3.1	6.2
FoB2	Fox sandy loam, 2 to 6 percent slopes, eroded	Fox	100	90	32	45	3.0	6.0
FxC3	Fox clay loam, 6 to 12 percent slopes, severely eroded	Fox, severely eroded	100	80	28	40	2.6	5.2
Ge	Genesee silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Genesee	90	120	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Armiesburg	2	135	47	19	4.5	9.0
		Shoals	2	130	42	0	0.0	0.0
		Stonelick	2	90	32	0	0.0	0.0
Gf	Genesee fine sandy loam, sandy variant	Genesee variant	90	100	35	0	0.0	0.0
		Genesee variant	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Gp	Gravel pits	Pits, gravel	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Vigo County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HeG	Hennepin loam, 25 to 50 percent slopes	Hennepin	100	---	---	---	0.0	0.0
HkE	Hickory loam, 18 to 25 percent slopes	Hickory	100	---	---	---	3.3	6.6
HkF	Hickory loam, 25 to 40 percent slopes	Hickory	100	---	---	---	0.0	0.0
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	90	165	54	66	5.4	10.8
		Hoosierville, frequently ponded	5	160	46	72	5.3	10.6
		Hosmer	3	125	44	56	4.1	8.2
		Muren	2	140	49	56	4.6	9.2
IvB	Iva silt loam, 2 to 4 percent slopes	Iva	100	165	54	66	5.4	10.8
Ma	Made land	Made land	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Water	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Md	Millsdale silty clay loam, 0 to 2 percent slopes	Millsdale	90	130	35	52	4.3	8.6
		Randolph	6	110	35	44	3.6	7.2
		Kokomo	2	170	49	68	5.6	11.2
		Milton	2	100	35	40	3.3	6.6
MuA	Muren silt loam, 0 to 2 percent slopes	Muren	100	155	54	62	5.1	10.2
MuB2	Muren silt loam, 2 to 6 percent slopes, eroded	Muren	100	150	53	60	5.0	10.0
NeE	Negley loam, 18 to 25 percent slopes	Negley	100	---	---	---	3.3	6.6
NeF	Negley loam, 25 to 40 percent slopes	Negley	100	---	---	---	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued  
 Vigo County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
PaB2	Parke silt loam, 2 to 6 percent slopes, eroded	Parke	100	145	51	58	4.8	9.6
PaD2	Parke silt loam, 12 to 18 percent slopes, eroded	Parke	100	120	42	48	4.0	8.0
Pe	Petrolia silty clay loam	Petrolia	100	130	35	0	0.0	0.0
PrB	Princeton fine sandy loam, 2 to 6 percent slopes	Princeton	100	140	49	56	4.6	9.2
PrC2	Princeton fine sandy loam, 6 to 12 percent slopes, eroded	Princeton	100	125	44	50	4.1	8.2
PrD2	Princeton fine sandy loam, 12 to 18 percent slopes, eroded	Princeton	100	110	39	44	3.6	7.2
PrE2	Princeton fine sandy loam, 18 to 25 percent slopes, eroded	Princeton	100	---	---	---	3.1	6.2
Pt	Proctor silt loam	Proctor	100	165	58	66	5.4	10.8
Ra	Ragsdale silt loam	Ragsdale	100	190	56	76	6.3	12.6
RdA	Randolph silt loam, 0 to 3 percent slopes	Randolph	90	110	35	44	3.6	7.2
		Millsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Re	Reesville silt loam	Reesville	90	170	56	77	5.6	11.2
		poorly drained aqualfs	7	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Rg	Rensselaer loam	Rensselaer	100	175	51	70	5.8	11.6
Rn	Rensselaer clay loam	Rensselaer	100	175	51	70	5.8	11.6

COMPONENT CROP YIELDS (RV)--Continued  
 Vigo County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RoG	Rodman gravelly loam, 25 to 50 percent slopes	Rodman	100	0	0	0	0.0	0.0
RuB2	Russell silt loam, Bloomington Ridged Plain, 2 to 5 percent slopes, eroded	Russell, eroded	94	150	53	68	5.0	10.0
		Fincastle	6	165	54	74	5.4	10.8
RuC2	Russell silt loam, Bloomington Ridged Plain, 5 to 10 percent slopes, eroded	Russell, eroded	94	140	49	63	4.6	9.2
		Fincastle	6	165	54	74	5.4	10.8
RuC3	Russell silt loam, 6 to 12 percent slopes, severely eroded	Russell, severely eroded	100	135	47	61	4.5	9.0
RuD2	Russell silt loam, 12 to 18 percent slopes, eroded	Russell	100	125	44	56	4.1	8.2
Sh	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration	Shoals	90	130	42	0	0.0	0.0
		Eel	4	125	44	18	4.1	8.2
		Sloan	4	145	40	20	4.8	9.6
		Genesee	2	120	42	0	0.0	0.0
So	Sloan clay loam	Sloan	100	140	39	0	0.0	0.0
St	Strip mines	Strip mines	90	0	0	0	0.0	0.0
		Water	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Tp	Tippecanoe silt loam	Tippecanoe	100	155	54	78	5.1	10.2
Vn	Vincennes loam	Vincennes	100	165	47	66	5.4	10.8
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued  
 Vigo County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Wa	Wakeland silt loam	Wakeland	90	130	39	0	0.0	0.0
		Birds	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WrA	Warsaw sandy loam, 0 to 2 percent slopes	Warsaw	100	125	44	63	4.1	8.2
WrB2	Warsaw sandy loam, 2 to 6 percent slopes, eroded	Warsaw	100	120	42	60	4.0	8.0
Ws	Washtenaw silt loam	Washtenaw	100	165	47	66	5.4	10.8
Wt	Westland clay loam	Westland	100	175	51	88	5.8	11.6
Wx	Whitaker loam	Whitaker	90	155	51	62	5.1	10.2
		Rensselaer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0
		Fincastle	5	165	54	74	5.4	10.8
		Russell, eroded	5	150	53	68	5.0	10.0
		Treaty	5	185	54	74	6.1	12.2
Zp	Zipp silty clay	Zipp	100	140	39	63	4.6	9.2