

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AfB2	Alford silt loam, 2 to 6 percent slopes, eroded	Alford	90	155	54	62	5.1	10.2
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Am	Armiesburg variant silty clay loam, frequently flooded	Armiesburg variant	90	115	40	0	0.0	0.0
		Beaucoup	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BbA	Barce silt loam, 0 to 2 percent slopes	Barce	85	155	54	70	5.1	10.2
		Chalmers	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BdB2	Barce-Montmorenci silt loams, 2 to 6 percent slopes, eroded	Barce	50	150	53	68	5.0	10.0
		Montmorenci	35	145	51	65	4.8	9.6
		Chalmers	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Peotone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Be	Beaucoup silty clay loam, frequently flooded, undrained	Beaucoup, undrained	100	0	0	0	0.0	0.0
Bk	Beckville loam, occasionally flooded	Beckville	90	100	35	14	3.3	6.6
		Cohoctah	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Comfrey	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BmB2	Billett sandy loam, 1 to 4 percent slopes, eroded	Billett	90	120	42	48	4.0	8.0
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
BnC2	Billett sandy loam, 6 to 12 percent slopes, eroded	Billett	90	110	39	44	3.6	7.2
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BoA	Blount silt loam, Lake Michigan Lobe, 0 to 2 percent slopes	Blount, Lake Michigan Lobe	95	140	46	56	4.6	9.2
		Ashkum, drained	4	160	46	64	5.3	10.6
		Orthents, clayey	1	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BpD2	Boyer-Mudlavia complex, 8 to 20 percent slopes, eroded	Boyer	55	70	25	35	2.3	4.6
		Mudlavia	45	100	35	50	3.3	6.6
BrA	Brenton silt loam, 0 to 2 percent slopes	Brenton	97	165	54	66	5.4	10.8
		Drummer, drained	3	190	56	76	6.3	12.6
BsA	Brenton silt loam, till substratum, 0 to 2 percent slopes	Brenton	90	175	58	70	5.8	11.6
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
BwA	Brenton silt loam, moderately fine substratum, 0 to 2 percent slopes	Brenton	90	175	58	70	5.8	11.6
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CaB2	Cadiz silt loam, moderately wet, 1 to 6 percent slopes, eroded	Cadiz	90	140	49	63	4.6	9.2
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Pewamo	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CbA	Camden silt loam, 0 to 2 percent slopes	Camden	90	155	54	62	5.1	10.2
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CbB2	Camden silt loam, 2 to 6 percent slopes, eroded	Camden	90	150	53	60	5.0	10.0
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CdB2	Camden silt loam, till substratum, 2 to 6 percent slopes, eroded	Camden	90	150	53	60	5.0	10.0
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CfA	Carmi loam, 0 to 2 percent slopes	Carmi	100	125	44	63	4.1	8.2
Cg	Comfrey loam, stratified substratum, rarely flooded	Comfrey	100	170	49	68	5.6	11.2
Cs	Comfrey loam, stratified substratum, frequently flooded, undrained	Comfrey, undrained	100	0	0	0	0.0	0.0
CtB2	Corwin silt loam, 2 to 6 percent slopes, eroded	Corwin	85	155	54	70	5.1	10.2
		Chalmers	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Cz	Cyclone silty clay loam, 0 to 2 percent slopes	Cyclone	83	190	56	76	6.3	12.6
		Fincastle	5	165	54	74	5.4	10.8
		Xenia	5	155	54	70	5.1	10.2
		Sugarvalley	3	155	51	62	5.1	10.2
		Morningsun	2	145	51	58	4.8	9.6
		Starks	2	165	54	66	5.4	10.8
Dw	Drummer silty clay loams	Drummer	55	190	56	76	6.3	12.6
		Drummer	45	190	56	76	6.3	12.6
Dx	Drummer silty clay loam, gravelly substratum	Drummer	100	190	56	95	6.3	12.6
Dy	Du Page loam, frequently flooded	Du Page	90	135	47	0	0.0	0.0
		Beaucoup	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EdB2	Eldean gravelly loam, 2 to 6 percent slopes, eroded	Eldean	100	90	32	45	3.0	6.0
EgA	Eldean silt loam, 0 to 2 percent slopes	Eldean	85	100	35	50	3.3	6.6
		Ockley	5	145	51	73	4.8	9.6
		Westland	5	175	51	88	5.8	11.6
		Sleeth	3	145	47	73	4.8	9.6
		Thackery	2	135	47	68	4.5	9.0
EvA	Elston sandy loam, 0 to 3 percent slopes	Elston	100	115	40	58	3.8	7.6
GgA	Gilboa silt loam, 0 to 2 percent slopes	Gilboa	90	165	54	74	5.4	10.8
		Chalmers	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GhB2	Glenhall silt loam, 1 to 4 percent slopes, eroded	Glenhall	90	145	51	58	4.8	9.6
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GkB2	Glenhall silt loam, till substratum, 1 to 4 percent slopes, eroded	Glenhall	90	145	51	58	4.8	9.6
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
GoF	Gosport channery silt loam, 25 to 40 percent slopes	Gosport	100	---	---	---	0.0	0.0
HeG	Hennepin loam, 30 to 70 percent slopes	Hennepin	100	---	---	---	0.0	0.0
HfB	High Gap silt loam, 2 to 9 percent slopes, stony	High Gap	90	105	37	42	3.5	7.0
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HhB2	High Gap variant loam, 2 to 6 percent slopes, eroded	High Gap variant	90	110	39	44	3.6	7.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HhC2	High Gap variant loam, 6 to 12 percent slopes, eroded	High Gap variant	90	100	35	40	3.3	6.6
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Hm	Houghton muck, drained	Houghton, drained	100	165	44	66	5.4	10.8
Ho	Houghton muck, undrained	Houghton, undrained	100	0	0	0	0.0	0.0
IoB2	Iona silt loam, 1 to 4 percent slopes, eroded	Iona	90	155	54	62	5.1	10.2
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
IpA	Ipava silt loam, 0 to 2 percent slopes	Ipava	90	165	54	66	5.4	10.8
		Sable	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ju	Jules silt loam, frequently flooded	Jules	90	110	39	0	0.0	0.0
		Beaucoup	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LcA	Lafayette silt loam, 0 to 2 percent slopes	Lafayette	90	175	58	88	5.8	11.6
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ld	La Hogue loam, 0 to 2 percent slopes	La Hogue	95	165	54	66	5.4	10.8
		Selma, drained	5	175	51	70	5.8	11.6
Lk	La Hogue silt loam, till substratum, 0 to 2 percent slopes	La Hogue	90	165	54	66	5.4	10.8
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Lp	Landes-Chatterton complex, frequently flooded	Landes	55	125	44	18	4.1	8.2
		Chatterton	35	95	33	13	3.1	6.2
		Beaucoup	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MaB3	Markham silty clay loam, 2 to 6 percent slopes, severely eroded	Markham, severely eroded	90	120	42	54	4.0	8.0
		Peotone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
McB2	Markham-Symerton silt loams, 2 to 6 percent slopes, eroded	Markham	55	130	46	59	4.3	8.6
		Symerton	30	150	53	68	5.0	10.0
		Ashkum	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Milford	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Peotone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MdA	Martinsville loam, 0 to 2 percent slopes	Martinsville	90	145	51	58	4.8	9.6
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MdB2	Martinsville loam, 2 to 6 percent slopes, eroded	Martinsville	90	140	49	56	4.6	9.2
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MdC2	Martinsville loam, 6 to 12 percent slopes, eroded	Martinsville	90	130	46	52	4.3	8.6
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MoE2	Miami loam, 15 to 25 percent slopes, eroded	Miami	100	---	---	---	3.3	6.6
MpC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	Miami, severely eroded	97	120	42	54	4.0	8.0
		Crosby	3	140	46	63	4.6	9.2

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MpD3	Miami clay loam, 12 to 18 percent slopes severely eroded	Miami, severely eroded	90	110	39	50	3.6	7.2
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Mr	Milford silty clay loam, pothole	Milford	100	80	18	32	2.6	5.2
MtA	Millbrook silt loam, till substratum, 0 to 2 percent slopes	Millbrook	90	170	56	77	5.6	11.2
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MuC2	Montmorenci-Barce complex, 6 to 12 percent slopes, eroded	Montmorenci	60	135	47	61	4.5	9.0
		Barce	30	140	49	63	4.6	9.2
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Peotone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MvE2	Morley silt loam, moderately wet, 15 to 25 percent slopes, eroded	Morley	100	---	---	---	2.8	5.6
MwC3	Ozaukee silty clay loam, 6 to 12 percent slopes, severely eroded	Ozaukee, severely eroded	92	105	37	47	3.5	7.0
		Blount, Lake Michigan Lobe	4	140	46	56	4.6	9.2
		Chatsworth, severely eroded	2	100	35	45	3.3	6.6
		Urban land	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MxC2	Morley-Cadiz silt loams, moderately wet, 6 to 12 percent slopes, eroded	Morley	55	115	40	52	3.8	7.6
		Cadiz	35	140	49	63	4.6	9.2
		poorly drained aquolls & aquents	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MyA	Mudlavia gravelly silt loam, 0 to 2 percent slopes, stony	Mudlavia	100	130	46	65	4.3	8.6
MzB2	Mudlavia cobbly silt loam, 2 to 4 percent slopes, eroded, stony	Mudlavia	100	120	42	60	4.0	8.0
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	85	135	47	68	4.5	9.0
		Fox	5	95	33	48	3.1	6.2
		Wawaka	5	145	51	58	4.8	9.6
		Digby	3	155	51	62	5.1	10.2
		Haney	2	145	51	58	4.8	9.6
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley, eroded	85	130	46	65	4.3	8.6
		Ockley, eroded, till substratum	5	130	46	65	4.3	8.6
		Sleeth	5	145	47	73	4.8	9.6
		Westland	5	175	51	88	5.8	11.6
OpB	Ormas loamy sand, 1 to 4 percent slopes	Ormas	100	110	39	55	3.6	7.2
OsA	Oshtemo coarse sandy loam, 0 to 2 percent slopes	Oshtemo	100	110	39	55	3.6	7.2
OsB	Oshtemo coarse sandy loam, 2 to 6 percent slopes	Oshtemo	90	110	39	55	3.6	7.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Pm	Peotone silty clay loam, pothole	Peotone	100	85	19	34	2.8	5.6
Po	Piankeshaw variant gravelly silt loam, rarely flooded	Piankeshaw variant	100	110	39	44	3.6	7.2
Pp	Pits, gravel	Pits	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PrA	Proctor silt loam, 0 to 2 percent slopes	Proctor	90	165	58	66	5.4	10.8
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PrB2	Proctor silt loam, 2 to 6 percent slopes, eroded	Proctor	90	160	56	64	5.3	10.6
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PuA	Proctor silt loam, till substratum, 0 to 2 percent slopes	Proctor	90	165	58	66	5.4	10.8
		Chalmers	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
PuB2	Proctor silt loam, till substratum, 2 to 6 percent slopes, eroded	Proctor	90	160	56	64	5.3	10.6
		Chalmers	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Rb	Ragsdale silt loam	Ragsdale	100	190	56	76	6.3	12.6
RdA	Rainsville silt loam, 0 to 2 percent slopes	Rainsville	90	145	51	65	4.8	9.6
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RfB2	Rainsville-Williamstown-Rockfield silt loams, 2 to 6 percent slopes, eroded	Rainsville	40	140	49	63	4.6	9.2
		Williamstown	35	140	49	63	4.6	9.2
		Rockfield	15	150	53	68	5.0	10.0
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
R1A	Reesville silt loam, 0 to 2 percent slopes	Reesville	90	165	54	66	5.4	10.8
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RoA	Rockfield silt loam, 0 to 2 percent slopes	Rockfield	90	155	54	70	5.1	10.2
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RoB2	Rockfield silt loam, 2 to 6 percent slopes, eroded	Rockfield	90	150	53	68	5.0	10.0
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RpG	Rodman gravelly loam, 25 to 60 percent slopes	Rodman	100	0	0	0	0.0	0.0
RtA	Rush silt loam, 0 to 2 percent slopes	Rush	90	140	49	70	4.6	9.2
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RtB2	Rush silt loam, 2 to 6 percent slopes, eroded	Rush	90	135	47	68	4.5	9.0
		poorly drained aquolls	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Sb	Sable silty clay loam	Sable	100	190	56	76	6.3	12.6
SeA	Shadeland variant silt loam, 0 to 2 percent slopes	Shadeland variant	90	105	33	42	3.5	7.0
		poorly drained aquolls & aquents	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SlA	Starks silt loam, till substratum, 0 to 2 percent slopes	Starks	90	165	54	74	5.4	10.8
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Sr	Stonelick-Moundhaven complex, frequently flooded	Stonelick	55	95	33	0	0.0	0.0
		Moundhaven	35	70	25	0	0.0	0.0
		Beaucoup	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
StB3	Strawn clay loam, 2 to 6 percent slopes, severely eroded	Strawn, severely eroded	90	135	47	61	4.5	9.0
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
StC3	Strawn clay loam, 6 to 12 percent slopes, severely eroded	Strawn, severely eroded	90	125	44	56	4.1	8.2
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SyB	Symerton-Varna silt loams, 1 to 3 percent slopes	Symerton	50	155	54	70	5.1	10.2
		Varna	35	140	49	63	4.6	9.2
		Ashkum	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Milford	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Peotone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
TuC2	Tuscola loam, till substratum, 6 to 12 percent slopes, eroded	Tuscola	90	130	46	59	4.3	8.6
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
TwB2	Tuscola silt loam, till substratum, 2 to 6 percent slopes, eroded	Tuscola	90	140	49	63	4.6	9.2
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ud	Udorthents, loamy	Udorthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ur	Udorthents, loamy, reclaimed	Udorthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wc	Wakeland Variant silt loam, occasionally flooded	Wakeland variant	100	145	44	20	4.8	9.6
We	Wallkill variant silty clay loam	Wallkill variant, drained	90	165	47	66	5.4	10.8
		Beaucoup	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wg	Warners variant silty clay, drained	Warners variant	100	160	46	64	5.3	10.6
Wh	Washtenaw silt loam	Washtenaw	100	165	47	66	5.4	10.8
WlA	Waupecan silt loam, moderately wet, 0 to 2 percent slopes	Waupecan	90	165	58	83	5.4	10.8
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warren County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
WpG	Weikert Variant fine sandy loam, 35 to 80 percent slopes, very bouldery	Weikert variant	100	---	---	---	0.0	0.0
WrA	Williamsport-Elliott silt loams, 0 to 2 percent slopes	Williamsport	55	160	53	72	5.3	10.6
		Elliott	35	150	49	68	5.0	10.0
		Drummer	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WtC2	Williamstown-Rainsville silt loams, 6 to 12 percent slopes, eroded	Williamstown	60	130	46	59	4.3	8.6
		Rainsville	30	130	46	59	4.3	8.6
		Cyclone	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Washtenaw	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated