

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Warren County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AfB2	Alford silt loam, 2 to 6 percent slopes, eroded	155	54	62	5.1	10.2
Am	Armiesburg variant silty clay loam, frequently flooded	115	40	0	0.0	0.0
BbA	Barce silt loam, 0 to 2 percent slopes	155	54	70	5.1	10.2
BdB2	Barce-Montmorenci silt loams, 2 to 6 percent slopes, eroded	148	52	67	5.0	9.9
Be	Beaucoup silty clay loam, frequently flooded, undrained	0	0	0	0.0	0.0
Bk	Beckville loam, occasionally flooded	100	35	14	0.0	0.0
BmB2	Billett sandy loam, 1 to 4 percent slopes, eroded	120	42	48	4.0	8.0
BnC2	Billett sandy loam, 6 to 12 percent slopes, eroded	110	39	44	3.6	7.2
BoA	Blount silt loam, Lake Michigan Lobe, 0 to 2 percent slopes	139	45	56	4.6	9.2
BpD2	Boyer-Mudlavia complex, 8 to 20 percent slopes, eroded	84	29	38	2.5	5.1
BrA	Brenton silt loam, 0 to 2 percent slopes	175	58	70	5.8	11.6
BsA	Brenton silt loam, till substratum, 0 to 2 percent slopes	175	58	70	5.8	11.6
BwA	Brenton silt loam, moderately fine substratum, 0 to 2 percent slopes	175	58	70	5.8	11.6
CaB2	Cadiz silt loam, moderately wet, 1 to 6 percent slopes, eroded	140	49	63	4.6	9.2
CbA	Camden silt loam, 0 to 2 percent slopes	155	54	62	5.1	10.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Warren County, Indiana

CbB2	Camden silt loam, 2 to 6 percent slopes, eroded	150	53	60	5.0	10.0
CdB2	Camden silt loam, till substratum, 2 to 6 percent slopes, eroded	150	53	60	5.0	10.0
CfA	Carmi loam, 0 to 2 percent slopes	125	44	63	4.1	8.2
Cg	Comfrey loam, stratified substratum, rarely flooded	170	49	68	5.6	11.2
Cs	Comfrey loam, stratified substratum, frequently flooded, undrained	0	0	0	0.0	0.0
CtB2	Corwin silt loam, 2 to 6 percent slopes, eroded	155	54	70	5.1	10.2
Cz	Cyclone silty clay loam, 0 to 2 percent slopes	185	56	77	6.3	12.6
Dw	Drummer silty clay loams	190	56	76	6.3	12.6
Dx	Drummer silty clay loam, gravelly substratum	190	56	76	6.3	12.6
Dy	Du Page loam, frequently flooded	135	47	0	0.0	0.0
EdB2	Eldean gravelly loam, 2 to 6 percent slopes, eroded	90	32	45	3.0	6.0
EgA	Eldean silt loam, 0 to 2 percent slopes	108	37	50	3.3	6.7
EvA	Elston sandy loam, 0 to 3 percent slopes	115	40	58	3.8	7.6
GgA	Gilboa silt loam, 0 to 2 percent slopes	165	54	74	5.4	10.8
GhB2	Glenhall silt loam, 1 to 4 percent slopes, eroded	145	51	58	4.8	9.6
GkB2	Glenhall silt loam, till substratum, 1 to 4 percent slopes, eroded	145	51	58	4.8	9.6
GoF	Gosport channery silt loam, 25 to 40 percent slopes	0	0	0	0.0	0.0
HeG	Hennepin loam, 30 to 70 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Warren County, Indiana

HfB	High Gap silt loam, 2 to 9 percent slopes, stony	105	37	42	3.5	7.0
HhB2	High Gap variant loam, 2 to 6 percent slopes, eroded	110	39	44	3.6	7.2
HhC2	High Gap variant loam, 6 to 12 percent slopes, eroded	100	35	40	3.3	6.6
Hm	Houghton muck, drained	165	44	66	5.4	10.8
Ho	Houghton muck, undrained	0	0	0	0.0	0.0
loB2	Iona silt loam, 1 to 4 percent slopes, eroded	155	54	62	5.1	10.2
lpA	Ipava silt loam, 0 to 2 percent slopes	165	54	66	5.4	10.8
Ju	Jules silt loam, frequently flooded	110	39	0	0.0	0.0
LcA	Lafayette silt loam, 0 to 2 percent slopes	175	58	88	5.8	11.6
Ld	La Hogue loam, 0 to 2 percent slopes	165	54	66	5.4	10.8
Lk	La Hogue silt loam, till substratum, 0 to 2 percent slopes	165	54	66	5.4	10.8
Lp	Landes-Chatterton complex, frequently flooded	113	40	17	0.0	0.0
MaB3	Markham silty clay loam, 2 to 6 percent slopes, severely eroded	120	42	54	4.0	8.0
McB2	Markham-Symerton silt loams, 2 to 6 percent slopes, eroded	137	48	60	4.4	8.7
MdA	Martinsville loam, 0 to 2 percent slopes	145	51	58	4.8	9.6
MdB2	Martinsville loam, 2 to 6 percent slopes, eroded	140	49	56	4.6	9.2
MdC2	Martinsville loam, 6 to 12 percent slopes, eroded	130	46	52	4.3	8.6
MoE2	Miami loam, 15 to 25 percent slopes, eroded	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Warren County, Indiana

MpC3	Miami clay loam, 6 to 12 percent slopes, severely eroded	121	42	54	4.0	8.0
MpD3	Miami clay loam, 12 to 18 percent slopes severely eroded	110	39	50	3.6	7.2
Mr	Milford silty clay loam, pothole	80	18	32	2.6	5.2
MtA	Millbrook silt loam, till substratum, 0 to 2 percent slopes	170	56	77	5.6	11.2
MuC2	Montmorenci-Barce complex, 6 to 12 percent slopes, eroded	137	48	61	4.5	9.0
MvE2	Morley silt loam, moderately wet, 15 to 25 percent slopes, eroded	0	0	0	0.0	0.0
MwC3	Ozaukee silty clay loam, 6 to 12 percent slopes, severely eroded	104	36	47	3.5	7.0
MxC2	Morley-Cadiz silt loams, moderately wet, 6 to 12 percent slopes, eroded	125	44	54	3.9	7.8
MyA	Mudlavia gravelly silt loam, 0 to 2 percent slopes, stony	130	46	65	4.3	8.6
MzB2	Mudlavia cobbly silt loam, 2 to 4 percent slopes, eroded, stony	120	42	60	4.0	8.0
OcA	Ockley silt loam, 0 to 2 percent slopes	134	47	66	4.5	9.0
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	133	46	65	4.3	8.6
OpB	Ormas loamy sand, 1 to 4 percent slopes	110	39	55	3.6	7.2
OsA	Oshtemo coarse sandy loam, 0 to 2 percent slopes	110	39	55	3.6	7.2
OsB	Oshtemo coarse sandy loam, 2 to 6 percent slopes	110	39	55	3.6	7.2
Pm	Peotone silty clay loam, pothole	85	19	34	2.8	5.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Warren County, Indiana

Po	Piankeshaw variant gravelly silt loam, rarely flooded	110	39	44	3.6	7.2
Pp	Pits, gravel	0	0	0	0.0	0.0
PrA	Proctor silt loam, 0 to 2 percent slopes	165	58	66	5.4	10.8
PrB2	Proctor silt loam, 2 to 6 percent slopes, eroded	160	56	64	5.3	10.6
PuA	Proctor silt loam, till substratum, 0 to 2 percent slopes	165	58	66	5.4	10.8
PuB2	Proctor silt loam, till substratum, 2 to 6 percent slopes, eroded	160	56	64	5.3	10.6
Rb	Ragsdale silt loam	190	56	76	6.3	12.6
RdA	Rainsville silt loam, 0 to 2 percent slopes	145	51	65	4.8	9.6
RfB2	Rainsville-Williamstown-Rockfield silt loams, 2 to 6 percent slopes, eroded	142	50	63	4.6	9.2
RIA	Reesville silt loam, 0 to 2 percent slopes	165	54	66	5.4	10.8
RoA	Rockfield silt loam, 0 to 2 percent slopes	155	54	70	5.1	10.2
RoB2	Rockfield silt loam, 2 to 6 percent slopes, eroded	150	53	68	5.0	10.0
RpG	Rodman gravelly loam, 25 to 60 percent slopes	0	0	0	0.0	0.0
RtA	Rush silt loam, 0 to 2 percent slopes	140	49	70	4.6	9.2
RtB2	Rush silt loam, 2 to 6 percent slopes, eroded	135	47	68	4.5	9.0
Sb	Sable silty clay loam	190	56	76	6.3	12.6
SeA	Shadeland variant silt loam, 0 to 2 percent slopes	105	33	42	3.5	7.0
SIA	Starks silt loam, till substratum, 0 to 2 percent slopes	165	54	74	5.4	10.8

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Warren County, Indiana

Sr	Stonelick-Moundhaven complex, frequently flooded	85	30	0	0.0	0.0
StB3	Strawn clay loam, 2 to 6 percent slopes, severely eroded	135	47	61	4.5	9.0
StC3	Strawn clay loam, 6 to 12 percent slopes, severely eroded	125	44	56	4.1	8.2
SyB	Symerton-Varna silt loams, 1 to 3 percent slopes	149	52	69	5.0	10.0
TuC2	Tuscola loam, till substratum, 6 to 12 percent slopes, eroded	130	46	59	4.3	8.6
TwB2	Tuscola silt loam, till substratum, 2 to 6 percent slopes, eroded	140	49	63	4.6	9.2
Ud	Udorthents, loamy	0	0	0	0.0	0.0
Ur	Udorthents, loamy, reclaimed	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
Wc	Wakeland Variant silt loam, occasionally flooded	145	44	20	0.0	0.0
We	Wallkill variant silty clay loam	165	47	66	5.4	10.8
Wg	Warners variant silty clay, drained	160	46	64	5.3	10.6
Wh	Washtenaw silt loam	165	47	66	5.4	10.8
WIA	Waupecan silt loam, moderately wet, 0 to 2 percent slopes	165	58	83	5.4	10.8
WpG	Weikert Variant fine sandy loam, 35 to 80 percent slopes, very bouldery	0	0	0	0.0	0.0
WrA	Williamsport-Elliott silt loams, 0 to 2 percent slopes	156	51	71	5.2	10.4

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
Warren County, Indiana

WtC2	Williamstown-Rainsville silt loams, 6 to 12 percent slopes, eroded	130	46	59	4.3	8.6
------	--	-----	----	----	-----	-----