

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Warrick County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AfB2	Alford silt loam, 2 to 5 percent slopes, eroded	Alford, eroded	95	155	54	62	5.1	10.2
		Hosmer, eroded	5	120	42	54	4.0	8.0
AfC	Alford silt loam, 5 to 10 percent slopes	Alford	95	150	53	60	5.0	10.0
		Hosmer	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AfC3	Alford silt loam, 5 to 10 percent slopes, severely eroded	Alford, severely eroded	90	140	49	56	4.6	9.2
		Hosmer, severely eroded	6	120	42	54	4.0	8.0
		Alvin	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Wakeland, frequently flooded	2	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AfD	Alford silt loam, 10 to 18 percent slopes	Alford	95	135	47	54	4.5	9.0
		Wakeland, frequently flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AfD3	Alford silt loam, 10 to 18 percent slopes, severely eroded	Alford, severely eroded	90	125	44	50	4.1	8.2
		Wakeland, frequently flooded	6	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Alvin	4	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
AfE	Alford silt loam, 18 to 35 percent slopes	Alford	95	---	---	---	0.0	0.0
		Wellston	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ba	Bartle silt loam	Bartle	97	140	47	63	4.6	9.2
		Peoga	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warrick County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Bd	Birds silt loam, frequently flooded	Birds	100	130	35	0	0.0	0.0
Bn	Bonnie silt loam, 0 to 2 percent slopes, frequently flooded	Bonnie, frequently flooded	90	130	35	0	0.0	0.0
		Belknap	10	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Du	Dumps, mine	Dumps	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ev	Evansville silt loam	Evansville	100	165	47	66	5.4	10.8
GnF	Gilpin silt loam, 25 to 35 percent slopes	Gilpin	100	---	---	---	0.0	0.0
GpD	Gilpin soils, gullied, 12 to 18 percent slopes	Gilpin, very severely eroded	100	0	0	0	0.0	0.0
HeA	Henshaw silt loam, 0 to 2 percent slopes, rarely flooded	Henshaw	97	155	51	62	5.1	10.2
		Evansville	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HoA	Hosmer silt loam, 0 to 2 percent slopes	Hosmer	90	140	49	63	4.6	9.2
		Iva	10	170	56	68	5.6	11.2
HoB	Hosmer silt loam, 2 to 5 percent slopes	Hosmer	90	140	49	63	4.6	9.2
		Stoy	6	140	47	56	4.6	9.2
		Atlas, eroded	4	125	40	50	4.1	8.2
HoB3	Hosmer silt loam, 2 to 5 percent slopes, severely eroded	Hosmer, severely eroded	90	130	46	59	4.3	8.6
		Alford, severely eroded	10	150	53	60	5.0	10.0

COMPONENT CROP YIELDS (RV)--Continued
 Warrick County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HoC	Hosmer silt loam, 5 to 10 percent slopes, eroded	Hosmer, eroded	95	125	44	56	4.1	8.2
		Stoy, eroded	5	125	42	50	4.1	8.2
HoC3	Hosmer silt loam, 5 to 10 percent slopes, severely eroded	Hosmer, severely eroded	95	105	37	47	3.5	7.0
		Stoy, severely eroded	5	120	40	54	4.0	8.0
HoD	Hosmer silt loam, 12 to 18 percent slopes	Hosmer	100	110	39	50	3.6	7.2
HoD3	Hosmer silt loam, 10 to 18 percent slopes, severely eroded	Hosmer, severely eroded	90	105	37	47	3.5	7.0
		Alford, severely eroded	5	125	44	50	4.1	8.2
		Zanesville, severely eroded	5	90	32	41	3.0	6.0
Hu	Huntington silt loam, frequently flooded	Huntington	94	130	46	0	0.0	0.0
		Huntington	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Newark	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
IvA	Iva silt loam, 0 to 2 percent slopes	Iva	91	165	54	66	5.4	10.8
		Evansville	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Patton	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warrick County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
JoA	Johnsburg silt loam, 0 to 2 percent slopes	Johnsburg	88	135	46	61	4.5	9.0
		Apalona	5	135	47	61	4.5	9.0
		Zanesville	5	130	46	59	4.3	8.6
		Peoga	2	155	47	62	5.1	10.2
MkB2	Markland silt loam, 2 to 6 percent slopes, eroded	Markland	100	120	42	48	4.0	8.0
MkC	Markland silt loam, 6 to 18 percent slopes	Markland	100	120	42	48	4.0	8.0
MoC3	Markland silty clay loam, 6 to 18 percent slopes, severely eroded	Markland, severely eroded	100	105	37	42	3.5	7.0
MrA	McGary silt loam, 0 to 2 percent slopes	McGary	90	140	46	56	4.6	9.2
		Shircliff	7	120	42	48	4.0	8.0
		Zipp	3	140	39	56	4.6	9.2
MuA	Muren silt loam, 0 to 2 percent slopes	Muren	100	155	54	62	5.1	10.2
MuB2	Muren silt loam, 2 to 6 percent slopes, eroded	Muren	100	150	53	60	5.0	10.0
Ne	Newark silty clay loam, frequently flooded	Newark	97	125	40	0	0.0	0.0
		Newark	3	105	33	0	0.0	0.0
OrB	Orthents, 0 to 8 percent slopes	Orthents	94	145	51	58	4.8	9.6
		Newark	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Petrolia	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
OrD	Orthents, 8 to 25 percent slopes	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Warrick County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OrG	Orthents, 33 to 90 percent slopes	Orthents	100	---	---	---	0.0	0.0
OsF	Orthents stony, 8 to 33 percent slopes	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
OsG	Orthents stony, 33 to 90 percent slopes	Orthents	100	---	---	---	0.0	0.0
Pa	Patton silty clay loam	Patton	100	175	51	70	5.8	11.6
PeB2	Pekin silt loam, 1 to 4 percent slopes, eroded	Pekin	100	125	44	56	4.1	8.2
Pg	Peoga silt loam	Peoga	100	155	47	62	5.1	10.2
ScA	Sciotoville silt loam, 1 to 3 percent slopes	Sciotoville	100	120	42	54	4.0	8.0
Se	Steff silt loam, frequently flooded	Steff	97	110	39	0	0.0	0.0
		Bonnie	3	125	33	0	0.0	0.0
Sn	Stendal silt loam, frequently flooded	Stendal	97	125	40	0	0.0	0.0
		Bonnie	3	135	37	0	0.0	0.0
TtA	Tilsit silt loam, 0 to 2 percent slopes	Tilsit	100	125	44	56	4.1	8.2
TtB2	Tilsit silt loam, 2 to 6 percent slopes, eroded	Tilsit	100	120	42	54	4.0	8.0
Ud	Udorthents, cut and filled	Udorthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
UnB2	Uniontown silt loam, 2 to 6 percent slopes, eroded	Uniontown	100	140	49	56	4.6	9.2
UnC	Uniontown silt loam, 6 to 12 percent slopes	Uniontown	100	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Warrick County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
UnD	Uniontown silt loam, 12 to 18 percent slopes	Uniontown	100	120	42	48	4.0	8.0
UtC3	Uniontown silty clay loam, 6 to 12 percent slopes, severely eroded	Uniontown, severely eroded	100	125	44	50	4.1	8.2
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, 0 to 2 percent slopes, frequently flooded	Wakeland, frequently flooded	95	130	39	0	0.0	0.0
		Birds, frequently flooded	5	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WbA	Weinbach silt loam, 0 to 2 percent slopes	Weinbach	97	135	46	54	4.5	9.0
		Ginat	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WeD	Wellston silt loam, 12 to 18 percent slopes	Wellston	100	110	39	44	3.6	7.2
WeD3	Wellston silt loam, 12 to 18 percent slopes, severely eroded	Wellston, severely eroded	90	105	37	42	3.5	7.0
		Ebal, severely eroded	5	75	26	34	2.5	5.0
		Gilpin, severely eroded	5	70	25	28	2.3	4.6
WeE2	Wellston silt loam, 18 to 25 percent slopes, eroded	Wellston	100	---	---	---	3.0	6.0
WhA	Wheeling silt loam, 0 to 2 percent slopes	Wheeling	100	140	49	56	4.6	9.2
WhB2	Wheeling silt loam, 2 to 6 percent slopes, eroded	Wheeling	100	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (RV)--Continued
 Warrick County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Wm	Wilbur silt loam, frequently flooded	Wilbur	97	125	44	0	0.0	0.0
		Birds	3	120	32	0	0.0	0.0
Wo	Woodmere silty clay loam, occasionally flooded	Woodmere	100	105	37	15	3.5	7.0
ZaB2	Apalona-Zanesville silt loams, 2 to 6 percent slopes, eroded	Apalona, eroded	45	135	47	61	4.5	9.0
		Zanesville, eroded	40	130	46	59	4.3	8.6
		Wellston, eroded	10	140	49	56	4.6	9.2
		Johnsburg	5	150	51	68	5.0	10.0
ZaC	Zanesville silt loam, 6 to 12 percent slopes	Zanesville	100	125	44	56	4.1	8.2
ZaC3	Apalona-Zanesville silt loams, 6 to 12 percent slopes, severely eroded	Apalona, severely eroded	45	115	40	52	3.8	7.6
		Zanesville, severely eroded	40	110	39	50	3.6	7.2
		Deuchars, severely eroded	10	125	44	50	4.1	8.2
		Wellston, severely eroded	5	120	42	48	4.0	8.0
ZaD	Zanesville silt loam, 12 to 18 percent slopes	Zanesville	100	110	39	50	3.6	7.2
ZaD3	Zanesville silt loam, 12 to 18 percent slopes, severely eroded	Zanesville, severely eroded	100	100	35	45	3.3	6.6
Zp	Zipp silty clay loam, 0 to 2 percent slopes	Zipp	90	150	42	60	5.0	10.0
		Montgomery	10	155	44	62	5.1	10.2