

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
A1B—Alvin fine sandy loam, 2 to 6 percent slopes					
Alvin	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
		Sand content	0.01	Sand content	0.01
AvA—Avonburg silt loam, 0 to 2 percent slopes					
Avonburg	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ba—Bartle silt loam					
Bartle	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BdA—Bedford silt loam, 0 to 2 percent slopes					
Bedford	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BdB—Bedford silt loam, 2 to 6 percent slopes					
Bedford	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BdC2—Bedford silt loam, 6 to 12 percent slopes, eroded					
Bedford	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BhF—Berks-Weikert complex, 25 to 75 percent slopes					
Berks	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Large stones	0.18	Large stones	0.18
		Dusty	0.07	Dusty	0.07
Weikert	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
BmC—Bloomfield loamy fine sand, 6 to 18 percent slopes					
Bloomfield	100	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.96	Sand content	0.56
		Sand content	0.56	Unstable excavation walls	0.37
		Unstable excavation walls	0.37	Slope	0.37

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BmF—Bloomfield loamy fine sand, 18 to 40 percent slopes					
Bloomfield	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Sand content	0.96	Sand content	0.96
		Unstable excavation walls	0.95	Unstable excavation walls	0.95
Bo—Bonnie silt loam, frequently flooded					
Bonnie	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Br—Bromer silt loam					
Bromer	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Bu—Burnside silt loam, occasionally flooded					
Burnside	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CaE2—Caneyville-Hagerstown silt loams, 18 to 25 percent slopes, eroded					
Caneyville	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07
Hagerstown	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.07	Dusty	0.07
CdF—Caneyville-Rock outcrop complex, 25 to 50 percent slopes					
Caneyville	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Rock outcrop	1.00	Rock outcrop	1.00
		Unstable excavation walls	0.31	Unstable excavation walls	0.31
		Dusty	0.07	Dusty	0.07
Rock outcrop	15	Not rated		Not rated	
CeD2—Chetwynd loam, 8 to 18 percent slopes, eroded					
Chetwynd	100	Very limited		Somewhat limited	
		Slope	1.00	Slope	0.84
		Seepage	0.52	Seepage	0.52
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CeF—Chetwynd loam, 18 to 35 percent slopes					
Chetwynd	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ChB—Cincinnati silt loam, 2 to 6 percent slopes					
Cincinnati	100	Somewhat limited		Somewhat limited	
		Wetness	0.96	Wetness	0.96
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ChC2—Cincinnati silt loam, 6 to 12 percent slopes, eroded					
Cincinnati	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CoB—Crider silt loam, 2 to 6 percent slopes					
Crider	100	Somewhat limited		Somewhat limited	
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.05	Unstable excavation walls	0.05
CoC2—Crider silt loam, 6 to 12 percent slopes, eroded					
Crider	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Unstable excavation walls	0.05
		Unstable excavation walls	0.05	Slope	0.04
CoD2—Crider silt loam, 12 to 18 percent slopes, eroded					
Crider	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.05	Unstable excavation walls	0.05
CrC3—Crider silty clay loam, 6 to 12 percent slopes, severely eroded					
Crider, severely eroded	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Unstable excavation walls	0.07
		Unstable excavation walls	0.07	Slope	0.04

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CrD3—Crider silty clay loam, 12 to 18 percent slopes, severely eroded					
Crider, severely eroded	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.12	Unstable excavation walls	0.12
		Dusty	0.07	Dusty	0.07
CsC2—Crider silt loam, karst, 4 to 12 percent slopes, eroded					
Crider, karst	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.39	Dusty	0.07
		Dusty	0.07	Unstable excavation walls	0.04
		Unstable excavation walls	0.04		
CtD2—Crider-Frederick silt loams, karst, 12 to 22 percent slopes, eroded					
Crider, karst	70	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.04	Unstable excavation walls	0.04
Frederick, karst	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.35	Unstable excavation walls	0.35
		Dusty	0.07	Dusty	0.07
Cu—Cuba silt loam, frequently flooded					
Cuba	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Cw—Cuba silt loam, occasionally flooded					
Cuba	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.22	Seepage	0.22
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
DbA—Dubois silt loam, 0 to 2 percent slopes					
Dubois	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EIB—Elkinsville silt loam, 2 to 6 percent slopes					
Elkinsville	100	Somewhat limited		Somewhat limited	
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EIC2—Elkinsville silt loam, 6 to 12 percent slopes, eroded					
Elkinsville	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
FwD2—Frederick silt loam, karst, 12 to 22 percent slopes, eroded					
Frederick, karst	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Unstable excavation walls	0.35	Unstable excavation walls	0.35
		Dusty	0.07	Dusty	0.07

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FxC2—Frederick-Baxter variant complex, karst, 4 to 12 percent slopes, eroded					
Frederick, karst	65	Somewhat limited		Somewhat limited	
		Slope	0.39	Unstable excavation walls	0.35
		Unstable excavation walls	0.35	Dusty	0.07
		Dusty	0.07		
Baxter variant, karst	35	Somewhat limited		Somewhat limited	
		Slope	0.39	Dusty	0.06
		Dusty	0.06	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
GID2—Gilpin silt loam, 12 to 18 percent slopes, eroded					
Gilpin	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
GnF—Gilpin-Berks loams, 18 to 50 percent slopes					
Gilpin	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Berks	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	0.52	Seepage	0.52
		Large stones	0.26	Large stones	0.26
		Dusty	0.06	Dusty	0.06

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
GpF—Gilpin-Berks-Ebal complex, 18 to 50 percent slopes					
Gilpin	55	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Berks	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	0.22	Seepage	0.22
		Unstable excavation walls	0.02	Unstable excavation walls	0.02
		Dusty	0.01	Dusty	0.01
Ebal	15	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Wetness	0.97	Wetness	0.97
		Unstable excavation walls	0.26	Unstable excavation walls	0.26
		Dusty	0.07	Dusty	0.07
HaC2—Hagerstown silt loam, 6 to 12 percent slopes, eroded					
Hagerstown	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.28
		Unstable excavation walls	0.28	Dusty	0.07
		Dusty	0.07	Slope	0.04
HcC3—Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded					
Hagerstown, severely eroded	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.51
		Unstable excavation walls	0.51	Dusty	0.07
		Dusty	0.07	Slope	0.04

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
HeD2—Hagerstown-Caneyville silt loams, 12 to 18 percent slopes, eroded					
Hagerstown	60	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.28	Unstable excavation walls	0.28
		Dusty	0.07	Dusty	0.07
Caneyville	40	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.07	Dusty	0.07
HhA—Haubstadt silt loam, 0 to 2 percent slopes					
Haubstadt	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HhB—Haubstadt silt loam, 2 to 6 percent slopes					
Haubstadt	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hm—Haymond silt loam, frequently flooded					
Haymond	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
HrD2—Hickory silt loam, 12 to 18 percent slopes, eroded					
Hickory	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MaB—Markland silt loam, 2 to 8 percent slopes					
Markland	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MgA—McGary silt loam, 0 to 2 percent slopes					
Mcgary	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Unstable excavation walls	0.18	Unstable excavation walls	0.18
		Dusty	0.07	Dusty	0.07
Mo—Montgomery silty clay loam					
Montgomery	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
No—Nolin silt loam, 0 to 2 percent slopes, frequently flooded					
Nolin, frequently flooded	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Omz—Orthents, earthen dam					
Orthents	100	Not rated		Not rated	
OtC2—Otwell silt loam, 6 to 12 percent slopes, eroded					
Otwell	100	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
PeA—Pekin silt loam, 0 to 2 percent slopes					
Pekin	97	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PeB—Pekin silt loam, 2 to 6 percent slopes					
Pekin	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
PeC2—Pekin silt loam, 6 to 12 percent slopes, eroded					
Pekin	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Dusty	0.06
		Dusty	0.06	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Pg—Peoga silt loam					
Peoga	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ph—Peoga silt loam, clayey substratum					
Peoga, clayey substratum	95	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.03	Unstable excavation walls	0.03
Pt—Pits, quarries					
Pits, quarries	100	Not rated		Not rated	

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RsB—Rossmoyne silt loam, 2 to 6 percent slopes					
Rossmoyne	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Sf—Stendal silt loam, frequently flooded					
Stendal	83	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
So—Stendal silt loam, occasionally flooded					
Stendal	91	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
W—Water					
Water	100	Not rated		Not rated	
Wa—Wakeland silt loam, frequently flooded					
Wakeland	97	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WeC2—Wellston silt loam, 6 to 12 percent slopes, eroded					
Wellston	100	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Washington County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
WeD—Wellston silt loam, 12 to 18 percent slopes					
Wellston	100	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ZaB—Zanesville silt loam, 1 to 6 percent slopes					
Zanesville	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.07	Dusty	0.07
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ZaC2—Zanesville silt loam, 6 to 12 percent slopes, eroded					
Zanesville	100	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Dusty	0.07
		Dusty	0.07	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Zp—Zipp silty clay					
Zipp	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

## Data Source Information

Soil Survey Area: Washington County, Indiana  
 Survey Area Data: Version 16, Sep 15, 2014