

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Washington County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
AlB	Alvin fine sandy loam, 2 to 6 percent slopes	Alvin	100	115	40	46	3.8	7.6
AvA	Avonburg silt loam, 0 to 2 percent slopes	Avonburg	85	145	49	65	4.8	9.6
Ba	Bartle silt loam, 0 to 2 percent slopes	Bartle	95	135	46	61	4.5	9.0
BdA	Bedford silt loam, 0 to 2 percent slopes	Bedford	97	130	46	59	4.3	8.6
BdB	Bedford silt loam, 2 to 6 percent slopes	Bedford	85	135	47	61	4.5	9.0
BdC2	Bedford silt loam, 6 to 12 percent slopes, eroded	Bedford	100	115	40	52	3.8	7.6
BhF	Brownstown-Gilwood silt loams, 25 to 75 percent slopes	Brownstown	50	---	---	---	0.0	0.0
		Gilwood	45	---	---	---	0.0	0.0
BmC	Bloomfield loamy fine sand, 6 to 18 percent slopes	Bloomfield	100	80	28	32	2.6	5.2
BmF	Bloomfield loamy fine sand, 18 to 40 percent slopes	Bloomfield	100	---	---	---	0.0	0.0
Bo	Bonnie silt loam, frequently flooded	Bonnie	100	125	33	0	0.0	0.0
Br	Bromer silt loam	Bromer	85	145	49	58	4.8	9.6
Bu	Burnside silt loam, occasionally flooded	Burnside	100	105	37	15	3.5	7.0
CaE2	Caneyville-Hagerstown silt loams, 18 to 25 percent slopes, eroded	Caneyville	60	---	---	---	1.3	2.6
		Hagerstown	40	---	---	---	2.0	4.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Washington County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CdF	Caneyville-Rock outcrop complex, 25 to 50 percent slopes	Caneyville	85	0	0	0	0.0	0.0
		Rock outcrop	15	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CeD2	Chetwynd loam, 8 to 18 percent slopes, eroded	Chetwynd	100	105	37	42	3.5	7.0
CeF	Chetwynd loam, 18 to 35 percent slopes	Chetwynd	100	---	---	---	0.0	0.0
ChB	Cincinnati silt loam, 2 to 6 percent slopes	Cincinnati	100	135	47	61	4.5	9.0
ChC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	Cincinnati, eroded	85	105	37	47	3.5	7.0
CoB	Crider silt loam, 2 to 6 percent slopes	Crider	75	150	53	60	5.0	10.0
CoC2	Crider silt loam, 6 to 12 percent slopes, eroded	Crider	100	135	47	54	4.5	9.0
CoD2	Crider silt loam, 12 to 18 percent slopes, eroded	Crider	100	120	42	48	4.0	8.0
CrC3	Crider silty clay loam, 6 to 12 percent slopes, severely eroded	Crider, severely eroded	100	130	46	52	4.3	8.6
CrD3	Crider silty clay loam, 12 to 18 percent slopes, severely eroded	Crider, severely eroded	100	115	40	46	3.8	7.6
CsC2	Crider silt loam, karst, 4 to 12 percent slopes, eroded	Crider, karst	100	135	47	54	4.5	9.0
CtD2	Crider-Frederick silt loams, karst, 12 to 22 percent slopes, eroded	Crider, karst	70	120	42	48	4.0	8.0
		Frederick, karst	30	85	30	34	2.8	5.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Washington County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Cu	Cuba silt loam, frequently flooded	Cuba	97	115	40	0	0.0	0.0
Cw	Cuba silt loam, occasionally flooded	Cuba	97	125	44	18	4.1	8.2
DbA	Dubois silt loam, 0 to 2 percent slopes	Dubois	97	135	46	61	4.5	9.0
ElB	Elkinsville silt loam, 2 to 6 percent slopes	Elkinsville	100	145	51	58	4.8	9.6
ElC2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	Elkinsville	100	130	46	52	4.3	8.6
FwD2	Frederick silt loam, karst, 12 to 22 percent slopes, eroded	Frederick, karst	100	85	30	34	2.8	5.6
FxC2	Frederick-Baxter variant complex, karst, 4 to 12 percent slopes, eroded	Frederick, karst	65	100	35	40	3.3	6.6
		Baxter variant, karst	35	115	40	46	3.8	7.6
G1D2	Gilpin silt loam, 12 to 18 percent slopes, eroded	Gilpin	100	75	26	30	2.5	5.0
GnF	Gilpin-Berks loams, 18 to 50 percent slopes	Gilpin	60	---	---	---	0.0	0.0
		Berks	40	---	---	---	0.0	0.0
GpF	Gilpin-Berks-Ebal complex, 18 to 50 percent slopes	Gilpin	55	---	---	---	0.0	0.0
		Berks	30	---	---	---	0.0	0.0
		Ebal	15	---	---	---	0.0	0.0
HaC2	Hagerstown silt loam, 6 to 12 percent slopes, eroded	Hagerstown	100	90	32	41	3.0	6.0
HcC3	Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded	Hagerstown, severely eroded	100	80	28	36	2.6	5.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Washington County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HeD2	Hagerstown-Caneyville silt loams, 12 to 18 percent slopes, eroded	Hagerstown	60	75	26	34	2.5	5.0
		Caneyville	40	55	19	25	1.8	3.6
HhA	Haubstadt silt loam, 0 to 2 percent slopes	Haubstadt	90	135	47	61	4.5	9.0
HhB	Haubstadt silt loam, 2 to 6 percent slopes	Haubstadt	97	135	47	61	4.5	9.0
Hm	Haymond silt loam, frequently flooded	Haymond	100	120	42	0	0.0	0.0
HrD2	Hickory silt loam, 12 to 18 percent slopes, eroded	Hickory	100	110	39	44	3.6	7.2
MaB	Markland silt loam, 2 to 8 percent slopes	Markland	100	125	44	50	4.1	8.2
MgA	McGary silt loam, 0 to 2 percent slopes	McGary	97	140	46	56	4.6	9.2
Mo	Montgomery silty clay loam	Montgomery	100	160	46	64	5.3	10.6
No	Nolin silt loam, 0 to 2 percent slopes, frequently flooded	Nolin, frequently flooded	85	120	42	0	0.0	0.0
Omz	Orthents, earthen dam	Orthents	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
OtC2	Otwell silt loam, 6 to 12 percent slopes, eroded	Otwell	100	120	42	54	4.0	8.0
PeA	Pekin silt loam, 0 to 2 percent slopes	Pekin	95	130	46	59	4.3	8.6
PeB	Pekin silt loam, 2 to 6 percent slopes	Pekin	95	130	46	59	4.3	8.6
PeC2	Pekin silt loam, 6 to 12 percent slopes, eroded	Pekin, eroded	95	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Washington County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Pg	Peoga silt loam	Peoga	100	150	46	60	5.0	10.0
Ph	Peoga silt loam, clayey substratum	Peoga, clayey substratum	95	160	46	64	5.3	10.6
Pt	Pits, quarries	Pits, quarries	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RsB	Rossmoyne silt loam, 2 to 6 percent slopes	Rossmoyne	100	135	47	61	4.5	9.0
Sf	Stendal silt loam, frequently flooded	Stendal	83	125	37	0	0.0	0.0
So	Stendal silt loam, occasionally flooded	Stendal	91	130	39	18	4.3	8.6
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wakeland silt loam, frequently flooded	Wakeland	97	130	39	0	0.0	0.0
WeC2	Wellston silt loam, 6 to 12 percent slopes, eroded	Wellston, eroded	90	120	42	48	4.0	8.0
WeD	Wellston silt loam, 12 to 18 percent slopes	Wellston	100	110	39	44	3.6	7.2
ZaB	Zanesville silt loam, 1 to 6 percent slopes	Zanesville	100	125	44	56	4.1	8.2
ZaC2	Zanesville silt loam, 6 to 12 percent slopes, eroded	Zanesville	100	110	39	50	3.6	7.2
Zp	Zipp silty clay	Zipp	100	150	42	60	5.0	10.0

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.