

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Washington County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
AIB	Alvin fine sandy loam, 2 to 6 percent slopes	115	40	46	3.8	7.6
AvA	Avonburg silt loam, 0 to 2 percent slopes	145	48	65	4.8	9.6
Ba	Bartle silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
BdA	Bedford silt loam, 0 to 2 percent slopes	130	46	59	4.3	8.6
BdB	Bedford silt loam, 2 to 6 percent slopes	136	47	60	4.5	9.0
BdC2	Bedford silt loam, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6
BhF	Brownstown-Gilwood silt loams, 25 to 75 percent slopes	0	0	0	0.0	0.0
BmC	Bloomfield loamy fine sand, 6 to 18 percent slopes	80	28	32	2.6	5.2
BmF	Bloomfield loamy fine sand, 18 to 40 percent slopes	0	0	0	0.0	0.0
Bo	Bonnie silt loam, frequently flooded	125	33	0	0.0	0.0
Br	Bromer silt loam	145	49	58	4.8	9.6
Bu	Burnside silt loam, occasionally flooded	105	37	15	0.0	0.0
CaE2	Caneyville-Hagerstown silt loams, 18 to 25 percent slopes, eroded	0	0	0	0.0	0.0
CdF	Caneyville-Rock outcrop complex, 25 to 50 percent slopes	0	0	0	0.0	0.0
CeD2	Chetwynd loam, 8 to 18 percent slopes, eroded	105	37	42	3.5	7.0
CeF	Chetwynd loam, 18 to 35 percent slopes	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Washington County, Indiana

ChB	Cincinnati silt loam, 2 to 6 percent slopes	135	47	61	4.5	9.0
ChC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded	106	37	47	3.5	7.0
CoB	Crider silt loam, 2 to 6 percent slopes	144	50	61	5.0	9.9
CoC2	Crider silt loam, 6 to 12 percent slopes, eroded	135	47	54	4.5	9.0
CoD2	Crider silt loam, 12 to 18 percent slopes, eroded	120	42	48	4.0	8.0
CrC3	Crider silty clay loam, 6 to 12 percent slopes, severely eroded	130	46	52	4.3	8.6
CrD3	Crider silty clay loam, 12 to 18 percent slopes, severely eroded	115	40	46	3.8	7.6
CsC2	Crider silt loam, karst, 4 to 12 percent slopes, eroded	135	47	54	4.5	9.0
CtD2	Crider-Frederick silt loams, karst, 12 to 22 percent slopes, eroded	110	38	47	3.9	7.8
Cu	Cuba silt loam, frequently flooded	115	40	0	0.0	0.0
Cw	Cuba silt loam, occasionally flooded	125	44	18	0.0	0.0
DbA	Dubois silt loam, 0 to 2 percent slopes	135	46	61	4.5	9.0
E1B	Elkinsville silt loam, 2 to 6 percent slopes	145	51	58	4.8	9.6
E1C2	Elkinsville silt loam, 6 to 12 percent slopes, eroded	130	46	52	4.3	8.6
FwD2	Frederick silt loam, karst, 12 to 22 percent slopes, eroded	85	30	34	2.8	5.6
FxC2	Frederick-Baxter variant complex, karst, 4 to 12 percent slopes, eroded	105	37	41	3.4	6.7
G1D2	Gilpin silt loam, 12 to 18 percent slopes, eroded	75	26	30	2.5	5.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Washington County, Indiana

GnF	Gilpin-Berks loams, 18 to 50 percent slopes	0	0	0	0.0	0.0
GpF	Gilpin-Berks-Ebal complex, 18 to 50 percent slopes	0	0	0	0.0	0.0
HaC2	Hagerstown silt loam, 6 to 12 percent slopes, eroded	90	32	41	3.0	6.0
HcC3	Hagerstown silty clay loam, 6 to 12 percent slopes, severely eroded	80	28	36	2.6	5.2
HeD2	Hagerstown-Caneyville silt loams, 12 to 18 percent slopes, eroded	67	23	32	2.4	4.8
HhA	Haubstadt silt loam, 0 to 2 percent slopes	135	47	61	4.5	9.0
HhB	Haubstadt silt loam, 2 to 6 percent slopes	135	47	61	4.5	9.0
Hm	Haymond silt loam, frequently flooded	120	42	0	0.0	0.0
HrD2	Hickory silt loam, 12 to 18 percent slopes, eroded	110	39	44	3.6	7.2
MaB	Markland silt loam, 2 to 8 percent slopes	125	44	50	4.1	8.2
MgA	McGary silt loam, 0 to 2 percent slopes	140	46	56	4.6	9.2
Mo	Montgomery silty clay loam	160	46	64	5.3	10.6
No	Nolin silt loam, 0 to 2 percent slopes, frequently flooded	120	42	0	0.0	0.0
Omz	Orthents, earthen dam	0	0	0	0.0	0.0
OtC2	Otwell silt loam, 6 to 12 percent slopes, eroded	120	42	54	4.0	8.0
PeA	Pekin silt loam, 0 to 2 percent slopes	131	46	58	4.3	8.6
PeB	Pekin silt loam, 2 to 6 percent slopes	131	46	58	4.3	8.6
PeC2	Pekin silt loam, 6 to 12 percent slopes, eroded	116	41	52	3.8	7.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Washington County, Indiana

Pg	Peoga silt loam	150	46	60	5.0	10.0
Ph	Peoga silt loam, clayey substratum	160	46	64	5.3	10.6
Pt	Pits, quarries	0	0	0	0.0	0.0
RsB	Rossmoyne silt loam, 2 to 6 percent slopes	135	47	61	4.5	9.0
Sf	Stendal silt loam, frequently flooded	125	37	0	0.0	0.0
So	Stendal silt loam, occasionally flooded	130	39	18	0.0	0.0
W	Water	0	0	0	0.0	0.0
Wa	Wakeland silt loam, frequently flooded	130	39	0	0.0	0.0
WeC2	Wellston silt loam, 6 to 12 percent slopes, eroded	118	41	48	4.0	8.0
WeD	Wellston silt loam, 12 to 18 percent slopes	110	39	44	3.6	7.2
ZaB	Zanesville silt loam, 1 to 6 percent slopes	125	44	56	4.1	8.2
ZaC2	Zanesville silt loam, 6 to 12 percent slopes, eroded	110	39	50	3.6	7.2
Zp	Zipp silty clay	150	42	60	5.0	10.0