

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CeB2—Celina silt loam, 1 to 5 percent slopes, eroded					
Celina	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CrA—Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes					
Crosby	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
CrB—Crosby-Celina silt loams, 1 to 4 percent slopes					
Crosby	60	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Celina	30	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CtB—Crosby-Miami silt loams, stony subsoil, 1 to 3 percent slopes					
Crosby, stony subsoil	55	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Miami, stony subsoil	40	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EdF—Eden flaggy silty clay loam, 25 to 40 percent slopes					
Eden	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Too stony	1.00	Too stony	1.00
		Large stones	0.97	Large stones	0.97
		Unstable excavation walls	0.51	Unstable excavation walls	0.51
		Dusty	0.05	Dusty	0.05
EoA—Eldean loam, 0 to 2 percent slopes					
Eldean	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.78	Sand content	0.78
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EoB2—Eldean loam, 2 to 6 percent slopes, eroded					
Eldean	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.78	Sand content	0.78
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
EoC2—Eldean loam, 6 to 12 percent slopes, eroded					
Eldean	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.78	Sand content	0.78
		Slope	0.63	Slope	0.04
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
EoD2—Eldean loam, 12 to 18 percent slopes, eroded					
Eldean	100	Very limited		Very limited	
		Slope	1.00	Seepage	1.00
		Seepage	1.00	Slope	1.00
		Sand content	0.78	Sand content	0.78
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ExB3—Eldean clay loam, 2 to 6 percent slopes, severely eroded					
Eldean, severely eroded	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Sand content	0.78	Sand content	0.78
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
ExC3—Eldean clay loam, 6 to 18 percent slopes, severely eroded					
Eldean, severely eroded	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	1.00	Sand content	0.78
		Sand content	0.78	Slope	0.63
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
FcA—Fincastle silt loam, 0 to 2 percent slopes					
Fincastle	85	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ge—Genesee silt loam, occasionally flooded					
Genesee	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hb—Haplaquepts, loamy					
Haplaquepts	90	Not rated		Not rated	
HeF—Hennepin loam, 25 to 50 percent slopes					
Hennepin	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Hu—Houghton muck, undrained					
Houghton, undrained	100	Not rated		Not rated	
LbB2—Losantville silt loam, 2 to 6 percent slopes, eroded					
Losantville	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
LbC2—Losantville silt loam, 6 to 12 percent slopes, eroded					
Losantville	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
LbD2—Losantville silt loam, 12 to 18 percent slopes, eroded					
Losantville	90	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
LcC3—Losantville clay loam, 6 to 12 percent slopes, severely eroded					
Losantville, severely eroded	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
LcD3—Losantville clay loam, 12 to 18 percent slopes, severely eroded					
Losantville, severely eroded	90	Very limited		Very limited	
		Slope	1.00	Wetness	1.00
		Wetness	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
LeB2—Losantville loam, stony subsoil, 2 to 6 percent slopes, eroded					
Losantville, stony subsoil	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
LxC3—Losantville clay loam, stony subsoil, 6 to 12 percent slopes, severely eroded					
Losantville, stony subsoil, severely eroded	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Slope	0.04
		Dusty	0.03	Dusty	0.03
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Ma--Mahalasville silt loam					
Mahalasville	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MnB2--Miami silt loam, 2 to 6 percent slopes, eroded					
Miami, eroded	85	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MnC2--Miami silt loam, 6 to 12 percent slopes, eroded					
Miami, eroded	85	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Slope	0.37	Dusty	0.05
		Dusty	0.05	Unstable excavation walls	0.01
		Unstable excavation walls	0.01		
MnD2--Miami silt loam, well drained, 12 to 18 percent slopes, eroded					
Miami, well drained, eroded	92	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MnE--Miami silt loam, 18 to 25 percent slopes					
Miami	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MnF—Miami silt loam, 25 to 50 percent slopes					
Miami	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MrA—Miami silt loam, gravelly substratum, 0 to 2 percent slopes					
Miami, gravelly substratum	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MrB2—Miami silt loam, gravelly substratum, 2 to 6 percent slopes, eroded					
Miami, gravelly substratum	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MrC2—Miami silt loam, gravelly substratum, 6 to 12 percent slopes, eroded					
Miami, gravelly substratum	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Slope	0.63	Dusty	0.04
		Dusty	0.04	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ms—Millsdale silty clay loam					
Millsdale	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.26	Unstable excavation walls	0.26

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MwB2—Miami-Crosby silt loams, 2 to 5 percent slopes, eroded					
Miami	50	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Crosby	45	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
MxB2—Miami-Crosby-Losantville silt loams, stony subsoil, 2 to 6 percent slopes, eroded					
Miami, stony subsoil	30	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Crosby, stony subsoil	25	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Losantville, stony subsoil	20	Somewhat limited		Somewhat limited	
		Wetness	0.97	Wetness	0.97
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
OcA—Ockley silt loam, 0 to 2 percent slopes					
Ockley	90	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
OcB2—Ockley silt loam, 2 to 6 percent slopes, eroded					
Ockley, eroded	85	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Too sandy	1.00	Too sandy	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Or—Orthents, loamy					
Orthents	90	Not rated		Not rated	
Pr—Pits, quarry					
Pits, quarry	100	Not rated		Not rated	
Rc—Ragsdale silty clay loam					
Ragsdale	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RhA—Randolph silt loam, 0 to 2 percent slopes					
Randolph	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RkA—Reesville silt loam, 0 to 2 percent slopes					
Reesville	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
RmD—Rodman gravelly loam, 15 to 25 percent slopes					
Rodman	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.87	Unstable excavation walls	0.87
		Sand content	0.86	Sand content	0.86
		Dusty	0.01	Dusty	0.01
RmF—Rodman gravelly loam, 25 to 50 percent slopes					
Rodman	100	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00
		Unstable excavation walls	0.87	Unstable excavation walls	0.87
		Sand content	0.86	Sand content	0.86
		Dusty	0.01	Dusty	0.01
RsB2—Russell silt loam, 2 to 6 percent slopes, eroded					
Russell	76	Somewhat limited		Somewhat limited	
		Wetness	0.31	Wetness	0.31
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
RsC2—Russell silt loam, 6 to 12 percent slopes, eroded					
Russell	100	Somewhat limited		Somewhat limited	
		Slope	0.63	Dusty	0.05
		Dusty	0.05	Slope	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Sh—Shoals silt loam, occasionally flooded					
Shoals	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Sk—Sleeth silt loam					
Sleeth	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Sn—Sloan silty clay loam, occasionally flooded					
Sloan	100	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
St—Stonelick loam, occasionally flooded					
Stonelick	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Seepage	0.52	Seepage	0.52
		Dusty	0.02	Dusty	0.02
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SuB3—Strawn clay loam, 2 to 6 percent slopes, severely eroded					
Strawn, severely eroded	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
SuC3—Strawn clay loam, 6 to 12 percent slopes, severely eroded					
Strawn, severely eroded	90	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SuD3—Strawn clay loam, 12 to 18 percent slopes, severely eroded					
Strawn, severely eroded	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Tr—Treaty silty clay loam					
Treaty	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Ts—Treaty silty clay loam, stony subsoil					
Treaty, stony subsoil	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UmB—Urban land-Miami complex, 2 to 6 percent slopes					
Urban land	70	Not rated		Not rated	
Miami	30	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
UmC—Urban land-Miami complex, 6 to 12 percent slopes					
Urban land	65	Not rated		Not rated	
Miami	35	Somewhat limited		Somewhat limited	
		Wetness	0.94	Wetness	0.94
		Slope	0.63	Slope	0.04
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UoA—Urban land-Miami complex, gravelly substratum, 0 to 2 percent slopes					
Urban land	70	Not rated		Not rated	
Miami, gravelly substratum	30	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
UoB—Urban land-Miami complex, gravelly substratum, 2 to 6 percent slopes					
Urban land	70	Not rated		Not rated	
Miami, gravelly substratum	30	Very limited		Very limited	
		Seepage	1.00	Seepage	1.00
		Dusty	0.04	Dusty	0.04
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
Us—Urban land-Millsdale complex					
Urban land	70	Not rated		Not rated	
Millsdale	30	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Unstable excavation walls	0.26	Unstable excavation walls	0.26
W—Water					
Water	100	Not rated		Not rated	

Selected Soil Interpretations--Wayne County, Indiana					
Map symbol and soil name	Pct. of map unit	Dhs - catastrophic mortality, large animal disposal, pit		Dhs - catastrophic mortality, large animal disposal, trench	
		Rating class and limiting features	Value	Rating class and limiting features	Value
We—Westland silty clay loam					
Westland	100	Very limited		Very limited	
		Ponding	1.00	Ponding	1.00
		Wetness	1.00	Wetness	1.00
		Seepage	1.00	Seepage	1.00
		Water gathering surface	0.33	Water gathering surface	0.33
		Dusty	0.04	Dusty	0.04
WyB2—Wynn silt loam, 2 to 6 percent slopes, eroded					
Wynn	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Dusty	0.05	Dusty	0.05
		Unstable excavation walls	0.01	Unstable excavation walls	0.01
WyC2—Wynn silt loam, 6 to 12 percent slopes, eroded					
Wynn	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.63	Unstable excavation walls	0.19
		Unstable excavation walls	0.19	Dusty	0.05
		Dusty	0.05	Slope	0.04
WyD2—Wynn silt loam, 12 to 18 percent slopes, eroded					
Wynn	90	Very limited		Very limited	
		Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Unstable excavation walls	0.20	Unstable excavation walls	0.20
		Dusty	0.05	Dusty	0.05
XeB2—Xenia silt loam, 1 to 5 percent slopes, eroded					
Xenia	95	Very limited		Very limited	
		Wetness	1.00	Wetness	1.00
		Dusty	0.06	Dusty	0.06
		Unstable excavation walls	0.01	Unstable excavation walls	0.01

Data Source Information

Soil Survey Area: Wayne County, Indiana
Survey Area Data: Version 16, Sep 15, 2014