

NON-IRRIGATED COMPONENT CROP YIELDS (RV)
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CeB2	Celina silt loam, 2 to 6 percent slopes, eroded	Celina, eroded	90	125	44	56	4.1	8.2
		Crosby	4	140	46	63	4.6	9.2
		Kokomo	4	170	49	68	5.6	11.2
		Miamian	2	130	46	59	4.3	8.6
CrA	Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	Crosby	90	140	46	63	4.6	9.2
		Kokomo, drained	5	170	49	68	5.6	11.2
		Celina, eroded	4	125	44	56	4.1	8.2
		Miamian, eroded	1	125	44	56	4.1	8.2
CrB	Crosby-Celina silt loams, 1 to 4 percent slopes	Crosby	60	140	46	63	4.6	9.2
		Celina	30	130	46	59	4.3	8.6
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
CtB	Crosby-Miami silt loams, stony subsoil, 1 to 3 percent slopes	Crosby, stony subsoil	55	140	46	63	4.6	9.2
		Miami, stony subsoil	40	145	51	65	4.8	9.6
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EdF	Eden flaggy silty clay loam, 25 to 40 percent slopes	Eden	100	---	---	---	0.0	0.0
EoA	Eldean loam, 0 to 2 percent slopes	Eldean	90	100	35	50	3.3	6.6
		Warsaw	5	110	39	55	3.6	7.2
		Ockley	4	145	51	73	4.8	9.6
		Sleeth	1	145	47	73	4.8	9.6
EoB2	Eldean loam, 2 to 6 percent slopes, eroded	Eldean	90	95	33	48	3.1	6.2
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
EoC2	Eldean loam, 6 to 12 percent slopes, eroded	Eldean	90	85	30	43	2.8	5.6
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
EoD2	Eldean loam, 12 to 18 percent slopes, eroded	Eldean	100	70	25	35	2.3	4.6
ExB3	Eldean clay loam, 2 to 6 percent slopes, severely eroded	Eldean, severely eroded	90	85	30	43	2.8	5.6
		Mahalasville	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
ExC3	Eldean clay loam, 6 to 18 percent slopes, severely eroded	Eldean, severely eroded	90	75	26	38	2.5	5.0
		Mahalasville	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
FcA	Fincastle silt loam, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8
		Cyclone	10	190	56	76	6.3	12.6
		Williamstown, eroded	5	140	49	63	4.6	9.2
Ge	Genesee silt loam, 0 to 2 percent slopes, occasionally flooded	Genesee	85	125	44	18	4.1	8.2
		Sloan	6	155	44	22	5.1	10.2
		Eel	3	125	44	18	4.1	8.2
		Ross	2	140	49	20	4.6	9.2
		Shoals	2	140	46	20	4.6	9.2
		Stonelick	2	100	35	14	3.3	6.6
Hb	Haplaquepts, loamy	Haplaquepts	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Ragsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
HeF	Hennepin loam, 25 to 50 percent slopes	Hennepin	100	---	---	---	0.0	0.0
Hu	Houghton muck, undrained	Houghton, undrained	100	0	0	0	0.0	0.0
LbB2	Losantville silt loam, 2 to 6 percent slopes, eroded	Losantville	90	125	44	56	4.1	8.2
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LbC2	Losantville silt loam, 6 to 12 percent slopes, eroded	Losantville	90	115	40	52	3.8	7.6
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LbD2	Losantville silt loam, 12 to 18 percent slopes, eroded	Losantville	90	100	35	45	3.3	6.6
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LcC3	Losantville clay loam, 6 to 12 percent slopes, severely eroded	Losantville, severely eroded	85	105	37	47	3.5	7.0
		Miamian, eroded	7	125	44	56	4.1	8.2
		Crosby	5	140	46	63	4.6	9.2
		Treaty	3	185	54	74	6.1	12.2
LcD3	Losantville clay loam, 12 to 18 percent slopes, severely eroded	Losantville, severely eroded	90	90	32	41	3.0	6.0
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
LeB2	Losantville loam, stony subsoil, 2 to 6 percent slopes, eroded	Losantville, stony subsoil	90	125	44	56	4.1	8.2
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
LxC3	Losantville clay loam, stony subsoil, 6 to 12 percent slopes, severely eroded	Losantville, stony subsoil, severely eroded	90	105	37	47	3.5	7.0
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ma	Mahalasville silt loam	Mahalasville	100	175	51	70	5.8	11.6
MnB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2
		Crosby	5	140	46	63	4.6	9.2
		Treaty	5	185	54	74	6.1	12.2
		Williamstown	5	140	49	63	4.6	9.2
MnC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami, eroded	85	130	46	59	4.3	8.6
		Rainsville, eroded	10	130	46	59	4.3	8.6
		Treaty	3	185	54	74	6.1	12.2
		Crosby	2	140	46	63	4.6	9.2
MnD2	Miami silt loam, well drained, 12 to 18 percent slopes, eroded	Miami, well drained, eroded	92	115	40	52	3.8	7.6
		Hennepin	5	---	---	---	0.0	0.0
		Cyclone	3	190	56	76	6.3	12.6
MnE	Miami silt loam, 18 to 25 percent slopes	Miami	100	---	---	---	3.5	7.0
MnF	Miami silt loam, 25 to 50 percent slopes	Miami	100	---	---	---	0.0	0.0
MrA	Miami silt loam, gravelly substratum, 0 to 2 percent slopes	Miami, gravelly substratum	90	135	47	68	4.5	9.0
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MrB2	Miami silt loam, gravelly substratum, 2 to 6 percent slopes, eroded	Miami, gravelly substratum	90	130	46	65	4.3	8.6
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MrC2	Miami silt loam, gravelly substratum, 6 to 12 percent slopes, eroded	Miami, gravelly substratum	90	120	42	60	4.0	8.0
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Ms	Millsdale silty clay loam, 0 to 2 percent slopes	Millsdale	90	130	35	52	4.3	8.6
		Randolph	6	110	35	44	3.6	7.2
		Kokomo	2	170	49	68	5.6	11.2
		Milton	2	100	35	40	3.3	6.6
MwB2	Miami-Crosby silt loams, 2 to 5 percent slopes, eroded	Miami	50	140	49	63	4.6	9.2
		Crosby	45	135	44	61	4.5	9.0
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
MxB2	Miami-Crosby-Losantville silt loams, stony subsoil, 2 to 6 percent slopes, eroded	Miami, stony subsoil	30	140	49	63	4.6	9.2
		Crosby, stony subsoil	25	135	44	61	4.5	9.0
		Losantville, stony subsoil	20	125	44	56	4.1	8.2
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	90	135	47	68	4.5	9.0
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley, eroded	85	130	46	65	4.3	8.6
		Ockley, eroded, till substratum	5	130	46	65	4.3	8.6
		Sleeth	5	145	47	73	4.8	9.6
		Westland	5	175	51	88	5.8	11.6
Or	Orthents, loamy	Orthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pr	Pits, quarry	Pits, quarry	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Rc	Ragsdale silty clay loam, 0 to 2 percent slopes	Ragsdale	90	190	56	76	6.3	12.6
		Fincastle	5	165	54	74	5.4	10.8
		Reesville	5	170	56	77	5.6	11.2
RhA	Randolph silt loam, 0 to 2 percent slopes	Randolph	90	115	37	46	3.8	7.6
		Millsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RkA	Reesville silt loam, 0 to 2 percent slopes	Reesville	90	170	56	77	5.6	11.2
		Ragsdale	5	190	56	76	6.3	12.6
		Fincastle	5	165	54	74	5.4	10.8
RmD	Rodman gravelly loam, 15 to 25 percent slopes	Rodman	100	---	---	---	0.7	1.4
RmF	Rodman gravelly loam, 25 to 50 percent slopes	Rodman	100	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
RsB2	Russell silt loam, 2 to 6 percent slopes, eroded	Russell, eroded	85	150	53	68	5.0	10.0
		Williamstown, eroded	10	140	49	63	4.6	9.2
		Fincastle	3	165	54	74	5.4	10.8
		Treaty	2	185	54	74	6.1	12.2
RsC2	Russell silt loam, 6 to 12 percent slopes, eroded	Russell	100	135	47	61	4.5	9.0
Sh	Shoals silt loam, occasionally flooded	Shoals	90	135	44	19	4.5	9.0
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Sk	Sleeth silt loam	Sleeth	90	145	47	73	4.8	9.6
		Westland	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Sn	Sloan silty clay loam, occasionally flooded	Sloan	100	145	40	20	4.8	9.6
St	Stonelick loam, occasionally flooded	Stonelick	90	100	35	14	3.3	6.6
		Sloan	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SuB3	Strawn clay loam, 2 to 6 percent slopes, severely eroded	Strawn, severely eroded	90	135	47	54	4.5	9.0
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
SuC3	Strawn clay loam, 6 to 12 percent slopes, severely eroded	Strawn, severely eroded	90	125	44	50	4.1	8.2
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (RV)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SuD3	Strawn clay loam, 12 to 18 percent slopes, severely eroded	Strawn, severely eroded	90	110	39	44	3.6	7.2
		Treaty	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Tr	Treaty silty clay loam, 0 to 1 percent slopes	Treaty, drained	80	185	54	74	6.1	12.2
		Crosby	5	140	46	63	4.6	9.2
		Pella, drained	5	175	51	70	5.8	11.6
		Rensselaer, drained	5	175	51	70	5.8	11.6
		Southwest, drained	5	165	47	66	5.4	10.8
Ts	Treaty silty clay loam, stony subsoil	Treaty, stony subsoil	100	185	54	74	6.1	12.2
UmB	Urban land-Miami complex, 2 to 6 percent slopes	Urban land	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Miami	30	0	0	0	0.0	0.0
UmC	Urban land-Miami complex, 6 to 12 percent slopes	Urban land	65	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Miami	35	0	0	0	0.0	0.0
UoA	Urban land-Miami complex, gravelly substratum, 0 to 2 percent slopes	Urban land	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Miami, gravelly substratum	30	0	0	0	0.0	0.0
UoB	Urban land-Miami complex, gravelly substratum, 2 to 6 percent slopes	Urban land	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Miami, gravelly substratum	30	0	0	0	0.0	0.0

COMPONENT CROP YIELDS (RV)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Us	Urban land-Millsdale complex	Urban land	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Millsdale	30	0	0	0	0.0	0.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
We	Westland silty clay loam, 0 to 2 percent slopes	Westland, drained	70	170	49	85	5.6	11.2
		Mahalaland, drained	15	175	51	88	5.8	11.6
		Treaty, drained	9	185	54	74	6.1	12.2
		Sleeth	6	145	47	73	4.8	9.6
WyB2	Wynn silt loam, 2 to 6 percent slopes, eroded	Wynn	90	95	33	38	3.1	6.2
		Millsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WyC2	Wynn silt loam, 6 to 12 percent slopes, eroded	Wynn	90	85	30	34	2.8	5.6
		Millsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
WyD2	Wynn silt loam, 12 to 18 percent slopes, eroded	Wynn	90	70	25	28	2.3	4.6
		Millsdale	3	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0
		Fincastle	5	165	54	74	5.4	10.8
		Russell, eroded	5	150	53	68	5.0	10.0
		Treaty	5	185	54	74	6.1	12.2