

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
CeB2	Celina silt loam, 2 to 6 percent slopes, eroded	Celina, eroded	90	125	44	56	4.1	8.2
CrA	Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	Crosby	90	140	46	63	4.6	9.2
CrB	Crosby-Celina silt loams, 1 to 4 percent slopes	Crosby	60	140	46	63	4.6	9.2
		Celina	30	130	46	59	4.3	8.6
CtB	Crosby-Miami silt loams, stony subsoil, 1 to 3 percent slopes	Crosby, stony subsoil	55	140	46	63	4.6	9.2
		Miami, stony subsoil	40	145	51	65	4.8	9.6
EdF	Eden flaggy silty clay loam, 25 to 40 percent slopes	Eden	100	---	---	---	0.0	0.0
EoA	Eldean loam, 0 to 2 percent slopes	Eldean	90	100	35	50	3.3	6.6
EoB2	Eldean loam, 2 to 6 percent slopes, eroded	Eldean	90	95	33	48	3.1	6.2
EoC2	Eldean loam, 6 to 12 percent slopes, eroded	Eldean	90	85	30	43	2.8	5.6
EoD2	Eldean loam, 12 to 18 percent slopes, eroded	Eldean	100	70	25	35	2.3	4.6
ExB3	Eldean clay loam, 2 to 6 percent slopes, severely eroded	Eldean, severely eroded	90	85	30	43	2.8	5.6
ExC3	Eldean clay loam, 6 to 18 percent slopes, severely eroded	Eldean, severely eroded	90	75	26	38	2.5	5.0
FcA	Fincastle silt loam, 0 to 2 percent slopes	Fincastle	85	165	54	74	5.4	10.8

COMPONENT CROP YIELDS (Majors Only)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Ge	Genesee silt loam, 0 to 2 percent slopes, occasionally flooded	Genesee	85	125	44	18	4.1	8.2
Hb	Haplaquepts, loamy	Haplaquepts	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
HeF	Hennepin loam, 25 to 50 percent slopes	Hennepin	100	---	---	---	0.0	0.0
Hu	Houghton muck, undrained	Houghton, undrained	100	0	0	0	0.0	0.0
LbB2	Losantville silt loam, 2 to 6 percent slopes, eroded	Losantville	90	125	44	56	4.1	8.2
LbC2	Losantville silt loam, 6 to 12 percent slopes, eroded	Losantville	90	115	40	52	3.8	7.6
LbD2	Losantville silt loam, 12 to 18 percent slopes, eroded	Losantville	90	100	35	45	3.3	6.6
LcC3	Losantville clay loam, 6 to 12 percent slopes, severely eroded	Losantville, severely eroded	85	105	37	47	3.5	7.0
LcD3	Losantville clay loam, 12 to 18 percent slopes, severely eroded	Losantville, severely eroded	90	90	32	41	3.0	6.0
LeB2	Losantville loam, stony subsoil, 2 to 6 percent slopes, eroded	Losantville, stony subsoil	90	125	44	56	4.1	8.2
LxC3	Losantville clay loam, stony subsoil, 6 to 12 percent slopes, severely eroded	Losantville, stony subsoil, severely eroded	90	105	37	47	3.5	7.0
Ma	Mahalasville silt loam	Mahalasville	100	175	51	70	5.8	11.6
MnB2	Miami silt loam, 2 to 6 percent slopes, eroded	Miami, eroded	85	140	49	63	4.6	9.2

COMPONENT CROP YIELDS (Majors Only)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MnC2	Miami silt loam, 6 to 12 percent slopes, eroded	Miami, eroded	85	130	46	59	4.3	8.6
MnD2	Miami silt loam, well drained, 12 to 18 percent slopes, eroded	Miami, well drained, eroded	92	115	40	52	3.8	7.6
MnE	Miami silt loam, 18 to 25 percent slopes	Miami	100	---	---	---	3.5	7.0
MnF	Miami silt loam, 25 to 50 percent slopes	Miami	100	---	---	---	0.0	0.0
MrA	Miami silt loam, gravelly substratum, 0 to 2 percent slopes	Miami, gravelly substratum	90	135	47	68	4.5	9.0
MrB2	Miami silt loam, gravelly substratum, 2 to 6 percent slopes, eroded	Miami, gravelly substratum	90	130	46	65	4.3	8.6
MrC2	Miami silt loam, gravelly substratum, 6 to 12 percent slopes, eroded	Miami, gravelly substratum	90	120	42	60	4.0	8.0
Ms	Millsdale silty clay loam, 0 to 2 percent slopes	Millsdale	90	130	35	52	4.3	8.6
MwB2	Miami-Crosby silt loams, 2 to 5 percent slopes, eroded	Miami	50	140	49	63	4.6	9.2
		Crosby	45	135	44	61	4.5	9.0
MxB2	Miami-Crosby-Losantville silt loams, stony subsoil, 2 to 6 percent slopes, eroded	Miami, stony subsoil	30	140	49	63	4.6	9.2
		Crosby, stony subsoil	25	135	44	61	4.5	9.0
		Losantville, stony subsoil	20	125	44	56	4.1	8.2
OcA	Ockley silt loam, 0 to 2 percent slopes	Ockley	90	135	47	68	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	Ockley, eroded	85	130	46	65	4.3	8.6
Or	Orthents, loamy	Orthents	90	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Pr	Pits, quarry	Pits, quarry	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Rc	Ragsdale silty clay loam, 0 to 2 percent slopes	Ragsdale	90	190	56	76	6.3	12.6
RhA	Randolph silt loam, 0 to 2 percent slopes	Randolph	90	115	37	46	3.8	7.6
RkA	Reesville silt loam, 0 to 2 percent slopes	Reesville	90	170	56	77	5.6	11.2
RmD	Rodman gravelly loam, 15 to 25 percent slopes	Rodman	100	---	---	---	0.7	1.4
RmF	Rodman gravelly loam, 25 to 50 percent slopes	Rodman	100	0	0	0	0.0	0.0
RsB2	Russell silt loam, 2 to 6 percent slopes, eroded	Russell, eroded	85	150	53	68	5.0	10.0
RsC2	Russell silt loam, 6 to 12 percent slopes, eroded	Russell	100	135	47	61	4.5	9.0
Sh	Shoals silt loam, occasionally flooded	Shoals	90	135	44	19	4.5	9.0
Sk	Sleeth silt loam	Sleeth	90	145	47	73	4.8	9.6
Sn	Sloan silty clay loam, occasionally flooded	Sloan	100	145	40	20	4.8	9.6
St	Stonelick loam, occasionally flooded	Stonelick	90	100	35	14	3.3	6.6
SuB3	Strawn clay loam, 2 to 6 percent slopes, severely eroded	Strawn, severely eroded	90	135	47	54	4.5	9.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
SuC3	Strawn clay loam, 6 to 12 percent slopes, severely eroded	Strawn, severely eroded	90	125	44	50	4.1	8.2
SuD3	Strawn clay loam, 12 to 18 percent slopes, severely eroded	Strawn, severely eroded	90	110	39	44	3.6	7.2
Tr	Treaty silty clay loam, 0 to 1 percent slopes	Treaty, drained	80	185	54	74	6.1	12.2
Ts	Treaty silty clay loam, stony subsoil	Treaty, stony subsoil	100	185	54	74	6.1	12.2
UmB	Urban land-Miami complex, 2 to 6 percent slopes	Urban land	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Miami	30	0	0	0	0.0	0.0
UmC	Urban land-Miami complex, 6 to 12 percent slopes	Urban land	65	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Miami	35	0	0	0	0.0	0.0
UoA	Urban land-Miami complex, gravelly substratum, 0 to 2 percent slopes	Urban land	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Miami, gravelly substratum	30	0	0	0	0.0	0.0
UoB	Urban land-Miami complex, gravelly substratum, 2 to 6 percent slopes	Urban land	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Miami, gravelly substratum	30	0	0	0	0.0	0.0
Us	Urban land-Millsdale complex	Urban land	70	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
		Millsdale	30	0	0	0	0.0	0.0
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated

COMPONENT CROP YIELDS (Majors Only)--Continued
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
We	Westland silty clay loam, 0 to 2 percent slopes	Westland, drained	70	170	49	85	5.6	11.2
WyB2	Wynn silt loam, 2 to 6 percent slopes, eroded	Wynn	90	95	33	38	3.1	6.2
WyC2	Wynn silt loam, 6 to 12 percent slopes, eroded	Wynn	90	85	30	34	2.8	5.6
WyD2	Wynn silt loam, 12 to 18 percent slopes, eroded	Wynn	90	70	25	28	2.3	4.6
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	Xenia, eroded	85	150	53	68	5.0	10.0

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.