

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Wayne County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
CeB2	Celina silt loam, 2 to 6 percent slopes, eroded	128	44	56	4.1	8.2
CrA	Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	141	46	63	4.6	9.2
CrB	Crosby-Celina silt loams, 1 to 4 percent slopes	137	46	63	4.6	9.1
CtB	Crosby-Miami silt loams, stony subsoil, 1 to 3 percent slopes	142	48	63	4.6	9.3
EdF	Eden flaggy silty clay loam, 25 to 40 percent slopes	0	0	0	0.0	0.0
EoA	Eldean loam, 0 to 2 percent slopes	103	36	50	3.3	6.6
EoB2	Eldean loam, 2 to 6 percent slopes, eroded	95	33	48	3.1	6.2
EoC2	Eldean loam, 6 to 12 percent slopes, eroded	85	30	43	2.8	5.6
EoD2	Eldean loam, 12 to 18 percent slopes, eroded	70	25	35	2.3	4.6
ExB3	Eldean clay loam, 2 to 6 percent slopes, severely eroded	85	30	43	2.8	5.6
ExC3	Eldean clay loam, 6 to 18 percent slopes, severely eroded	75	26	38	2.5	5.0
FcA	Fincastle silt loam, 0 to 2 percent slopes	166	54	74	5.4	10.8
Ge	Genesee silt loam, 0 to 2 percent slopes, occasionally flooded	127	44	18	0.0	0.0
Hb	Haplaquepts, loamy	0	0	0	0.0	0.0
HeF	Hennepin loam, 25 to 50 percent slopes	0	0	0	0.0	0.0
Hu	Houghton muck, undrained	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Wayne County, Indiana

LbB2	Losantville silt loam, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
LbC2	Losantville silt loam, 6 to 12 percent slopes, eroded	115	40	52	3.8	7.6
LbD2	Losantville silt loam, 12 to 18 percent slopes, eroded	100	35	45	3.3	6.6
LcD3	Losantville clay loam, 12 to 18 percent slopes, severely eroded	90	32	41	3.0	6.0
LeB2	Losantville loam, stony subsoil, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
LxC3	Losantville clay loam, stony subsoil, 6 to 12 percent slopes, severely eroded	105	37	47	3.5	7.0
Ma	Mahalasville silt loam	175	51	70	5.8	11.6
MnB2	Miami silt loam, 2 to 6 percent slopes, eroded	142	49	63	4.6	9.2
MnC2	Miami silt loam, 6 to 12 percent slopes, eroded	132	46	58	4.3	8.6
MnD2	Miami silt loam, well drained, 12 to 18 percent slopes, eroded	112	39	51	3.8	7.6
MnE	Miami silt loam, 18 to 25 percent slopes	0	0	0	0.0	0.0
MnF	Miami silt loam, 25 to 50 percent slopes	0	0	0	0.0	0.0
MrA	Miami silt loam, gravelly substratum, 0 to 2 percent slopes	135	47	68	4.5	9.0
MrB2	Miami silt loam, gravelly substratum, 2 to 6 percent slopes, eroded	130	46	65	4.3	8.6
MrC2	Miami silt loam, gravelly substratum, 6 to 12 percent slopes, eroded	120	42	60	4.0	8.0
Ms	Millsdale silty clay loam, 0 to 2 percent slopes	129	35	52	4.3	8.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Wayne County, Indiana

MwB2	Miami-Crosby silt loams, 2 to 5 percent slopes, eroded	138	47	63	4.6	9.2
MxB2	Miami-Crosby-Losantville silt loams, stony subsoil, 2 to 6 percent slopes, eroded	134	46	62	4.5	9.1
OcA	Ockley silt loam, 0 to 2 percent slopes	135	47	68	4.5	9.0
OcB2	Ockley silt loam, 2 to 6 percent slopes, eroded	133	46	65	4.3	8.6
Or	Orthents, loamy	0	0	0	0.0	0.0
Pr	Pits, quarry	0	0	0	0.0	0.0
Rc	Ragsdale silty clay loam, 0 to 2 percent slopes	188	56	77	6.3	12.6
RhA	Randolph silt loam, 0 to 2 percent slopes	115	37	46	3.8	7.6
RkA	Reesville silt loam, 0 to 2 percent slopes	171	56	76	5.6	11.2
RmD	Rodman gravelly loam, 15 to 25 percent slopes	0	0	0	0.0	0.0
RmF	Rodman gravelly loam, 25 to 50 percent slopes	0	0	0	0.0	0.0
RsB2	Russell silt loam, 2 to 6 percent slopes, eroded	150	52	67	5.0	10.0
RSc2	Russell silt loam, 6 to 12 percent slopes, eroded	135	47	61	4.5	9.0
Sh	Shoals silt loam, occasionally flooded	135	44	19	0.0	0.0
Sk	Sleeth silt loam	145	47	73	4.8	9.6
Sn	Sloan silty clay loam, occasionally flooded	145	40	20	0.0	0.0
St	Stonelick loam, occasionally flooded	100	35	14	0.0	0.0
SuB3	Strawn clay loam, 2 to 6 percent slopes, severely eroded	135	47	54	4.5	9.0
SuC3	Strawn clay loam, 6 to 12 percent slopes, severely eroded	125	44	50	4.1	8.2

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Wayne County, Indiana

SuD3	Strawn clay loam, 12 to 18 percent slopes, severely eroded	110	39	44	3.6	7.2
Tr	Treaty silty clay loam, 0 to 1 percent slopes	181	53	74	6.1	12.2
Ts	Treaty silty clay loam, stony subsoil	185	54	74	6.1	12.2
UmB	Urban land-Miami complex, 2 to 6 percent slopes	0	0	0	0.0	0.0
UmC	Urban land-Miami complex, 6 to 12 percent slopes	0	0	0	0.0	0.0
UoA	Urban land-Miami complex, gravelly substratum, 0 to 2 percent slopes	0	0	0	0.0	0.0
UoB	Urban land-Miami complex, gravelly substratum, 2 to 6 percent slopes	0	0	0	0.0	0.0
Us	Urban land-Millsdale complex	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
We	Westland silty clay loam, 0 to 2 percent slopes	171	50	84	5.6	11.2
WyB2	Wynn silt loam, 2 to 6 percent slopes, eroded	95	33	38	3.1	6.2
WyC2	Wynn silt loam, 6 to 12 percent slopes, eroded	85	30	34	2.8	5.6
WyD2	Wynn silt loam, 12 to 18 percent slopes, eroded	70	25	28	2.3	4.6
XeB2	Xenia silt loam, 2 to 6 percent slopes, eroded	153	53	67	5.0	10.0