

NON-IRRIGATED COMPONENT CROP YIELDS (Majors Only)
 Wells County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
An	Armiesburg silty clay loam, frequently flooded	Armiesburg	90	130	46	0	0.0	0.0
BdA	Belmore variant loam, 0 to 2 percent slopes, frequently flooded	Belmore variant	90	130	46	0	0.0	0.0
BkB2	Blount-Del Rey silt loams, 1 to 4 percent slopes, eroded	Blount	55	135	44	61	4.5	9.0
		Del Rey	35	135	44	54	4.5	9.0
Co	Coesse silt loam	Coesse	100	150	42	60	5.0	10.0
DeA	Del Rey-Blount silt loams, 0 to 1 percent slopes	Del Rey	55	140	46	56	4.6	9.2
		Blount	35	140	46	63	4.6	9.2
DkA	Digby silt loam, 0 to 2 percent slopes	Digby	90	140	46	56	4.6	9.2
Ee	Eel silt loam, frequently flooded	Eel	90	120	42	0	0.0	0.0
EoA	Eldean loam, 0 to 2 percent slopes	Eldean	95	100	35	50	3.3	6.6
EoB2	Eldean loam, 2 to 6 percent slopes, eroded	Eldean	100	95	33	48	3.1	6.2
EpC3	Eldean gravelly clay loam, 6 to 12 percent slopes, severely eroded	Eldean, severely eroded	100	70	25	35	2.3	4.6
EsB2	Eldean variant silt loam, 2 to 6 percent slopes, eroded	Eldean variant	90	125	44	50	4.1	8.2
GlpB3	Glynwood clay loam, end moraine, 2 to 6 percent slopes, severely eroded	Glynwood, end moraine; severely eroded	85	115	40	52	3.8	7.6
GlpC2	Glynwood clay loam, 6 to 12 percent slopes, eroded	Glynwood	85	115	40	52	3.8	7.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Wells County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
GlpC3	Glynwood clay loam, 6 to 12 percent slopes, severely eroded	Glynwood	85	105	37	47	3.5	7.0
GlpB3	Glynwood clay loam, ground moraine, 2 to 6 percent slopes, severely eroded	Glynwood, ground moraine; severely eroded	85	115	40	52	3.8	7.6
GlpC2	Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded	Glynwood	85	115	40	52	3.8	7.6
GlrB2	Glynwood silt loam, end moraine, 2 to 6 percent slopes, eroded	Glynwood, end moraine	85	125	44	56	4.1	8.2
GlsB2	Glynwood silt loam, ground moraine, 2 to 6 percent slopes, eroded	Glynwood, ground moraine	85	125	44	56	4.1	8.2
GlyC3	Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded	Glynwood	70	105	37	47	3.5	7.0
		Mississinewa	15	120	42	54	4.0	8.0
GtA	Glynwood variant silt loam, 0 to 2 percent slopes	Glynwood variant	100	130	46	59	4.3	8.6
HaA	Haney silt loam, 0 to 2 percent slopes	Haney	90	145	51	58	4.8	9.6
HbA	Haskins loam, 0 to 2 percent slopes	Haskins	90	160	53	72	5.3	10.6
Mh	Milford silty clay loam	Milford	100	160	46	64	5.3	10.6
Mk	Milford silty clay loam, stratified sandy substratum	Milford	100	160	46	64	5.3	10.6
Mn	Millgrove clay loam	Millgrove	100	175	51	70	5.8	11.6
Mo	Millsdale silty clay loam	Millsdale	100	130	35	52	4.3	8.6

COMPONENT CROP YIELDS (Majors Only)--Continued
 Wells County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
MsA	Milton variant silt loam, 0 to 2 percent slopes	Milton variant	90	140	49	56	4.6	9.2
MuB2	Morley loam, moderately slow perm, 2 to 6 percent slopes, eroded	Morley	95	125	44	56	4.1	8.2
MuE	Morley loam, 15 to 30 percent slopes	Morley	100	---	---	---	0.0	0.0
Pg	Pella silty clay loam, till substratum	Pella	100	185	54	74	6.1	12.2
Pk	Pella mucky silty clay loam, sandy substratum	Pella	100	175	51	70	5.8	11.6
Pm	Pewamo silty clay loam, 0 to 1 percent slopes	Pewamo	85	160	46	64	5.3	10.6
Py	Pits, quarry	Pits, quarries, limestone	95	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
RdA	Randolph silt loam, 0 to 2 percent slopes	Randolph	90	110	35	44	3.6	7.2
RlB	Rawson fine sandy loam, 2 to 6 percent slopes	Rawson	95	150	53	68	5.0	10.0
RlC	Rawson fine sandy loam, 6 to 12 percent slopes	Rawson	100	140	49	63	4.6	9.2
Rr	Rensselaer loam	Rensselaer	75	175	51	70	5.8	11.6
Rz	Ross loam, frequently flooded	Ross	90	135	47	0	0.0	0.0
Se	Saranac silty clay loam, frequently flooded	Saranac	100	110	28	0	0.0	0.0
SgnA	Shoals silty clay loam, 0 to 1 percent slopes, frequently flooded	Shoals	85	130	42	0	0.0	0.0

COMPONENT CROP YIELDS (Majors Only)--Continued
 Wells County, Indiana

Map Unit Symbol	Map unit name	Component	Comp. Pct.	Corn Bu/Ac	Soybeans Bu/Ac	Winter Wheat Bu/Ac	Grass-Legume Hay Tons/AC	Pasture AUM
Sp	Shoals loam, 0 to 2 percent slopes, frequently flooded	Shoals	85	130	42	0	0.0	0.0
Sv	Sloan silty clay loam, frequently flooded	Sloan	100	140	39	0	0.0	0.0
TuB2	Tuscola loam, loamy substratum, 1 to 6 percent slopes, eroded	Tuscola	90	140	49	56	4.6	9.2
Ud	Udorthents, loamy	Udorthents, loamy	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
W	Water	Water	100	Not Rated	Not Rated	Not Rated	Not Rated	Not Rated
Wa	Wallkill silt loam, coprogenous earth substratum, drained	Wallkill, drained	100	165	47	66	5.4	10.8
Wd	Wallkill silt loam, undrained	Wallkill, undrained	100	0	0	0	0.0	0.0
WSA	Whitaker silt loam, 0 to 2 percent slopes	Whitaker	90	155	51	62	5.1	10.2

This report is run on the major components only. Minor components in this county are largely not populated enough to generate a yield value.