

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Wells County, Indiana

Map Unit Symbol	Map unit name	Corn	Soy-beans	Winter Wheat	Grass-Legume Hay	Pasture
		Bu	Bu	Bu/Ac	Tons	AUM
An	Armiesburg silty clay loam, frequently flooded	130	46	0	0.0	0.0
BdA	Belmore variant loam, 0 to 2 percent slopes, frequently flooded	130	46	0	0.0	0.0
BkB2	Blount-Del Rey silt loams, 1 to 4 percent slopes, eroded	135	44	58	4.5	9.0
Co	Coesse silt loam	150	42	60	5.0	10.0
DeA	Del Rey-Blount silt loams, 0 to 1 percent slopes	140	46	59	4.6	9.2
DkA	Digby silt loam, 0 to 2 percent slopes	140	46	56	4.6	9.2
Ee	Eel silt loam, frequently flooded	120	42	0	0.0	0.0
EoA	Eldean loam, 0 to 2 percent slopes	100	35	50	3.3	6.6
EoB2	Eldean loam, 2 to 6 percent slopes, eroded	95	33	48	3.1	6.2
EpC3	Eldean gravelly clay loam, 6 to 12 percent slopes, severely eroded	70	25	35	2.3	4.6
EsB2	Eldean variant silt loam, 2 to 6 percent slopes, eroded	125	44	50	4.1	8.2
GlpB3	Glynwood clay loam, end moraine, 2 to 6 percent slopes, severely eroded	120	41	52	3.8	7.6
GlpC2	Glynwood clay loam, 6 to 12 percent slopes, eroded	117	41	52	3.8	7.6
GlpC3	Glynwood clay loam, 6 to 12 percent slopes, severely eroded	112	38	47	3.5	7.0
GlpB3	Glynwood clay loam, ground moraine, 2 to 6 percent slopes, severely eroded	120	41	52	3.8	7.6

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Wells County, Indiana

GlqC2	Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded	120	41	52	3.8	7.6
GlrB2	Glynwood silt loam, end moraine, 2 to 6 percent slopes, eroded	128	44	56	4.1	8.2
GlsB2	Glynwood silt loam, ground moraine, 2 to 6 percent slopes, eroded	128	44	56	4.1	8.2
GlyC3	Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded	111	39	48	3.5	7.1
GtA	Glynwood variant silt loam, 0 to 2 percent slopes	130	46	59	4.3	8.6
HaA	Haney silt loam, 0 to 2 percent slopes	145	51	58	4.8	9.6
HbA	Haskins loam, 0 to 2 percent slopes	160	53	72	5.3	10.6
Mh	Milford silty clay loam	160	46	64	5.3	10.6
Mk	Milford silty clay loam, stratified sandy substratum	160	46	64	5.3	10.6
Mn	Millgrove clay loam	175	51	70	5.8	11.6
Mo	Millsdale silty clay loam	130	35	52	4.3	8.6
MsA	Milton variant silt loam, 0 to 2 percent slopes	140	49	56	4.6	9.2
MuB2	Morley loam, moderately slow perm, 2 to 6 percent slopes, eroded	125	44	56	4.1	8.2
MuE	Morley loam, 15 to 30 percent slopes	0	0	0	0.0	0.0
Pg	Pella silty clay loam, till substratum	185	54	74	6.1	12.2
Pk	Pella mucky silty clay loam, sandy substratum	175	51	70	5.8	11.6
Pm	Pewamo silty clay loam, 0 to 1 percent slopes	158	45	65	5.3	10.6
Py	Pits, quarry	0	0	0	0.0	0.0

NON-IRRIGATED MAP UNIT CROP YIELDS (RV)
 Wells County, Indiana

RdA	Randolph silt loam, 0 to 2 percent slopes	110	35	44	3.6	7.2
RIB	Rawson fine sandy loam, 2 to 6 percent slopes	150	53	68	5.0	10.0
RIC	Rawson fine sandy loam, 6 to 12 percent slopes	140	49	63	4.6	9.2
Rr	Rensselaer loam	172	50	70	5.8	11.6
Rz	Ross loam, frequently flooded	135	47	0	0.0	0.0
Se	Saranac silty clay loam, frequently flooded	110	28	0	0.0	0.0
SgnA	Shoals silty clay loam, 0 to 1 percent slopes, frequently flooded	130	42	0	0.0	0.0
Sp	Shoals loam, 0 to 2 percent slopes, frequently flooded	130	42	0	0.0	0.0
Sv	Sloan silty clay loam, frequently flooded	140	39	0	0.0	0.0
TuB2	Tuscola loam, loamy substratum, 1 to 6 percent slopes, eroded	140	49	56	4.6	9.2
Ud	Udorthents, loamy	0	0	0	0.0	0.0
W	Water	0	0	0	0.0	0.0
Wa	Walkkill silt loam, coprogenous earth substratum, drained	165	47	66	5.4	10.8
Wd	Walkkill silt loam, undrained	0	0	0	0.0	0.0
WsA	Whitaker silt loam, 0 to 2 percent slopes	155	51	62	5.1	10.2