

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD**

LAND RECLAMATION, ABANDONED MINED LAND

(Ac.)

CODE 543

DEFINITION

Reclamation of land and water areas adversely affected by past mining activities.

PURPOSE

- Stabilize abandoned mined areas to decrease erosion and sedimentation, support desirable vegetation, and improve off-site water quality and/or quantity
- Maintain or improve landscape visual and functional quality
- Protect public health, safety, and general welfare

CONDITIONS WHERE PRACTICE APPLIES

This practice applies to abandoned mined land that degrades the quality of the environment and prevents or interferes with the beneficial uses of soil, water, air, plant, animal resources, or endangers human health and safety.

CRITERIA

General Criteria Applicable to All Purposes

Develop a reclamation plan that is consistent with the site capability, the planned land use, and the landowner's conservation objectives. Include practices necessary to reclaim and stabilize the mined areas to prevent further degradation of soil, water, air, plant, and animal resources.

Dust Control. Control the generation of particulate matter and fugitive dust during removal and replacement of soil and other materials. Detail the practices and activities necessary for dust control in the plans and specifications.

Site Preparation. Properly identify areas for preservation including those containing desirable trees, shrubs, grasses, stream corridors, natural springs, historic structures, or other important features.

Remove trees, logs, brush, rubbish, and other debris from construction areas that can interfere with reclamation operations. Dispose of these materials so they will not create a resource problem or interfere with reclamation activities and the planned land use.

Remove or bury soil materials that will adversely affect water quality or plant growth. Bury materials containing heavy metals below the root zone, or add suitable soil amendments to minimize the negative effect of this material.

Slope overhanging rock walls to one-half horizontal to one vertical slope or flatter before placing backfill against the wall. In the plans and specifications, identify the thickness and density of lifts for fill material to limit the deep infiltration of precipitation and to limit settlement of the completed fill to acceptable levels, based on the planned land use.

Removal and Placement of Material for Final Cover. Salvage, stockpile, and protect soil materials from the site that are suitable for use as final cover material. Control prohibited noxious and/or invasive plant species in the stockpile area. Use Conservation Practice Standard 595, Pest Management, for guidance to control noxious and invasive plants.

Reconstructed soils must meet the requirements for the specified land use on at least 80 percent of the area. Soils in the remaining areas must be suitable for stabilization and revegetation.

Spread the final cover material over the graded areas to the depth specified in the reclamation plan. The final slope must permit application of

needed conservation and management practices to keep soil losses within planned levels. If settlement is likely to interfere with the planned land use, surface drainage or water disposal must compensate for expected settlement during final grading.

Erosion and Sediment Control During Construction. Plan and implement conservation practices that will decrease erosion and trap sediment on-site during construction to limit off-site damages from sedimentation to acceptable levels.

Runoff Control. Plan and implement runoff control practices to control erosion for final stabilization of the site. The practices selected must be compatible with the final planned land use of the site.

Establishment of Vegetation. Do site preparation, planting, and seeding at a time and in a manner to ensure survival and growth of the selected species. In the plans and specifications, identify the criteria for successful establishment of vegetation such as minimum percent ground/canopy cover, percent survival, or stand density.

Apply soil amendments and/or plant nutrients as appropriate according to the requirements of Conservation Practice Standard 590, Nutrient Management. If the recommended fertilizer rate exceeds the criteria in Conservation Practice Standard 590, Nutrient Management, use appropriate mitigating practices to reduce the risk of nutrient losses from the site.

Select plant materials suitable for the specified end land use according to local climate potential, site conditions, and local NRCS criteria. Identify in the plans and specifications the species, rates of seeding or planting, minimum quality of planting stock, such as pure live seed (PLS) or stem caliper, and method of establishment. Use only viable, high quality seed or planting stock.

Depending on planned land use, refer to Conservation Practice Standards 550, Range Planting, for rangeland establishment; 512, Pasture/Hayland Planting, for pasture or hayland establishment; 645, Upland Wildlife Habitat Management, for the establishment of wildlife land; and 612, Tree and Shrub Establishment, for forest land establishment. For cropland, refer to applicable agronomic conservation practice standard(s).

For areas where the primary objective is for erosion control/stabilization, refer to Conservation Practice 342, Critical Area Planting.

Restoration of Borrow Area. If cover or fill material is taken from areas outside the reclamation site, grade and shape the borrow area for proper drainage, and revegetation to control erosion.

If the cover material is taken from adjacent land, the topsoil from the borrow area must be stockpiled separately and replaced after the borrow area is restored for its intended purpose.

If the borrow area is prime farmland, remove and stockpile the A and B soil horizons separately by horizon (B and C soil horizons, if applicable). Replace the soil horizons on the borrow area in the natural sequence to a thickness that will restore the original soil productivity. Treat the borrow area to meet the requirements of the Conservation Practice Standard 544, Land Reconstruction, Currently Mined Land.

Additional Criteria to Maintain or Improve Landscape Visual and Functional Quality

Reclaim the site to maintain or improve visual quality based on the scenic quality of the reclaimed site as well as the function of the site for the end land use. Plan the reclamation to be compatible with the topography and land cover of the adjacent landscape. Focus on areas of high public visibility and those offering direct or indirect human and wildlife benefits.

Grade and shape spoil piles and borrow areas to blend with the adjacent landscape topography to the extent practicable.

Develop a planting plan that mimics the species, arrangement, spacing, and density of plants growing on adjacent landscapes and/or that meets the intended end land use. Choose native species of erosion control vegetation and other plant materials where practical. Arrange plantings to screen views, delineate open space, act as windbreaks, serve as parkland, provide wildlife habitat, or protect stream corridors.

Additional Criteria to Protect Public Health, Safety and General Welfare

Reclamation plans must eliminate the safety hazards to the public from, erosion and water pollution, high walls, pools of water with steep

side slopes that are difficult to escape from, land slide potential, and underground mine openings.

CONSIDERATIONS

The reclamation of abandoned mine lands provides an opportunity to increase carbon sequestration. Choose species such as deep-rooted perennial grasses and trees that are adapted to site conditions in order to increase the carbon sequestration potential of the reclaimed site.

The key to a successful restoration is often dependent upon the proper placement of soils that will best support the type of desired vegetation. One means to do this is to develop a detailed soil survey for the project and proposed borrow areas. Use the soil survey to identify the types and extent of soil materials and those that will best support the desired vegetation.

Soil permeability is often a problem on reclaimed soils. Improve soil permeability after placing backfill material by using tillage or deep ripping to decrease compaction and promote infiltration and root development. Do not plan practices that promote infiltration if seepage through cover materials has the potential to increase acid mine drainage.

Maintenance activities will need to be done on a regular basis after the initial reclamation to ensure success. The construction of stabilized access roads will allow access to the site for maintenance without causing erosion problems.

Reclaimed mine areas can provide important wildlife habitat. Improve the potential for wildlife habitat by establishing diverse vegetation types, including water in the reclaimed landscape, increasing edge effect, and diverse landforms. Avoid monocultures of vegetation if possible.

Reclaimed soils are often low in organic matter. The use of organic soil amendments such as manure, compost, mulch, or sewage sludge can contribute to the success of vegetative establishment by increasing soil organic matter.

Abandoned mine sites may contain buildings or other structures either on or eligible for the National Register of Historic Places (NRHP). Include a cultural resources (Section 106) review of the site during planning to determine what actions need to take place. Structures that are on or eligible for the NRHP should be considered and

recorded. Under NRHP regulations (36 Code of Federal Regulations [CFR] Part 800), structures that present a hazard may be removed or destroyed after proper recording and consultation with the State Historic Preservation Officer (SHPO) and appropriate tribes.

Every effort should be made to utilize native, non-invasive vegetative species. Consideration should be given to washing all equipment utilized in the project activities before leaving the site.

PLANS AND SPECIFICATIONS

As a minimum, include the following information in the plans and specification for the reclamation area:

- Location of the reclamation area
- Plans showing the final grading to take place on the reclamation area
- The location of topsoil stockpiles
- The location of erosion and sediment control practices
- Detail information for the installation of erosion and sediment control practices
- Detail information on the soil amendments to be applied to the site
- Detail information on the species and arrangement of plant materials to be planted on the site

OPERATION AND MAINTENANCE (O&M)

Prepare an operation and maintenance plan that provides specific details concerning conservation practices identified in the reclamation plan. As a minimum, include the following items in the O&M and maintenance plan:

- Periodic checking of the site for areas where settlement may adversely affect drainage and land use
- Periodic checking of the site for bare spots, eroded areas, areas of excessive settlement, and other areas where initial attempts to establish vegetation were not successful
- Periodic soil testing and checking of vegetation to determine if additional soil amendments are needed

- Maintenance of access roads
- Maintenance of drainage structures and channels
- Periodic checking of the site for noxious weeds and invasive species
- Control of vehicular traffic to minimize disturbance to reclaimed areas

REFERENCES

Soil Survey Division Staff. 1993. [Soil Survey Manual](#). Pp. 90-92. Soil Conservation Service. U.S. Department of Agriculture Handbook 18.

[National Cultural Resources Procedures Handbook](#). 2003. USDA, Natural Resources Conservation Service, Washington D.C.

[National Agronomy Manual](#), Part 501, Water Erosion. 2002. USDA Natural Resources Conservation Service, Washington D.C.

[National Agronomy Manual](#), Part 502, Wind Erosion. 2002. USDA Natural Resources Conservation Service, Washington D.C.

[Revised Universal Soil Loss Equation, Ver. 2 \(Rusle 2\)](#). 2004. USDA Natural Resources Conservation Service, Washington D.C.

[Wind Erosion Equation \(WEQ\) Guidance Document](#). 2003. USDA Natural Resources Conservation Service, Washington D.C.

[Landscape Design in Mined Land Reclamation](#), LAN-1, 1983, National Technical Information Service, USDA NRCS Conservation Engineering Division, Washington, D.C.

[Procedures to Establish Priorities in Landscape Architecture](#), TR-65, 1978, National Technical Information Service, USDA NRCS Conservation Engineering Division, Washington, D.C.