

Practice: 332 - Contour Buffer Strips

Scenario: #1 - Cool Season

Scenario Description:

Narrow strips of permanent, cool season herbaceous vegetative cover established around the hill slope and alternated down the slope with wider cropped strips in between that are farmed on the contour. This practice applies to cropland. Practice includes seedbed prep and planting of herbaceous species. The area of the field border is taken out of production.

Before Situation:

Water Erosion Calculator (e.g. RUSLE2) indicates that there is a significant amount of sheet and rill erosion and/or a significant amount of sediment potentially delivered to the downslope edge of the field. A secondary concern is that there may not be enough wildlife/pollinator habitat, food source or refugia in the field or farm.

After Situation:

Cool season herbaceous species will be established in strips in the field to meet the resource needs and producer objectives. Minimum widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Species shall be selected that do not function as a host for diseases of a field crop and have physical characteristics necessary to control water erosion to tolerable levels in the cropped area of the field.

Scenario Feature Measure: number of acres

Scenario Unit: Acre

Scenario Typical Size: 1

Scenario Cost: \$207.59

Scenario Cost/Unit: \$207.59

Cost Details (by category):

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Equipment/Installation						
Chemical, ground application	948	Chemical application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$5.83	1	\$5.83
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$20.28	1	\$20.28
Foregone Income						
FI, Wheat Dryland	1963	Dryland Wheat is Primary Crop	Acre	\$119.47	1	\$119.47
Materials						
Four Species Mix, Cool Season, Introduced Perennial (2 grasses, 2 legumes)	2317	Cool season grass and legume mix. Includes material and shipping only.	Acre	\$46.18	1	\$46.18
Herbicide, Glyphosate	334	A broad-spectrum, non-selective systemic herbicide. Refer to WIN-PST for product names and active ingredients. Includes materials and shipping only.	Acre	\$15.83	1	\$15.83

Practice: 332 - Contour Buffer Strips

Scenario: #2 - Cool Season with Nutrients

Scenario Description:

Narrow strips of permanent, cool season herbaceous vegetative cover established around the hill slope and alternated down the slope with wider cropped strips in between that are farmed on the contour. This practice applies to cropland. Practice includes seedbed prep and planting of herbaceous species with nutrient admendments added for establishment. The area of the field border is taken out of production.

Before Situation:

Water Erosion Calculator (e.g. RUSLE2) indicates that there is a significant amount of sheet and rill erosion and/or a significant amount of sediment potentially delivered to the downslope edge of the field. A secondary concern is that there may not be enough wildlife/pollinator habitat, food source or refugia in the field or farm.

After Situation:

Cool season herbaceous species will be established in strips in the field to meet the resource needs and producer objectives. Nutrient admendments are aded as determined by soils anaylsis or local knowledge. Minimum widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Species shall be selected that do not function as a host for diseases of a field crop and have physical charactaristics necessary to control water erosion to tolerable levels in the cropped area of the field.

Scenario Feature Measure: Number of acres

Scenario Unit: Acre

Scenario Typical Size: 1

Scenario Cost: \$239.79

Scenario Cost/Unit: \$239.79

Cost Details (by category):

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Equipment/Installation						
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$20.28	1	\$20.28
Chemical, ground application	948	Chemical application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$5.83	1	\$5.83
Foregone Income						
FI, Wheat Dryland	1963	Dryland Wheat is Primary Crop	Acre	\$119.47	1	\$119.47
Materials						
Four Species Mix, Cool Season, Introduced Perennial (2 grasses, 2 legumes)	2317	Cool season grass and legume mix. Includes material and shipping only.	Acre	\$46.18	1	\$46.18
Nitrogen (N), Urea	71	Price per pound of N supplied by Urea. Price is not per pound of total product applied, no conversion is needed.	Pound	\$0.58	40	\$23.20
Herbicide, Glyphosate	334	A broad-spectrum, non-selective systemic herbicide. Refer to WIN-PST for product names and active ingredients. Includes materials and shipping only.	Acre	\$15.83	1	\$15.83
Phosphorus, P2O5	73	Price per pound of P2O5 supplied by Superphosphate. Price is not per pound of total product applied, no conversion is needed.	Pound	\$0.30	30	\$9.00

Practice: 332 - Contour Buffer Strips

Scenario: #3 - Organic Herbaceous

Scenario Description:

Narrow strips of permanent, herbaceous vegetative cover established around the hill slope and alternated down the slope with wider cropped strips in between that are farmed on the contour. This practice applies to cropland. Practice includes mechanical seedbed prep, organic soil amendments, and planting of organic herbaceous species on organic cropland. The area of the field border is taken out of production.

Before Situation:

Water Erosion Calculator (e.g. RUSLE2) indicates that there is a significant amount of sheet and rill erosion and/or a significant amount of sediment potentially delivered to the downslope edge of the field. A secondary concern is that there may not be enough wildlife/pollinator habitat, food source or refugia in the field or farm.

After Situation:

Certified organic herbaceous species will be planted in strips in the field to meet the resource needs and producer objectives. Minimum widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Organic soil amendments added to ensure proper establishment. Species shall be selected that do not function as a host for diseases of a field crop and have physical characteristics necessary to control water erosion to tolerable levels in the cropped area of the field.

Scenario Feature Measure: Number of Acres

Scenario Unit: Acre

Scenario Typical Size: 1

Scenario Cost: \$311.34

Scenario Cost/Unit: \$311.34

Cost Details (by category):

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Equipment/Installation						
Site Preparation, Mechanical	944	Aerator, rolling drum chopper, etc. Includes equipment, power unit and labor costs.	Acre	\$66.75	1	\$66.75
Tillage, Primary	946	Includes heavy disking (offset) or chisel plow. Includes equipment, power unit and labor costs.	Acre	\$15.77	1	\$15.77
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$20.28	1	\$20.28
Foregone Income						
FI, Wheat Dryland	1963	Dryland Wheat is Primary Crop	Acre	\$119.47	1	\$119.47
Materials						
Certified Organic, Three Species Mix, Cool Season, Perennial Grasses and Legumes	2340	Certified organic cool season perennial grass and legume mix. Includes material and shipping only.	Acre	\$64.77	1	\$64.77
Phosphorus, Organic	267	ORGANIC Phosphorus	Pound	\$0.27	30	\$8.10
Nitrogen, Organic	266	ORGANIC Nitrogen	Pound	\$0.27	40	\$10.80
Potassium, Organic	268	ORGANIC Potassium	Pound	\$0.27	20	\$5.40

Practice: 332 - Contour Buffer Strips

Scenario: #4 - Warm Season

Scenario Description:

Narrow strips of permanent, warm season herbaceous vegetative cover established around the hill slope and alternated down the slope with wider cropped strips in between that are farmed on the contour. This practice applies to cropland. Practice includes seedbed prep and planting of herbaceous species. The area of the field border is taken out of production.

Before Situation:

Water Erosion Calculator (e.g. RUSLE2) indicates that there is a significant amount of sheet and rill erosion and/or a significant amount of sediment potentially delivered to the downslope edge of the field. A secondary concern is that there may not be enough wildlife/pollinator habitat, food source or refugia in the field or farm.

After Situation:

Warm Season herbaceous species will be established in strips in the field to meet the resource needs and producer objectives. Minimum widths shall be based on NRCS local design criteria specific to the purpose for installing the practice. Species shall be selected that do not function as a host for diseases of a field crop and have physical characteristics necessary to control water erosion to tolerable levels in the cropped area of the field.

Scenario Feature Measure: Number of Acres

Scenario Unit: Acre

Scenario Typical Size: 1

Scenario Cost: \$366.97

Scenario Cost/Unit: \$366.97

Cost Details (by category):

Component Name	ID	Component Description	Unit	Price (\$/unit)	Quantity	Cost
Equipment/Installation						
Seeding Operation, No Till/Grass Drill	960	No Till drill or grass drill for seeding. Includes equipment, power unit and labor costs.	Acre	\$20.28	1	\$20.28
Chemical, ground application	948	Chemical application performed by ground equipment. Includes equipment, power unit and labor costs.	Acre	\$5.83	1	\$5.83
Foregone Income						
FI, Wheat Dryland	1963	Dryland Wheat is Primary Crop	Acre	\$119.47	1	\$119.47
Materials						
Herbicide, Glyphosate	334	A broad-spectrum, non-selective systemic herbicide. Refer to WIN-PST for product names and active ingredients. Includes materials and shipping only.	Acre	\$15.83	1	\$15.83
Three plus Species Mix, Warm Season, Native Perennial	2327	Native, warm season perennial grass. Includes material and shipping only.	Acre	\$205.56	1	\$205.56