

Leaching Index

Allen County, Kansas

Map Symbol	Soil Name	Map Unit Name	Hydrologic Group	OM %	kfact	Leaching Potential
8150	Lanton	Lanton silt loam, occasionally flooded	C	3.00	0.37	High
8160	Leanna	Leanna silt loam, occasionally flooded	D	3.00	0.32	High
8201	Osage	Osage silty clay loam, occasionally flooded	D	3.00	0.37	High
8203	Osage	Osage silty clay, occasionally flooded	D	3.50	0.28	High
8300	Verdigris	Verdigris silt loam, channeled, 0 to 2 percent slopes, frequently flooded	B	3.00	0.37	Low
8302	Verdigris	Verdigris silt loam, occasionally flooded	B	3.00	0.32	Low
8501	Mason	Mason silt loam, rarely flooded	B	2.50	0.37	Low
8621	Bates	Bates loam, 1 to 3 percent slopes	C	2.50	0.28	Low
8623	Bates	Bates loam, 3 to 7 percent slopes	C	2.50	0.28	Low
8624	Bates	Bates loam, 3 to 7 percent slopes, eroded	C	2.50	0.28	Low
8627	Collinsville	Bates-Collinsville complex, 3 to 15 percent slopes	D	2.00	0.28	Low
8627	Bates	Bates-Collinsville complex, 3 to 15 percent slopes	B	2.50	0.32	Low
8671	Bates	Collinsville complex, 3 to 15 percent slopes	B	2.50	0.32	Low
8671	Collinsville	Collinsville complex, 3 to 15 percent slopes	D	2.00	0.28	Low
8673	Bates	Collinsville-Bates complex, 3 to 15 percent slopes	B	2.50	0.32	Low
8673	Collinsville	Collinsville-Bates complex, 3 to 15 percent slopes	D	2.00	0.28	Low
8679	Dennis	Dennis silt loam, 1 to 3 percent slopes	C	2.00	0.43	High
8683	Dennis	Dennis silt loam, 3 to 7 percent slopes	C	2.00	0.43	High
8701	Dennis	Dennis-Kenoma silt loams, 1 to 3 percent slopes	C	2.00	0.43	High
8701	Kenoma	Dennis-Kenoma silt loams, 1 to 3 percent slopes	D	3.00	0.43	High
8733	Eram	Eram silty clay loam, 1 to 3 percent slopes	C	2.50	0.37	High
8735	Eram	Eram silty clay loam, 3 to 7 percent slopes	C	2.50	0.37	High
8737	Eram	Eram silty clay loam, 3 to 7 percent slopes, eroded	C	1.25	0.37	High
8745	Clareson	Eram-Clareson complex, 1 to 15 percent slopes	C	3.50	0.32	High

Leaching Index

Allen County, Kansas

Map Symbol	Soil Name	Map Unit Name	Hydrologic Group	OM %	kfact	Leaching Potential
8745	Eram	Eram-Clareson complex, 1 to 15 percent slopes	C	2.50	0.37	High
8753	Eram	Eram-Gullied land complex, 3 to 7 percent slopes	C	1.25	0.37	High
8763	Eram	Eram-Talihina silty clay loams, 5 to 20 percent slopes	C	2.50	0.37	High
8763	Talihina	Eram-Talihina silty clay loams, 5 to 20 percent slopes	D	2.00	0.32	High
8775	Kenoma	Kenoma silt loam, 1 to 3 percent slopes	D	3.25	0.43	High
8843	Nowata	Nowata silt loam, 3 to 7 percent slopes	B	2.00	0.37	Low
8849	Olpe	Olpe gravelly silt loam, 3 to 15 percent slopes	C	1.50	0.43	Low
8851	Olpe	Olpe soils, 3 to 15 percent slopes	C	1.50	0.43	Low
8863	Parsons	Parsons silt loam, 0 to 1 percent slopes	D	3.30	0.43	High
8875	Clareson	Ringo-Clareson complex, 8 to 15 percent slopes	C	3.50	0.32	Low
8875	Ringo	Ringo-Clareson complex, 8 to 15 percent slopes	D	3.00	0.28	Low
8877	Sogn	Ringo-Sogn complex, 5 to 15 percent slopes	D	3.00	0.32	Low
8877	Ringo	Ringo-Sogn complex, 5 to 15 percent slopes	D	3.00	0.37	Low
8911	Summit	Summit silty clay loam, 1 to 3 percent slopes	C	3.00	0.37	Intermediate
8912	Summit	Summit silty clay loam, 3 to 7 percent slopes	C	3.00	0.37	Intermediate
8921	Talihina	Talihina silty clay loam, 5 to 20 percent slopes	D	2.00	0.32	Low
8922	Talihina	Talihina stony silty clay loam, 8 to 25 percent slopes	D	2.00	0.32	Low
8961	Woodson	Woodson silt loam, 0 to 1 percent slopes	D	2.50	0.49	High
8962	Woodson	Woodson silt loam, 1 to 3 percent slopes	D	2.50	0.49	High
8990	Zaar	Zaar silty clay, 0 to 1 percent slopes	D	4.00	0.28	Intermediate
8991	Zaar	Zaar silty clay, 1 to 3 percent slopes	D	3.00	0.28	Low
8992	Zaar	Zaar silty clay, 3 to 7 percent slopes	D	3.00	0.28	Low
MT850B	Wagstaff	Wagstaff silty clay loam, 1 to 3 percent slopes	D	5.00	0.28	Low
MT857C	Shidler	Wagstaff-Shidler complex, 1 to 8 percent slopes	D	3.00	0.32	Low
MT857C	Wagstaff	Wagstaff-Shidler complex, 1 to 8 percent slopes	C	5.00	0.32	Low

Leaching Index

Allen County, Kansas

Map Symbol	Soil Name	Map Unit Name	Hydrologic Group	OM %	kfact	Leaching Potential
------------	-----------	---------------	------------------	------	-------	--------------------

This report produces Leaching Index Values (1, 2 and 3) suitable for use as described in Part 539.58 - National Ranking Factor N2, Subfactor B in the CRP Manual.

The values 1, 2 and 3 are derived by using the same algorithm included in the SSSD RV Generator to produce values 1, 2, 3 and 4 but this report reverses the order of meaning and combines values 3 and 4. Thus, this report correctly reports 1 as low, 2 as medium, and 3 as high. These values are ready for use in determining signup scores for National ranking subfactor N2 without further code conversion.