

Leaching Index

Butler County, Kansas

Map Symbol	Soil Name	Map Unit Name	Hydrologic Group	OM %	kfact	Leaching Potential
3491	Wells	Wells loam, 1 to 3 percent slopes	B	3.00	0.32	Low
3561	Hobbs	Hobbs silt loam, occasionally flooded	B	3.00	0.32	Low
3725	Detroit	Detroit silty clay loam, rarely flooded	C	3.00	0.37	Low
3842	Geary	Geary silt loam, 0 to 1 percent slopes	C	3.00	0.37	Low
3843	Geary	Geary silt loam, 1 to 3 percent slopes	C	3.00	0.37	Low
3844	Geary	Geary silt loam, 3 to 7 percent slopes	C	3.00	0.37	Low
3857	Goessel	Goessel silty clay, 0 to 1 percent slopes	D	3.00	0.28	Intermediate
3858	Goessel	Goessel silty clay, 1 to 3 percent slopes	D	3.00	0.28	Intermediate
3890	Ladysmith	Ladysmith silty clay loam, 0 to 1 percent slopes	D	3.00	0.37	Intermediate
3911	Rosehill	Rosehill silty clay, 1 to 3 percent slopes	D	3.00	0.28	Low
4020	Chase	Chase silty clay loam, occasionally flooded	C	2.50	0.37	Intermediate
4051	Ivan	Ivan silt loam, channeled	B	3.00	0.32	Low
4052	Ivan	Ivan silt loam, occasionally flooded	B	3.00	0.32	Low
4535	Labette	Benfield-Labette cherty silty clay loams, 2 to 12 percent slopes	C	2.00	0.37	Low
4535	Benfield	Benfield-Labette cherty silty clay loams, 2 to 12 percent slopes	C	3.50	0.32	Low
4580	Clime	Clime stony silty clay loam, 15 to 30 percent slopes	C	2.50	0.28	Low
4590	Sogn	Clime-Sogn complex, 3 to 20 percent slopes	D	3.00	0.37	Low
4590	Clime	Clime-Sogn complex, 3 to 20 percent slopes	D	3.00	0.24	Low
4600	Dwight	Dwight silt loam, 0 to 1 percent slopes	D	3.00	0.43	Low
4620	Dwight	Dwight soils, 1 to 3 percent slopes, eroded	D	2.50	0.43	Low
4645	Florence	Florence cherty silt loam, 5 to 15 percent slopes	C	5.00	0.32	Low
4655	Labette	Florence-Labette complex, 2 to 12 percent slopes	C	3.00	0.37	Low
4655	Florence	Florence-Labette complex, 2 to 12 percent slopes	C	5.00	0.32	Low
4660	Florence	Florence-Martin complex, 2 to 12 percent slopes	C	5.00	0.32	Low

Leaching Index

Butler County, Kansas

Map Symbol	Soil Name	Map Unit Name	Hydrologic Group	OM %	kfact	Leaching Potential
4660	Martin	Florence-Martin complex, 2 to 12 percent slopes	C	2.00	0.37	Low
4670	Irwin	Irwin silty clay loam, 0 to 1 percent slopes	D	3.00	0.37	Low
4671	Irwin	Irwin silty clay loam, 1 to 3 percent slopes	D	3.00	0.37	Low
4673	Irwin	Irwin silty clay loam, 3 to 7 percent slopes	D	3.00	0.37	Low
4674	Irwin	Irwin silty clay loam, 3 to 7 percent slopes, eroded	D	2.00	0.37	Low
4740	Labette	Labette silty clay loam, 1 to 3 percent slopes	D	3.00	0.32	Low
4741	Labette	Labette silty clay loam, 1 to 3 percent slopes, eroded	C	2.00	0.37	Low
4742	Labette	Labette silty clay loam, 3 to 7 percent slopes	D	3.00	0.32	Low
4744	Dwight	Labette-Dwight complex, 0 to 3 percent slopes	D	3.00	0.43	Low
4744	Labette	Labette-Dwight complex, 0 to 3 percent slopes	D	3.00	0.32	Low
4746	Labette	Labette-Sogn silty clay loam, 0 to 8 percent slopes	D	3.00	0.32	Low
4746	Sogn	Labette-Sogn silty clay loam, 0 to 8 percent slopes	D	3.00	0.37	Low
4750	Sogn	Sogn silty clay loam, 0 to 10 percent slopes	D	2.00	0.32	Low
4751	Sogn	Sogn soils, 0 to 8 percent slopes	D	2.00	0.32	Low
4780	Tully	Tully cherty silty clay loam, 5 to 15 percent slopes	C	3.00	0.32	Low
4781	Tully	Tully silty clay loam, 1 to 3 percent slopes	C	3.00	0.32	Low
4783	Tully	Tully silty clay loam, 3 to 7 percent slopes	C	3.00	0.32	Low
4784	Tully	Tully silty clay loam, 3 to 7 percent slopes, eroded	C	1.50	0.32	Low
5976	Vanoss	Vanoss silt loam, 0 to 1 percent slopes	B	3.00	0.37	Low
5977	Vanoss	Vanoss silt loam, 1 to 3 percent slopes	B	3.00	0.37	Low
5978	Vanoss	Vanoss silt loam, 3 to 7 percent slopes	B	2.00	0.37	Low
6051	Elandco	Elandco silt loam, frequently flooded	B	2.00	0.37	Low
6220	Brewer	Brewer silty clay loam, rarely flooded	C	3.50	0.37	Low
6244	Elandco	Elandco silt loam, rarely flooded	B	2.00	0.37	Low

Leaching Index

Butler County, Kansas

Map Symbol	Soil Name	Map Unit Name	Hydrologic Group	OM %	kfact	Leaching Potential
6400	Norge	Norge silt loam, 0 to 1 percent slopes	B	2.50	0.37	Low
6401	Norge	Norge silt loam, 1 to 3 percent slopes	B	2.50	0.37	Low
6402	Norge	Norge silt loam, 3 to 7 percent slopes	B	2.50	0.37	Low
6403	Norge	Norge silty clay loam, 3 to 7 percent slopes, eroded	B	1.75	0.32	Intermediate
7170	Reading	Reading silt loam, rarely flooded	B	3.00	0.32	Low
7301	Martin	Martin silty clay loam, 1 to 3 percent slopes	C	3.50	0.37	Low
7302	Martin	Martin silty clay loam, 3 to 7 percent slopes	C	3.50	0.37	Low
8203	Osage	Osage silty clay, occasionally flooded	D	3.00	0.28	High
8300	Verdigris	Verdigris silt loam, channeled	B	3.00	0.32	Low
8302	Verdigris	Verdigris silt loam, occasionally flooded	B	2.50	0.32	Low
8303	Verdigris	Verdigris soils, frequently flooded	B	2.50	0.32	Low
8859	Olpe	Olpe-Norge complex, 2 to 7 percent slopes	C	1.50	0.43	Low
8859	Norge	Olpe-Norge complex, 2 to 7 percent slopes	B	2.50	0.37	Low

This report produces Leaching Index Values (1, 2 and 3) suitable for use as described in Part 539.58 - National Ranking Factor N2, Subfactor B in the CRP Manual.

The values 1, 2 and 3 are derived by using the same algorithm included in the SSSD RV Generator to produce values 1, 2, 3 and 4 but this report reverses the order of meaning and combines values 3 and 4. Thus, this report correctly reports 1 as low, 2 as medium, and 3 as high. These values are ready for use in determining signup scores for National ranking subfactor N2 without further code conversion.