

BULLITT COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 10/30/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
BeB	HEL	Beasley silt loam, 2 to 6 percent slopes
BeC	HEL	Beasley silt loam, 6 to 12 percent slopes, eroded
BeD	HEL	Beasley silt loam, 12 to 20 percent slopes, eroded
BfC3	HEL	Beasley silty clay loam, 6 to 12 percent slopes, severely eroded
BfD3	HEL	Beasley silty clay loam, 12 to 20 percent slopes, severely eroded
Bo	NHEL	Boonesboro silt loam, frequently flooded
CaB	HEL	Caneyville silt loam, 2 to 6 percent slopes
CaC	HEL	Caneyville silt loam, 6 to 12 percent slopes, eroded
CbD	HEL	Caneyville-Beasley-Rock outcrop complex, 12 to 30 percent slopes
CnD	HEL	Caneyville-Rock outcrop complex, 6 to 20 percent slopes
CnE	HEL	Caneyville-Rock outcrop complex, 20 to 40 percent slopes
CrB	NHEL	Crider silt loam, 2 to 6 percent slopes
CrC	HEL	Crider silt loam, 6 to 12 percent slopes, eroded
CrD	HEL	Crider silt loam, 12 to 20 percent slopes, eroded
EcC	HEL	Eden silty clay loam, 6 to 20 percent slopes, eroded
EdE3	HEL	Eden flaggy silty clay, 20 to 30 percent slopes, severely eroded
EkA	NHEL	Elk silt loam, 0 to 2 percent slopes
EkB	NHEL	Elk silt loam, 2 to 6 percent slopes
EkC	HEL	Elk silt loam, 6 to 12 percent slopes
EIA	NHEL	Elk silt loam, occasionally flooded, 0 to 2 percent slopes
EIB	NHEL	Elk silt loam, occasionally flooded, 2 to 6 percent slopes
EIC	HEL	Elk silt loam, occasionally flooded, 6 to 12 percent slopes
FaC	HEL	Faywood silt loam, 6 to 12 percent slopes, eroded
FdD	HEL	Faywood silty clay loam, 12 to 20 percent slopes, eroded
FkF	HEL	Faywood-Beasley-Rock outcrop complex, 25 to 60 percent slopes
FIE	HEL	Faywood-Cynthiana complex, 12 to 30 percent slopes
FnF	HEL	Faywood-Fairmount-Woolper complex, 30 to 60 percent slopes

GmF	HEL	Garmon silt loam, 25 to 60 percent slopes
HaC	HEL	Hagerstown silt loam, 6 to 12 percent slopes
La	NHEL	Lawrence silt loam, rarely flooded
Le	NHEL	Lawrence silt loam
LfE	HEL	Lenberg-Carpenter complex, 20 to 40 percent slopes
LoB	HEL	Lowell silt loam, 2 to 6 percent slopes
LoC	HEL	Lowell silt loam, 6 to 12 percent slopes, eroded
LsC3	HEL	Lowell silty clay loam, 6 to 12 percent slopes, severely eroded
MaB	HEL	Markland silt loam, rarely flooded, 2 to 6 percent slopes
MbD3	HEL	Markland silty clay, occasionally flooded, 10 to 30 percent slopes, severely eroded
Mc	NHEL	McGary silt loam, rarely flooded
Mv	NHEL	McGary Variant silt loam, rarely flooded
Mo	NHEL	Montgomery silty clay loam
Ne	NHEL	Newark silt loam, frequently flooded
NhA	NHEL	Nicholson silt loam, 0 to 2 percent slopes
NhB	HEL	Nicholson silt loam, 2 to 6 percent slopes
NhC	HEL	Nicholson silt loam, 6 to 12 percent slopes
No	NHEL	Nolin silt loam, frequently flooded
Ota	NHEL	Otwell silt loam, 0 to 2 percent slopes
OtB	HEL	Otwell silt loam, 2 to 6 percent slopes
OtC	HEL	Otwell silt loam, 6 to 12 percent slopes
OwB	HEL	Otwell silt loam, occasionally flooded, 2 to 6 Percent slopes
Pt	HEL	Pits
Sg	NHEL	Sensabaugh gravelly loam, occasionally flooded
ShB	NHEL	Shelbyville silt loam, 2 to 6 percent slopes
TrC	HEL	Trappist silt loam, 6 to 12 percent slopes, eroded
TrD	HEL	Trappist silt loam, 12 to 30 percent slopes, eroded
WoB	HEL	Woolper silty clay loam, 2 to 6 percent slopes
WoC	HEL	Woolper silty clay loam, 6 to 12 percent slopes
ZaB	HEL	Zanesville silt loam, 2 to 6 percent slopes
ZaC	HEL	Zanesville silt loam, 6 to 12 percent slopes

***CLASS**

HEL = Highly Erodible Land

NHEL = Not Highly Erodible Land

PHEL = Potentially Highly Erodible Land