

CALDWELL COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 10/27/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
AsB	NHEL	Ashton silt loam, 0 to 4 percent slopes
BcD2	HEL	Baxter cherty silt loam, 12 to 20 percent slopes, eroded
BcE	HEL	Baxter cherty silt loam, 20 to 30 percent slopes
BaD	HEL	Brandon silt loam, 12 to 20 percent slopes
BdD3	HEL	Brandon silt loam, 12 to 20 percent slopes, severely eroded
CeC	HEL	Caneyville silt loam, 6 to 12 percent slopes
CeD	HEL	Caneyville silt loam, 12 to 20 percent slopes
C1C3	HEL	Caneyville silty clay loam, 6 to 12 percent slopes, severely eroded
CmD	HEL	Caneyville very rocky soils, 12 to 20 percent slopes
CmD3	HEL	Caneyville very rocky soils, 12 to 20 percent slopes, severely eroded
CmE	HEL	Caneyville very rocky soils, 20 to 30 percent slopes
can	NHEL	Captina silt loam, 0 to 2 percent slopes
CnB	PHEL	Captina silt loam, 2 to 6 percent slopes
CnB2	PHEL	Captina silt loam, 2 to 6 percent slopes, eroded
CnC2	HEL	Captina silt loam, 6 to 12 percent slopes, eroded
Co	NHEL	Collins silt loam, 0 to 2 percent slopes
CrA	NHEL	Crider silt loam, 0 to 2 percent slopes
CrB	PHEL	Crider silt loam, 2 to 6 percent slopes
CrB2	PHEL	Crider silt loam, 2 to 6 percent slopes, eroded
CrC	HEL	Crider silt loam, 6 to 12 percent slopes
CrC2	HEL	Crider silt loam, 6 to 12 percent slopes, eroded
CrC3	HEL	Crider silt loam, 6 to 12 percent slopes, severely eroded
CrD	HEL	Crider silt loam, 12 to 20 percent slopes
CrD2	HEL	Crider silt loam, 12 to 20 percent slopes, eroded
CsC3	HEL	Crider silty clay loam, 6 to 12 percent slopes, severely eroded
CsD3	HEL	Crider silty clay loam, 12 to 20 percent slopes, severely eroded
DmD	HEL	Dekalb, Ramsey and Muskingum stony soils, 12 to 20 percent slopes
DmF	HEL	Dekalb, Ramsey and Muskingum stony soils,

		20 to 40 percent slopes
DnB	HEL	Dickson silt loam, 2 to 6 percent slopes
DnB2	HEL	Dickson silt loam, 2 to 6 percent slopes, eroded
EkA	NHEL	Elk silt loam, 0 to 2 percent slopes
EkB	PHEL	Elk silt loam, 2 to 6 percent slopes
Fa	NHEL	Falaya silt loam, 0 to 2 percent slopes
FdC2	HEL	Fredonia silty clay loam, 6 to 12 percent slopes, shallow, eroded
FdD2	HEL	Fredonia silty clay loam 12 to 20 percent slopes, shallow, eroded
FrD2	HEL	Fredonia-Rockland complex, 12 to 20 percent slopes, eroded
GmD	HEL	Gilpin, Litz and Muskingum silt loams, 12 to 20 percent slopes
GmD3	HEL	Gilpin, Litz and Muskingum silt loams, 12 to 20 percent slopes, severely eroded
GmE	HEL	Gilpin, Litz and Muskingum silt loams, 20 to 30 percent slopes
Gu	HEL	Gullied land
HaC	HEL	Hayter silt loam, 6 to 12 percent slopes
HcD	HEL	Hayter silt loam, 12 to 20 percent slopes
Hg	NHEL	Huntington gravelly silt loam, 0 to 2 percent slopes
Hn	NHEL	Huntington silt loam, 0 to 2 percent slopes
Jb	NHEL	Johnsburg silt loam, 0 to 2 percent slopes
Ld	NHEL	Lindside silt loam, 0 to 2 percent slopes
Mc	NHEL	McGary silt loam, 0 to 2 percent slopes
Me	NHEL	Melvin silt loam, 0 to 2 percent slopes
Mu	NHEL	Mullins silt loam, 0 to 2 percent slopes
Ne	NHEL	Newark silt loam, 0 to 2 percent slopes
PbB	PHEL	Pembroke silt loam, 2 to 6 percent slopes
PbB2	PHEL	Pembroke silt loam, 2 to 6 percent slopes, eroded
PbC	HEL	Pembroke silt loam, 6 to 12 percent slopes
PbC2	HEL	Pembroke silt loam, 6 to 12 percent slopes, eroded
PbD2	HEL	Pembroke silt loam, 12 to 20 percent slopes, eroded
PcC3	HEL	Pembroke silty clay loam, 6 to 12 percent slopes, severely eroded
PcD3	HEL	Pembroke silty clay loam, 12 to 20 percent slopes, severely eroded
RuB	HEL	Russellville(Nicholson) silt loam, 2 to 6 percent slopes
RuB2	HEL	Russellville (Nicholson) silt loam, 2 to 6 percent slopes, eroded
RuC	HEL	Russellville (Nicholson) silt loam, 6 to 12 percent slopes
RuC2	HEL	Russellville (Nicholson) silt loam, 6 to 12 percent slopes, eroded
RuC3	HEL	Russellville (Nicholson) silt loam, 6 to 12 percent slopes,

		severely eroded
RuD2	HEL	Russellville (Nicholson) silt loam, 12 to 20 percent slopes, eroded
RuD3	HEL	Russellville (Nicholson) silt loam, 12 to 20 percent slopes, severely eroded
Sk	NHEL	Sharkey silt loam, 0 to 2 percent slopes, overwash
So	NHEL	Sharkey silty clay loam, 0 to 2 percent slopes, overwash
Ta	NHEL	Taft silt loam, 0 to 2 percent slopes
TmA	NHEL	Tilsit silt loam, 0 to 2 percent slopes
TmB	HEL	Tilsit silt loam, 2 to 6 percent slopes
TmB2	HEL	Tilsit silt loam, 2 to 6 percent slopes, eroded
TmC2	HEL	Tilsit silt loam, 6 to 12 percent slopes, eroded
Vb	NHEL	Vicksburg (Clifty) gravelly silt loam, 0 to 2 percent slopes
Vc	NHEL	Vicksburg silt loam, 0 to 2 percent slopes
Wa	NHEL	Waverly silt loam, 0 to 2 percent slopes
WeB	PHEL	Wellston silt loam, 2 to 6 percent slopes
WeC	HEL	Wellston silt loam, 6 to 12 percent slopes
WeC2	HEL	Wellston silt loam, 6 to 12 percent slopes, eroded
WeD	HEL	Wellston silt loam, 12 to 20 percent slopes
WeD2	HEL	Wellston silt loam, 12 to 20 percent slopes, eroded
WnC3	HEL	Wellston silty clay loam, 6 to 12 percent slopes, severely eroded
WnD3	HEL	Wellston silty clay loam, 12 to 20 percent slopes, severely eroded
ZaB	HEL	Zanesville silt loam, 2 to 6 percent slopes
ZaB2	HEL	Zanesville silt loam, 2 to 6 percent slopes, eroded
ZaC	HEL	Zanesville silt loam, 6 to 12 percent slopes
ZaC2	HEL	Zanesville silt loam, 6 to 12 percent slopes, eroded
ZaC3	HEL	Zanesville silt loam, 6 to 12 percent slopes, severely eroded
ZaD2	HEL	Zanesville silt loam, 12 to 20 percent slopes, eroded
ZaD3	HEL	Zanesville silt loam, 12 to 20 percent slopes, severely eroded

*CLASS

HEL = Highly Erodible Land

NHEL = Not Highly Erodible Land

PHEL = Potentially Highly Erodible Land