

CARROLL COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 1/6/87

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
AID	HEL	Alluvial landm steep
AsA	NHEL	Ashton silt loam, 0 to 4 percent slopes
Bo	NHEL	Boonesboro-Alluvial land complex
BrC	HEL	Brashear silty clay loam, 6 to 12 percent slopes
BrD	HEL	Brashear silty clay loam, 12 to 20 percent slopes
BsD	HEL	Brassfield silt loam, 12 to 25 percent slopes
EdD	HEL	Eden silty clay loam, 12 to 20 percent slopes
EfE3	HEL	Eden flaggy silty clay, 20 to 30 percent slopes, severely eroded
EIA	NHEL	Elk silt loam, 0 to 2 percent slopes
EIB	PHEL	Elk silt loam, 2 to 6 percent slopes
EIC	HEL	Elk silt loam, 6 to 12 percent slopes
FaD	HEL	Fairmount flaggy silty clay, 12 to 20 percent slopes
FrF	HEL	Fairmount-Rock outcrop complex, 30 to 60 percent slopes
HeC	HEL	Heitt silt loam, 6 to 12 percent slopes
Hu	NHEL	Huntington silt loam
LaC	PHEL	Lakin loamy fine sand, 2 to 12 percent slopes
Lc	NHEL	Lawrence silt loam
LIB	PHEL	Lowell silt loam, 2 to 6 percent slopes
LIC	HEL	Lowell silt loam, 6 to 12 percent slopes
LoD3	HEL	Lowell silty clay loam, 12 to 20 percent slopes, severely eroded
MaB	PHEL	Markland silt loam, 2 to 6 percent slopes
MbD	HEL	Markland soils, 12 to 35 percent slopes
Mc	NHEL	McGary silt loam
Ne	NHEL	Newark silt loam
NfB	PHEL	Nicholson silt loam, 2 to 8 percent slopes
No	NHEL	Nolin silt loam
OtA	NHEL	Otwell silt loam 0 to 2 percent slopes

OtB	PHEL	Otwell silt loam, 2 to 6 percent slopes
OtC	HEL	Otwell silt loam, 6 to 12 percent slopes
Ro	NHEL	Robertsville silt loam
WhA	NHEL	Wheeling silt loam, 0 to 2 percent slopes
WhD	HEL	Wheeling silt loam, 12 to 20 percent slopes
WoA	NHEL	Woolper silty clay loam, 0 to 2 percent slopes
WoC	HEL	Woolper silty clay loam, 6 to 12 percent slopes
WoD	HEL	Woolper silty clay loam, 12 to 20 percent slopes
Zp	NHEL	Zipp silty clay loam

*CLASS

- HEL = Highly Erodible Land
- NHEL = Not Highly Erodible Land
- PHEL = Potentially Highly Erodible Land