

CRITTENDEN COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 10/27/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
BaE	HEL	Baxter gravelly silt loam, 20 to 50 percent slopes
Be	NHEL	Belknap silt loam, occasionally flooded
Ca	NHEL	Calloway silt loam, 0 to 2 percent slopes
CcE	HEL	Caneyville-Crider-Rock outcrop complex, 15 to 40 percent slopes
Cl	NHEL	Clifty silt loam, occasionally flooded
Co	NHEL	Collins silt loam, occasionally flooded
CrB	HEL	Crider silt loam, 2 to 6 percent slopes
CrC2	HEL	Crider silt loam, 6 to 12 percent slopes, eroded
CrC3	HEL	Crider silt loam, 6 to 12 percent slopes, severely eroded
CrD2	HEL	Crider silt loam, 12 to 20 percent slopes, eroded
CrD3	HEL	Crider silt loam, 12 to 20 percent slopes, severely eroded
FIE	HEL	Faywood-Lowell-Rock outcrop complex, 15 to 40 percent slopes
FrD	HEL	Frondorf silt loam, 12 to 20 percent slopes
FrE	HEL	Frondorf silt loam, 20 to 30 percent slopes
FsD3	HEL	Frondorf silty clay loam, 12 to 20 percent slopes, severely eroded
GrB	HEL	Grenada silt loam, 2 to 6 percent slopes
HaC2	HEL	Hammack silt loam, 6 to 12 percent slopes, eroded
HaD2	HEL	Hammack silt loam, 12 to 20 percent slopes, eroded
HmC3	HEL	Hammack silty clay loam, 6 to 12 percent slopes, severely eroded
HmD3	HEL	Hammack silty clay loam, 12 to 20 percent slopes, severely eroded
Hn	NHEL	Henshaw silt loam, rarely flooded
Hu	NHEL	Huntington silt loam, frequently flooded
Ka	NHEL	Karnak silty clay loam, occasionally flooded
LfE	HEL	Lenberg-Frondorf silt loams, 20 to 50 percent slopes, Extremely bouldery
Ld	NHEL	Lindside silt loam, occasionally flooded
Ln	NHEL	Lindside silty clay loam, frequently flooded
LoB	HEL	Loring silt loam, 2 to 6 percent slopes
LoC2	HEL	Loring silt loam, 6 to 12 percent slopes, eroded
Mc	NHEL	McGary silty clay loam, occasionally flooded
Me	NHEL	Melvin silt loam, occasionally flooded

MI	NHEL	Melvin silty clay loam, frequently flooded
MmB	HEL	Memphis silt loam, 2 to 6 percent slopes
MmC2	HEL	Memphis silt loam, 6 to 12 percent slopes, eroded
MmC3	HEL	Memphis silt loam, 6 to 12 percent slopes, severely eroded
MmD2	HEL	Memphis silt loam, 12 to 30 percent slopes, eroded
MmD3	HEL	Memphis silt loam, 12 to 30 percent slopes, severely eroded
Na	NHEL	Newark silt loam, occasionally flooded
Ne	NHEL	Newark silty clay loam, frequently flooded
NhB	HEL	Nicholson silt loam, 2 to 6 percent slopes
NhC2	HEL	Nicholson silt loam, 6 to 12 percent slopes, eroded
NhC3	HEL	Nicholson silt loam, 6 to 12 percent slopes, severely eroded
NhD2	HEL	Nicholson silt loam, 12 to 20 percent slopes, eroded
NhD3	HEL	Nicholson silt loam, 12 to 20 percent slopes, severely eroded
Nn	NHEL	Nolin silt loam, occasionally flooded
No	NHEL	Nolin silty clay loam, frequently flooded
OtA	NHEL	Otwell silt loam, 0 to 2 percent slopes, Occasionally flooded
OtB	HEL	Otwell silt loam, 2 to 6 percent slopes, Occasionally flooded
OtC3	HEL	Otwell silt loam, 6 to 12 percent slopes, severely eroded, Occasionally flooded
Ro	NHEL	Robinsonville fine sandy loam, frequently flooded
Ru	NHEL	Robinsonville-Huntington complex, frequently flooded
UnB	HEL	Uniontown silt loam, 2 to 6 percent slopes, rarely flooded
UoC3	HEL	Uniontown silty clay loam, 6 to 12 percent slopes, severely eroded, rarely flooded
Wa	NHEL	Waverly silt loam, occasionally flooded
We	NHEL	Weinbach silt loam, rarely flooded
WhB	HEL	Wheeling silt loam, 2 to 6 percent slopes, rarely flooded
WhC2	HEL	Wheeling silt loam, 6 to 12 percent slopes, eroded, rarely flooded
ZaC2	HEL	Zanesville silt loam, 6 to 12 percent slopes, eroded
ZaC3	HEL	Zanesville silt loam, 6 to 12 percent slopes, severely eroded
ZaD2	HEL	Zanesville silt loam, 12 to 20 percent slopes, eroded
ZaD3	HEL	Zanesville silt loam, 12 to 20 percent slopes, severely eroded

CLASS

- HEL = Highly Erodible Land
- NHEL = Not Highly Erodible Land
- PHEL = Potentially Highly Erodible Land