

GARRARD COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 11/18/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
03	HEL	Gullied land, acid materials
05	HEL	Gullied land, alkaline materials
10	NHEL	Huntington silt loam
16	NHEL	Chagrin fine sandy loam
34A	NHEL	Armour silt loam, 0 to 2 percent slopes
34B	NHEL	Armour silt loam, 2 to 6 percent slopes
34C	HEL	Armour silt loam, 6 to 12 percent slopes
35B	NHEL	Armour cherty silt loam, 2 to 6 percent slopes
35C	HEL	Armour cherty silt loam, 6 to 12 percent slopes
35D	HEL	Armour cherty silt loam, 12 to 20 percent slopes
36B	NHEL	Trimble cherty silt loam, 2 to 6 percent slopes
36C	HEL	Trimble cherty silt loam, 6 to 12 percent slopes
36D	HEL	Trimble cherty silt loam, 12 to 20 percent slopes
39A	NHEL	Elk silt loam, 0 to 2 percent slopes
39B	NHEL	Elk silt loam, 2 to 6 percent slopes
39C	HEL	Elk silt loam, 6 to 12 percent slopes
41C	HEL	Shelocta gravelly silt loam, 6 to 12 percent slopes
41D	HEL	Shelocta gravelly silt loam, 12 to 20 percent slopes
62B	NHEL	Bedford silt loam, 2 to 6 percent slopes
64	NHEL	Lawrence silt loam
66	NHEL	Robertsville silt loam
70C	HEL	Baxter cherty silt loam, 6 to 12 percent slopes
70D	HEL	Baxter cherty silt loam, 12 to 20 percent slopes
70C3	HEL	Baxter cherty silt clay loam, 6 to 12 percent slopes, severely eroded
70D3	HEL	Baxter cherty silty clay loam, 12 to 20 percent slopes, severely eroded
74B	NHEL	Crider silt loam, 2 to 6 percent slopes
74C	HEL	Crider silt loam, 6 to 12 percent slopes
88	NHEL	Johnsburg silt loam
100	NHEL	Boonesboro silt loam
103	NHEL	Egam silty clay loam
105	NHEL	Lindside silt loam
112	NHEL	Newark silt loam
114	NHEL	Newark silty clay loam
117	NHEL	Melvin silt loam
119	NHEL	Petrolia silty clay loam

124	NHEL	Dunning silty clay loam
130	NHEL	Bruno fine sandy loam, 0 to 6 percent slopes
30C	HEL	Breaks and alluvial land
132	NHEL	Nolin silt loam
138	NHEL	Chagrin gravelly silt loam
304	NHEL	Ashton silt loam
306A	NHEL	Captina silt loam, 0 to 2 percent slopes
306B	HEL	Captina silt loam, 2 to 6 percent slopes
306C	HEL	Captina silt loam, 6 to 12 percent slopes
328B	NHEL	Tarklin cherty silt loam, 2 to 6 percent slopes
328C	HEL	Tarklin cherty silt loam, 6 to 12 percent slopes
332C	HEL	Muse silt loam, 0 to 12 percent slopes
332D	HEL	Muse silt loam, 12 to 20 percent slopes
332D3	HEL	Muse silty clay loam, 12 to 20 percent slopes, severely eroded
358B	HEL	Woolper silty clay loam, 2 to 6 percent slopes
358C	HEL	Woolper silty clay loam, 6 to 12 percent slopes
600B	NHEL	Shelbyville silt loam, 2 to 6 percent slopes
600C	HEL	Shelbyville silt loam, 6 to 12 percent slopes
602B	HEL	Caleast silt loam, 2 to 6 percent slopes
602C	HEL	Caleast silt loam, 6 to 12 percent slopes
605B	HEL	Hagerstown silt loam, 2 to 6 percent slopes
605C	HEL	Hagerstown silt loam, 6 to 12 percent slopes
606C	HEL	Hagerstown cherty silt loam, 6 to 12 percent slopes
612B	HEL	Beasley silt loam, 2 to 6 percent slopes
6112C	HEL	Beasley silt loam, 6 to 12 percent slopes
612C3	HEL	Beasley silty clay, 6 to 12 percent slopes, severely eroded
612D	HEL	Beasley silt loam, 12 to 20 percent slopes
612D3	HEL	Beasley silty clay, 12 to 20 percent slopes, severely eroded
613C	HEL	Beasley cherty silt loam, 6 to 12 percent slopes
613C3	HEL	Beasley cherty silty clay, 6 to 12 percent slopes, severely eroded
613D	HEL	Beasley cherty silt loam, 12 to 20 percent slopes
613D3	HEL	Beasley cherty silty clay, 12 to 20 percent slopes, severely eroded
619C3	HEL	Brassfield silt loam, 6 to 12 percent slopes
619E3	HEL	Brassfield silt loam, 12 to 30 percent slopes
621B	HEL	Lowell silt loam, 2 to 6 percent slopes
621C	HEL	Lowell silt loam, 6 to 12 percent slopes
621C3	HEL	Lowell silty clay loam, 6 to 12 percent slopes, severely eroded
621D	HEL	Lowell silt loam, 12 to 20 percent slopes
621D3	HEL	Lowell silty clay loam, 12 to 20 percent slopes, severely eroded
623B	HEL	Loradale silt loam, 2 to 6 percent slopes
623C	HEL	Loradale silt loam, 6 to 12 percent slopes
619C	HEL	Otway silty clay, 6 to 12 percent slopes
619E	HEL	Otway silty clay, 12 to 30 percent slopes
625A	NHEL	Maury silt loam, 0 to 2 percent slopes
625B	NHEL	Maury silt loam, 2 to 6 percent slopes
625C	HEL	Maury silt loam, 6 to 12 percent slopes

625C3	HEL	Maury silty clay loam, 6 to 12 percent slopes, severely eroded
626B	HEL	McAfee silt loam, 2 to 6 percent slopes
626C	HEL	McAfee silt loam, 6 to 12 percent slopes
626C3	HEL	McAfee silty clay loam, 6 to 12 percent slopes, severely eroded
626D	HEL	McAfee silt loam, 12 to 20 percent slopes
626D3	HEL	McAfee silty clay loam, 12 to 30 percent slopes, severely eroded
627	NHEL	Mercer silt loam, 0 to 2 percent slopes
627B	HEL	Mercer silt loam, 2 to 6 percent slopes
627C	HEL	Mercer silt loam, 6 to 12 percent slopes
628C	HEL	Braxton cherty silt loam, 6 to 12 percent slopes
628D	HEL	Braxton cherty silt loam, 12 to 20 percent slopes
629B	HEL	Braxton silt loam, 2 to 6 percent slopes
630F	HEL	Corydon very rocky soils, 25 to 50 percent slopes
631C	HEL	McAfee very rocky silt loam, 6 to 12 percent slopes
642A	NHEL	Donerail silt loam, 0 to 2 percent slopes
642B	HEL	Donerail silt loam, 2 to 6 percent slopes
642C	HEL	Donerail silt loam, 6 to 12 percent slopes
700B	HEL	Caneyville silt loam, 2 to 6 percent slopes
700C	HEL	Caneyville silt loam, 6 to 12 percent slopes
709C	HEL	Frankstown cherty silt loam, 6 to 12 percent slopes
709D	HEL	Frankstown cherty silt loam, 12 to 20 percent slopes
714F	HEL	Garmon shaly silt loam, 30 to 60 percent slopes
740D	HEL	Eden silty clay loam, 6 to 20 percent slopes
741E	HEL	Eden flaggy silty clay loam, 20 to 30 percent slopes
741F	HEL	Eden flaggy silty clay loam, 30 to 50 percent slopes
742D	HEL	Cynthiana flaggy silty clay loam, 10 to 20 percent slopes
748B	NHEL	Culleoka silt loam, 2 to 6 percent slopes
748C	HEL	Culleoka silt loam, 6 to 12 percent slopes
748D	HEL	Culleoka silt loam, 12 to 20 percent slopes
748E	HEL	Culleoka flaggy silt loam, 20 to 30 percent slopes
748F	HEL	Culleoka flaggy silt loam, 30 to 50 percent slopes
750B	HEL	Nicholson silt loam, 2 to 6 percent slopes
750C	HEL	Nicholson silt loam, 6 to 12 percent slopes
754C	HEL	Salvisa silt loam, 6 to 12 percent slopes
754D	HEL	Salvisa silt loam, 12 to 20 percent slopes
756C	HEL	Faywood silt loam, 6 to 12 percent slopes
756D	HEL	Faywood silt loam, 12 to 20 percent slopes
756D3	HEL	Faywood silty clay, 12 to 20 percent slopes, severely eroded
756E	HEL	Faywood silt loam, 20 to 30 percent slopes
758D	HEL	Salvisa very rocky soils, 12 to 30 percent slopes
769F	HEL	Fairmount very rocky soils, 30 to 60 percent slopes
813D	HEL	Colyer soils, 6 to 20 percent slopes
813E	HEL	Colyer soils, 20 to 50 percent slopes
816B	PHEL	Trappist silt loam, 2 to 6 percent slopes
816C	HEL	Trappist silt loam, 6 to 12 percent slopes
816C3	HEL	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded

818A	NHEL	Berea silt loam, 0 to 2 percent slopes
818B	HEL	Berea silt loam, 2 to 6 percent slopes
818C	HEL	Berea silt loam, 6 to 12 percent slopes
825C	HEL	Rarden silt loam, 6 to 12 percent slopes
825C3	HEL	Rarden silty clay, 6 to 12 percent slopes, severely eroded
825D	HEL	Rarden silt loam, 12 to 20 percent slopes
825D3	HEL	Rarden silty clay, 12 to 20 percent slopes, severely eroded
827B	HEL	Fawcett silt loam, 2 to 6 percent slopes
827C	HEL	Fawcett silt loam, 6 to 12 percent slopes
834D	HEL	Shrouts soils, 12 to 30 percent slopes
843D3	HEL	Shrouts soils, 12 to 30 percent slopes, severely eroded
840F	HEL	Weikert-Gilpin complex, 30 to 60 percent slopes
842D	HEL	Rockcastle soils, 12 to 30 percent slopes
864B	NHEL	Gilpin silt loam, 2 to 6 percent slopes
864C	HEL	Gilpin silt loam, 6 to 12 percent slopes
602D	HEL	Caleast silt loam, 12 to 20 percent slopes
38B	NHEL	Chenault gravelly silt loam, 2 to 6 percent slopes
38C	HEL	Chenault gravelly silt loam, 6 to 12 percent slopes
38D	HEL	Chenault gravelly silt loam, 12 to 20 percent slopes

***CLASS**

- HEL = Highly Erodible Land
- NHEL = Not Highly Erodible Land
- PHEL = Potentially Highly Erodible Land