JEFFERSON COUNTY, KENTUCKY
Highly Erodible Land Legend
Approved – WHC – 1/6/87
Frozen: 1/1/90

SYMBOL	CLASS*	NAME
AsA	NHEL	Ashton silt loam, 0 to 2 percent slopes
AsB	PHEL	Ashton silt loam, 2 to 6 percent slopes
BaB	PHEL	Beasley silt loam, 2 to 6 percent slopes
BaB2	PHEL	Beasley silt loam, 2 to 6 percent slopes, eroded
BaC2	HEL	Beasley silt loam, 6 to 12 percent slopes, eroded
BaD2	HEL	Beasley silt loam, 12 to 20 percent slopes, eroded
BeB3	PHEL	Beasley silty clay loam, 2 to 6 percent slopes, severely eroded
BeC3	HEL	Beasley silty clay loam, 6 to 12 percent slopes, severely eroded
BeD3	HEL	Beasley silty clay loam, 12 to 20 percent slopes, severely eroded
Br	PHEL	Breaks and Alluvial land
CaA	NHEL	Captina silt loam, 0 to 2 percent slopes
CaB	PHEL	Captina silt loam, 2 to 6 percent slopes
CaC2	HEL	Captina silt loam, 6 to 12 percent slopes, eroded
CdB2	PHEL	Corydon silt loam, 2 to 6 percent slopes, eroded
CmC3	HEL	Corydon silty clay loam, 6 to 12 percent slopes, severely eroded
CnC	HEL	Corydon very rocky silt loam, 6 to 12 percent slopes
CnD	HEL	Corydon very rocky silt loam, 12 to 20 percent slopes
CnE	HEL	Corydon very rocky silt loam, 20 to 30 percent slopes
CrC3	HEL	Corydon very rocky silty clay loam, 6 to 12 percent slopes, severely eroded
CrD3	HEL	Corydon very rocky silty clay loam, 12 to 20 percent slopes, severely eroded
CrE3	HEL	Corydon very rocky silty clay loam, 20 to 30 percent slopes, severely eroded
CsA	NHEL	Crider silt loam, 0 to 2 percent slopes
CsB	PHEL	Crider silt loam, 2 to 6 percent slopes
CsB2	PHEL	Crider silt loam, 2 to 6 percent slopes, eroded
CsC	PHEL	Crider silt loam, 6 to 12 percent slopes
CsC2	PHEL	Crider silt loam, 6 to 12 percent slopes, eroded
CsC3	PHEL	Crider silt loam, 6 to 12 percent slopes, severely eroded
CsD2	HEL	Crider silt loam, 12 to 20 percent slopes, eroded
DcA	NHEL	Dickson silt loam, 0 to 2 percent slopes
DcB	PHEL	Dickson silt loam, 2 to 6 percent slopes
Dn	NHEL	Dunning silty clay loam
EkA	NHEL	Elk silt loam, 0 to 2 percent slopes

EkB	PHEL	Elk silt loam, 2 to 6 percent slopes
En	NHEL	Ennis cherty silt loam
FaD	HEL	Fairmount flaggy silty clay, 12 to 20 percent slopes
FaD3	HEL	Fairmount flaggy silty clay, 12 to 20 percent slopes, severely eroded
FaE	HEL	Fairmount flaggy silty clay, 20 to 30 percent slopes
FaE3	HEL	Fairmount flaggy silty clay, 20 to 30 percent slopes, severely eroded
FaF	HEL	Fairmount flaggy silty clay, 30 to 50 percent slopes
Gm	NHEL	Ginat silt loam
Gn	HEL	Gullied land
Gu	NHEL	Guthrie silt loam
HgD	HEL	Holston gravelly silt loam, 12 to 20 percent slopes
HgE	HEL	Holston gravelly silt loam, 20 to 30 percent slopes
Hn	NHEL	Huntington fine sandy loam
Hs	NHEL	Huntington silt loam
LaB	NHEL	Lakin loamy fine sand, 2 to 6 percent slopes
LaC	PHEL	Lakin loamy fine sand, 6 to 12 percent slopes
LaD	HEL	Lakin loamy fine sand, 12 to 25 percent slopes
Lb	NHEL	Lawrence silt loam
Ld	NHEL	Lindside silt loam
LeD	HEL	Litz silt loam, 12 to 20 percent slopes
LmE	HEL	Litz-Muskingum silt loams, 20 to 30 percent slopes
LmF	HEL	Litz-Muskingum silt loams, 30 to 50 percent slopes
LnB	PHEL	Loring silt loam, 2 to 6 percent slopes
LnC2	HEL	Loring silt loam, 6 to 12 percent slopes, eroded
LoC2	PHEL	Loring-Crider silt loams, 6 to 12 percent slopes, eroded
LsC2	HEL	Lowell silt loam, 6 to 12 percent slopes, eroded
Ma		Made land
MdB2	PHEL	Markland silt loam, 2 to 6 percent slopes, eroded
MdC2	HEL	Markland silt loam, 6 to 12 percent slopes, eroded
MdE	HEL	Markland silt loam, 12 to 30 percent slopes
Mg	NHEL	McGary silt loam
Mm	NHEL	Melvin silt loam
Mn	NHEL	Melvin silty clay loam
Mo	NHEL	Melvin silt loam, overwash
MpB	PHEL	Memphis silt loam, 2 to 6 percent slopes
MpC2	HEL	Memphis silt loam, 6 to 12 percent slopes, eroded
MpD2	HEL	Memphis silt loam, 12 to 20 percent slopes, eroded
MpE2	HEL	Memphis silt loam, 20 to 30 percent slopes, eroded
MuF	HEL	Muskingum stony soils, 30 to 50 percent slopes
Ne	NHEL	Newark silt loam
OcD	HEL	Otway silty clay, 12 to 20 percent slopes
OcD3	HEL	Otway silty clay, 12 to 20 percent slopes, severely eroded

Pd	NHEL	Purdy silt loam
Rb	NHEL	Robertsville silt loam
RcE	HEL	Rockcastle silt loam, 15 to 30 percent slopes
Rd	HEL	Rock land
RuA	NHEL	Russellville silt loam, 0 to 2 percent slopes
RuB	PHEL	Russellville silt loam, 2 to 6 percent slopes
RuB2	PHEL	Russellville silt loam, 2 to 6 percent slopes, eroded
RuC2	HEL	Russellville silt loam, 6 to 12 percent slopes, eroded
ScA	NHEL	Sciotoville silt loam, 0 to 2 percent slopes
ScB	PHEL	Sciotoville silt loam, 2 to 6 percent slopes
ScC2	HEL	Sciotoville silt loam, 6 to 12 percent slopes, eroded
SfA	NHEL	Sequatchie fine sandy loam, 0 to 2 percent slopes
SfB	PHEL	Sequatchie fine sandy loam, 2 to 6 percent slopes
SfC2	PHEL	Sequatchie fine sandy loam, 6 to 12 percent slopes, eroded
ShB	PHEL	Shelbyville silt loam, 2 to 6 percent slopes
Ta	NHEL	Taft silt loam
Ty	NHEL	Tyler silt loam
Wb	NHEL	Weinbach silt loam
WcF	HEL	Westmoreland-Litz-Muskingum complex, 30 to 50 percent slopes
WeA	NHEL	Wheeling silt loam, 0 to 2 percent slopes
WeB	PHEL	Wheeling silt loam, 2 to 6 percent slopes
WeC2	HEL	Wheeling silt loam, 6 to 12 percent slopes, eroded
WeD2	HEL	Wheeling silt loam, 12 to 20 percent slopes, eroded
WeE2	HEL	Wheeling silt loam, 20 to 30 percent slopes, eroded
WmB	PHEL	Woolper silty clay loam, 2 to 6 percent slopes
WmC2	HEL	Woolper silty clay loam, 6 to 12 percent slopes, eroded
ZaB	PHEL	Zanesville silt loam, 2 to 6 percent slopes
ZaC2	HEL	Zanesville silt loam, 6 to 12 percent slopes, eroded
ZaD2	HEL	Zanesville silt loam, 12 to 20 percent slopes, eroded
Zp	NHEL	Zipp silty clay

*CLASS

HEL = Highly Erodible Land
NHEL = Not Highly Erodible Land
PHEL = Potentially Highly Erodible Land