

LOGAN COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 11/4/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
AIB	NHEL	Allegheny loam, 2 to 6 percent slopes
AIC	HEL	Allegheny loam, 6 to 12 percent slopes
AsD	HEL	Allegheny stony loam, 12 to 20 percent slopes
BaC	HEL	Baxter cherty silt loam, 6 to 12 percent slopes
BaD	HEL	Baxter cherty silt loam, 12 to 20 percent slopes
BaC3	HEL	Baxter cherty silty clay loam, 6 to 12 percent slopes, severely eroded
Bo	NHEL	Bonnie silt loam
Cf	NHEL	Clifty gravelly silt loam
CoC	HEL	Colbert silt loam, 6 to 12 percent slopes
CpC3	HEL	Colbert silty clay, 6 to 12 percent slopes, severely eroded
CrA	NHEL	Crider silt loam, 0 to 2 percent slopes
CrB	HEL	Crider silt loam, 2 to 6 percent slopes
CrC	HEL	Crider silt loam, 6 to 12 percent slopes
Cu	NHEL	Cuba silt loam
CvB	HEL	Cumberland silt loam, 2 to 6 percent slopes
CwC3	HEL	Cumberland silt loam, 6 to 12 percent slopes
CwC3	HEL	Cumberland silty clay loam, 6 to 12 percent slopes, severely eroded
Du	NHEL	Dunning silty clay loam
EIA	NHEL	Elk silt loam, 0 to 2 percent slopes
EIB	NHEL	Elk silt loam, 2 to 6 percent slopes
EIC	HEL	Elk silt loam, 6 to 12 percent slopes
EpB	HEL	Epley silt loam, 2 to 6 percent slopes
EpC	HEL	Epley silt loam, 6 to 12 percent slopes
FeC	HEL	Fredonia rocky silty clay loam, 2 to 12 percent slopes
FrC	HEL	Frondorf silt loam, 6 to 12 percent slopes
FrD	HEL	Frondorf silt loam, 12 to 20 percent slopes
FsF	HEL	Frondorf stony complex, 12 to 50 percent slopes
Gu	HEL	Gullied land

HaC	HEL	Hartsells loam, 6 to 12 percent slopes
Jo	NHEL	Johnsburg silt loam
Ka	NHEL	Karnak silty clay
La	NHEL	Lawrence silt loam
Ld	NHEL	Lindside silt loam
LnB	NHEL	Linker loam, 2 to 6 percent slopes
LnC	HEL	Linker loam, 6 to 12 percent slopes
Me	NHEL	Melvin silt loam
Ne	NHEL	Newark silt loam
NhA	NHEL	Nicholson silt loam, 0 to 2 percent slopes
NhB	HEL	Nicholson silt loam, 2 to 6 percent slopes
NhC	HEL	Nicholson silt loam, 6 to 12 percent slopes
No	NHEL	Nolin silt loam
PeA	NHEL	Pembroke silt loam, 0 to 2 percent slopes
PeB	NHEL	Pembroke silt loam, 2 to 6 percent slopes
PeC	HEL	Pembroke silt loam, 6 to 12 percent slopes
PeC3	HEL	Pembroke silty clay loam, 6 to 12 percent slopes, severely eroded
PkB	NHEL	Pickwick silt loam, 2 to 6 percent slopes
PkC	HEL	Pickwick silt loam, 6 to 12 percent slopes
PkC3	HEL	Pickwick silty clay loam, 6 to 12 percent slopes, severely eroded
Ro	NHEL	Robertsville silt loam
	HEL	Rock Outcrop-Fredonia-Colbert complex
SaA	NHEL	Sadler silt loam, 0 to 2 percent slopes
SaB	HEL	Sadler silt loam, 2 to 6 percent slopes
St	NHEL	Steff silt loam
TaB	HEL	Talbott silt loam, 2 to 6 percent slopes
TaC	HEL	Talbott silt loam, 6 to 12 percent slopes
TaD	HEL	Talbott silt loam, 12 to 20 percent slopes
TbD3	HEL	Talbott silty clay, 6 to 20 percent slopes, severely eroded
TcD	HEL	Talbott-Colbert rocky silt loams, 2 to 20 percent slopes
TcF	HEL	Talbott-Colbert rocky silt loams, 20 to 50 percent slopes
WeB	HEL	Wellston silt loam, 2 to 6 percent slopes

WeC	HEL	Wellston silt loam, 6 to 12 percent slopes
ZaB	HEL	Zanesville silt loam, 2 to 6 percent slopes
ZaC	HEL	Zanesville silt loam, 6 to 12 percent slopes

***CLASS**

HEL = Highly Erodible Land

NHEL = Not Highly Erodible Land

PHEL = Potentially Highly Erodible Land