

MCCREARY COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 11/18/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
AgC	HEL	Allegheny gravelly loam, 6 to 12 percent slopes
At	NHEL	Atkins silt loam
CIB	NHEL	Clymer fine sandy loam, 2 to 6 percent slopes
CIC	HEL	Clymer fine sandy loam, 6 to 12 percent slopes
CmD	HEL	Clymer and Dekalb fine sandy loam, 12 to 20 percent slopes
CoD	HEL	Colbert silty clay loam, 6 to 20 percent slopes
Ct	NHEL	Cotaco silt loam
DeC	HEL	Dekalb fine sandy loam, 6 to 12 percent slopes
DrD	HEL	Dekalb and Ramsey sandy loams, 12 to 20 percent slopes
DtE	HEL	Dekalb and Tate sandy loams, 20 to 30 percent slopes
DtF	HEL	Dekalb and Tate sandy loams, 30 to 50 percent slopes
Ek	NHEL	Elk silt loam
Hu	NHEL	Huntington silt loam
Ma	PHEL	Made land
MeC	HEL	Muse silt loam, 6 to 12 percent slopes
MeD	HEL	Muse silt loam, 12 to 20 percent slopes
MmG	HEL	Muse and Gilpin silt loams, 50 to 65 percent slopes
MnE	HEL	Muse-Shelocta stony silt loams, 20 to 40 percent slopes
MoF	HEL	Muse-Shelocta-Gilpin stony silt loams, 40 to 60 percent slopes
MpE	HEL	Muse-Trappist silt loams, 20 to 30 percent slopes
MpF	HEL	Muse-Trappist silt loams, 30 to 50 percent slopes
MtE3	HEL	Muse-Trappist silty clay loams, 20 to 30 percent slopes, severely eroded
Pf	NHEL	Philo fine sandy loam
Ph	NHEL	Philo silt loam
PoD	PHEL	Pope fine sandy loam, 4 to 20 percent slopes
Psa	NHEL	Pope soils, 0 to 4 percent slopes
RcF	HEL	Renox channery silt loam, 40 to 60 percent slopes
Re	NHEL	Robertsville silt loam
Rt	HEL	Rock land-Talbott complex
Sd	NHEL	Stendal sandy loam
St	HEL	Strip Mines
TaC	HEL	Talbott rocky silt loam, 6 to 12 percent slopes
TaD	HEL	Talbott rocky silt loam, 12 to 20 percent slopes
TbD3	HEL	Talbott very rocky silty clay, 12 to 20 percent slopes, severely eroded
Tc	HEL	Tate-Very stony land complex

TeB	NHEL	Tate fine sandy loam, 0 to 6 percent slopes
TIC	HEL	Tate loam, 6 to 12 percent slopes
TID	HEL	Tate loam, 12 to 20 percent slopes
TIE	HEL	Tate loam, 20 to 30 percent slopes
TIF	HEL	Tate loam, 30 to 50 percent slopes
TmD	HEL	Tate stony sandy loam, 12 to 20 percent slopes
TmE	HEL	Tate stony sandy loam, 20 to 30 percent slopes
TmF	HEL	Tate stony sandy loam, 30 to 50 percent slopes
TnF	HEL	Tate-Trappist stony complex, 25 to 45 percent slopes
ToE	HEL	Tate, Shelocta, and Muse stony soils, 12 to 35 percent slopes
TpB	NHEL	Tilsit silt loam, 2 to 6 percent slopes
TrC3	HEL	Trappist silty clay loam, 6 to 12 percent slopes, severely eroded
TrD3	HEL	Trappist silty clay loam, 12 to 20 percent slopes, severely eroded
TsD	HEL	Trappist-Monongahela silt loams, 12 to 20 percent slopes
TwD3	HEL	Trappist-Weikert silt loams, 12 to 20 percent slopes, severely eroded
Ty	NHEL	Tyler silt loam
WeC	HEL	Wellston silt loam, 6 to 12 percent slopes
WtB	NHEL	Wellston and Tilsit silt loams, 2 to 6 percent slopes

**\*CLASS**

- HEL = Highly Erodible Land
- NHEL = Not Highly Erodible Land
- PHEL = Potentially Highly Erodible Land