

PULASKI COUNTY, KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 11/18/86

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
AIB	NHEL	Allegheny loam, 2 to 6 percent slopes
AIC	HEL	Allegheny loam, 6 to 12 percent slopes
As	NHEL	Ashton silt loam
BeA	NHEL	Bedford silt loam, 0 to 2 percent slopes
BeB	HEL	Bedford silt loam, 2 to 6 percent slopes
BrF	HEL	Brookside-Rock outcrop complex, 30 to 75 percent slopes
Cg	NHEL	Chagrin loam
Ch	NHEL	Chagrin gravelly silt loam
CoE	HEL	Colyer silt loam, 20 to 50 percent slopes
CuB	NHEL	Cumberland silt loam, 2 to 6 percent slopes
CuC	HEL	Cumberland silt loam, 6 to 12 percent slopes
CvB	NHEL	Cumberland cherty silt loam, 2 to 6 percent slopes
CvC	HEL	Cumberland cherty silt loam, 6 to 12 percent slopes
CvD	HEL	Cumberland cherty silt loam, 12 to 20 percent slopes
CwD3	HEL	Cumberland cherty silty clay loam, 12 to 20 percent slopes, severely eroded
DeC	HEL	Dekalb sandy loam, 6 to 12 percent slopes
DrD	HEL	Dekalb-Rock outcrop complex, 12 to 20 percent slopes
DrE	HEL	Dekalb-Rock outcrop complex, 20 to 50 percent slopes
EtB	NHEL	Etowah cherty silt loam, 2 to 6 percent slopes
EtC	HEL	Etowah cherty silt loam, 6 to 12 percent slopes
FcB	HEL	Frankstown cherty silt loam, 2 to 6 percent slopes
FcC	HEL	Frankstown cherty silt loam, 6 to 12 percent slopes
FcD	HEL	Frankstown cherty silt loam, 12 to 20 percent slopes
FcE	HEL	Frankstown cherty silt loam, 20 to 30 percent slopes
FdB	NHEL	Frederick silt loam, 2 to 6 percent slopes
FdC	HEL	Frederick silt loam, 6 to 12 percent slopes
FdD	HEL	Frederick silt loam, 12 to 20 percent slopes
FdE	HEL	Frederick silt loam, 20 to 30 percent slopes
FeC3	HEL	Frederick silty clay loam, 6 to 12 percent slopes, severely eroded
FeD3	HEL	Frederick silty clay loam, 12 to 20 percent slope, severely eroded
FfE	HEL	Frederick-Jefferson complex, 20 to 50 percent slopes
FkD	HEL	Fredonia-Frederick rocky silt loams, 6 to 20 percent slopes
FID3	HEL	Fredonia-Frederick rocky silty clay loams, 6 to 20 percent slopes, severely eroded
FrE	HEL	Fredonia very rocky soils, 6 to 30 percent slopes
GmF	HEL	Garmon-Trimble complex, 30 to 80 percent slopes
GnD	HEL	Gilpin silt loam, 12 to 20 percent slopes

HaC	HEL	Hartsells fine sandy loam, 6 to 12 percent slopes
HaD	HEL	Hartsells fine sandy loam, 12 to 20 percent slopes
HaE	HEL	Hartsells fine sandy loam, 20 to 30 percent slopes
HrB	HEL	Hartsells loam, 2 to 6 percent slopes
Hu	NHEL	Huntington silt loam
JeE	HEL	Jefferson sandy loam, 20 to 40 percent slopes
JFC	HEL	Jefferson gravelly loam, 6 to 12 percent slopes
JFD	HEL	Jefferson gravelly loam, 12 to 20 percent slopes
JFE	HEL	Jefferson stony loam, 20 to 30 percent slopes
JLF	HEL	Jefferson stony loam, 30 to 65 percent slopes
La	NHEL	Lawrence silt loam
Ld	NHEL	Lindside silt loam
Me	NHEL	Melvin silt loam
MgB	HEL	Monongahela loam, 2 to 6 percent slopes
MnB	NHEL	Mountview silt loam, 2 to 6 percent slopes
MnC	HEL	Mountview silt loam, 6 to 12 percent slopes
MnD	HEL	Mountview silt loam, 12 to 20 percent slopes
MoC	HEL	Muse silt loam, 6 to 12 percent slopes
MoD	HEL	Muse silt loam, 12 to 20 percent slopes
MaC3	HEL	Muse silty clay loam, 6 to 12 percent slopes, severely eroded
MsD3	HEL	Muse silty clay loam, 12 to 20 percent slopes, severely eroded
MtD	HEL	Muse-Hartsells complex, 12 to 20 percent slopes
MuD	HEL	Muse-Shelocta complex, 12 to 20 percent slopes
MuE	HEL	Muse-Shelocta complex, 20 to 30 percent slopes
MuE3	HEL	Muse-Shelocta complex, 20 to 30 percent slopes, severely eroded
MuF	HEL	Muse-Shelocta complex, 30 to 50 percent slopes
NcC2	HEL	Needmore silty clay loam, 6 to 12 percent slopes, eroded
MdD	HEL	Needmore complex, 12 to 25 percent slopes
Ne	NHEL	Newark silt loam
Ng	NHEL	Newark gravelly silt loam
NkC	HEL	Nolichucky loam, 6 to 12 percent slopes
NkD	HEL	Nolichucky loam, 12 to 20 percent slopes
No	NHEL	Nolin silt loam
PeB	NHEL	Pembroke silt loam, 2 to 6 percent slopes
PeC	HEL	Pembroke silt loam, 6 to 12 percent slopes
Po	NHEL	Pope fine sandy loam
Ro	NHEL	Robertsville silt loam
RsE	HEL	Rockcastle silt loam, 20 to 30 percent slopes
SgC	HEL	Shelocta gravelly silt loam, 6 to 12 percent slopes
SgD	HEL	Shelocta gravelly silt loam, 12 to 20 percent slopes
ShD	HEL	Shelocta-Jefferson complex, 12 to 20 percent slopes
ShE	HEL	Shelocta-Jefferson complex, 20 to 30 percent slopes
ShF	HEL	Shelocta-Jefferson complex, 30 to 50 percent slopes
Sn	NHEL	Stendal loam
St	HEL	Strip mines
TaC2	HEL	Talbott silty clay loam, 6 to 12 percent slopes, eroded

TbD	HEL	Talbott rocky silt loam, 6 to 20 percent slopes
TbE	HEL	Talbott rocky silt loam, 20 to 30 percent slopes
TrD3	HEL	Talbott rocky silty clay loam, 6 to 20 percent slopes, severely eroded
TkB	HEL	Tarklin cherty silt loam, 2 to 6 percent slopes
TkC	HEL	Tarklin cherty silt loam, 6 to 12 percent slopes
TrB	HEL	Trimble cherty silt loam, 2 to 6 percent slopes
TrC	HEL	Trimble cherty silt loam, 6 to 12 percent slopes
TrD	HEL	Trimble cherty silt loam, 12 to 20 percent slopes
TrE	HEL	Trimble cherty silt loam, 20 to 30 percent slopes
WaB	NHEL	Waynesboro loam, 2 to 6 percent slopes
WaC	HEL	Waynesboro loam, 6 to 12 percent slopes
WaD	HEL	Waynesboro loam, 12 to 20 percent slopes
WaE	HEL	Waynesboro loam, 20 to 30 percent slopes
WbE3	HEL	Waynesboro clay loam, 12 to 30 percent slopes, severely eroded
WhC	HEL	Whitley silt loam, 6 to 12 percent slopes
WIA	NHEL	Whitley silt loam, terrace, 0 to 2 percent slopes
WIB	HEL	Whitley silt loam, terrace, 2 to 6 percent slopes
WIC	HEL	Whitley silt loam, terrace, 6 to 12 percent slopes
WtB	NHEL	Whitley and Tilsit silt loams, 2 to 6 percent slopes

***CLASS**

- HEL = Highly Erodible Land
- NHEL = Not Highly Erodible Land
- PHEL = Potentially Highly Erodible Land