

LAWRENCE COUNTY KENTUCKY

Highly Erodible Land Legend

Approved – WHC – 1/8/87

Frozen: 1/1/90

<u>SYMBOL</u>	<u>CLASS*</u>	<u>NAME</u>
477A	NHEL	Allegheny fine sandy loam, 0 to 4 percent slopes
477C	HEL	Allegheny fine sandy loam, 6 to 12 percent slopes
378A	NHEL	Ashton silt loam, 0 to 4 percent slopes
378B	PHEL	Ashton silt loam, 6 to 12 percent slopes
193	NHEL	Atkins fine sandy loam
198A	NHEL	Bruno loamy fine sand, 0 to 4 percent slopes
198D	PHEL	Bruno loamy fine sand, 4 to 30 percent slopes
380A	NHEL	Chavies fine sandy loam, 0 to 4 percent slopes
380C	PHEL	Chavies fine sandy loam, 6 to 12 percent slopes
46	PHEL	Cotaco loam
180	NHEL	Cuba silt loam
871F	HEL	Dekalb-Latham-Rock outcrop association, 20 to 70 percent slopes
379A	HEL	Elk silt loam, 0 to 4 percent slopes
379C	PHEL	Elk silt loam, 6 to 12 percent slopes
700B	PHEL	Fairpoint-Bethesda channery loams, 0 to 6 percent slopes
700D	HEL	Fairpoint-Bethesda channery loams, 6 to 20 percent slopes
700F	HEL	Fairpoint-Bethesda very channery silty clay loams, 20 to 70 percent slopes
864C	HEL	Gilpin silt loam, 6 to 12 percent slopes
864D	HEL	Gilpin silt loam, 12 to 20 percent slopes
15	NHEL	Grigsby fine sandy loam
48B	PHEL	Hayter silt loam, 2 to 6 percent slopes
48C	PHEL	Hayter silt loam, 6 to 12 percent slopes
48D	HEL	Hayter silt loam, 12 to 20 percent slopes
115	NHEL	Huntington silt loam
41B	NHEL	Jefferson gravelly loam, 2 to 6 percent slopes
41C	PHEL	Jefferson gravelly loam, 6 to 12 percent slopes
41D	HEL	Jefferson gravelly loam, 12 to 20 percent slopes
41E	HEL	Jefferson gravelly loam, 20 to 30 percent slopes

43F	HEL	Jefferson-Shelocta-Gilpin association, 20 to 70 percent slopes
882C	HEL	Latham silt loam, 6 to 12 percent slopes
882D	HEL	Latham silt loam, 12 to 20 percent slopes
438E	HEL	Latham-Shelocta silt loams, 20 to 30 percent slopes
438F	HEL	Latham-Shelocta association, 30 to 50 percent slopes
870C	HEL	Lily fine sandy loam, 6 to 12 percent slopes
870D	HEL	Lily fine sandy loam, 12 to 20 percent slopes
390	NHEL	McGary silt loam
383	PHEL	Monongahela fine sandy loam
480	NHEL	Morehead silt loam
112	NHEL	Newark silt loam
10	NHEL	Nolin silt loam
181	NHEL	Pope fine sandy loam
297	NHEL	Pope gravelly fine sandy loam
40B	PHEL	Shelocta silt loam, 2 to 6 percent slopes
40C	HEL	Shelocta silt loam, 6 to 12 percent slopes
40D	HEL	Shelocta silt loam, 12 to 20 percent slopes
45F	HEL	Shelocta-Cutshin association, 20 to 70 percent slopes
184	NHEL	Stendal silt loam
185	NHEL	Stokly fine sandy loam
86B	PHEL	Tilsit silt loam, 2 to 6 percent slopes
833D	HEL	Upshur silty clay loam, 6 to 20 percent slopes
408C	HEL	Vandalia silt loam, 6 to 12 percent slopes
408D	HEL	Vandalia silt loam, 12 to 20 percent slopes
408E	HEL	Vandalia silt loam, 20 to 30 percent slopes
831F	HEL	Vandalia-Upshur association, 30 to 60 percent slopes
877F	HEL	Weikert-Gilpin stony silt loams, 20 to 50 percent slopes
83B	PHEL	Wernock silt loam, 2 to 6 percent slopes
83C	HEL	Wernock silt loam, 6 to 12 percent slopes
83D	HEL	Wernock silt loam, 12 to 20 percent slopes
377A	NHEL	Whitley silt loam, 0 to 4 percent slopes
377C	HEL	Whitley silt loam, 6 to 12 percent slopes

*

HEL = Highly Erodible Land

NHEL = Not Highly Erodible Land
PHEL = Potentially Highly Erodible Land