



March 3, 2015

TECHNICAL GUIDE NOTICE NO. 392

This notice transmits the following new or revised conservation practice standard(s), statements of work and jobsheet(s).

CONSERVATION PRACTICE STANDARDS:

- New: **Drainage Water Management (554)** – A Drainage Water Management standard was developed for the FOTG. This is a new standard for Kentucky.
- New: **Waste Treatment (629)** – A Waste Treatment standard was developed for FOTG. This is a new standard for Kentucky.
- Revised: **Conservation Cover (327)** – Removed pure live seed (PLS) requirement from Table 7, columns 4 and 5.
- Revised: **Contour Buffer Strips (332)** – Removed pure live seed (PLS) requirement for introduced grasses on page 5.
- Revised: **Critical Area Seeding (342)** – Clarified pure live seed (PLS) seeding rates on the chart on page 5.
- Revised: **Filter Strip (393)** – Clarified pure live seed (PLS) seeding rates on the chart on page 4.
- Revised: **Waste Storage Structure Construction Specification (313)** – The construction specification was revised to cover the latest allowable treatments for wood. It was also revised to cover the type nails and other fasteners required for treated wood. The curing compound section was revised to cover the latest curing compounds available/allowed.

STATEMENTS OF WORK:

- New: **Drainage Water Management (554)** – A new SOW was developed for the Drainage Water Management standard.
- New: **Waste Treatment (629)** – A new SOW was developed for the Waste Treatment standard.
- New: **Waste Storage Facility (313)** – A new SOW was developed for the Waste Storage Facility standard.

JOBSHEETS:

- Revised: **Forage and Biomass Planting (512) – Introduced Grass Planting Job Sheet** - Removed pure live seed (PLS) requirement from Table 3, Columns 4 and 5.
- Revised: **Forage and Biomass Planting (512) – Over-seeding Existing Pasture with Legumes Job Sheet** -Removed pure live seed (PLS) requirement from Table 1, columns 4 and 5.

ARCHIVED:

Contour Buffer Strips (332) dated December 2013

Conservation Cover (327) dated November 2014

Critical Area Seeding (342) dated December 2013

Filter Strip (393) dated November 2013

Waste Storage Facility (313) Construction Specification dated June 2009

ACTION

Access eFOTG and download the documents as needed. Discontinue use of Archived material. These documents go into effect upon receipt of this notice. The documents have been reviewed by the KY State Technical Guide Committee and approved for posting to eFOTG in Section IV/Conservation Practices by Mark Ferguson, State Resource Conservationist.


KAREN A. WOODRICH
State Conservationist