

Soil Correlation Of
Metcalfe County, Kentucky: Detailed Soil Map Legend

HEL Class*	Frozen symbol	Frozen map unit name	Current symbol	Current map unit name
NHEL	BaB	Baxter cherty silt loam, 2 to 6 percent slopes	BaB	Baxter cherty silt loam, 2 to 6 percent slopes
NHEL	BaB2	Baxter cherty silt loam, 2 to 6 percent slopes, eroded	BaB2	Baxter cherty silt loam, 2 to 6 percent slopes, eroded
HEL	BaC	Baxter cherty silt loam, 6 to 12 percent slopes	BaC	Baxter cherty silt loam, 6 to 12 percent slopes
HEL	BaC2	Baxter cherty silt loam, 6 to 12 percent slopes, eroded	BaC2	Baxter cherty silt loam, 6 to 12 percent slopes, eroded
HEL	BaD	Baxter cherty silt loam, 12 to 20 percent slopes	BaD	Baxter cherty silt loam, 12 to 20 percent slopes
HEL	BaD2	Baxter cherty silt loam, 12 to 20 percent slopes, eroded	BaD2	Baxter cherty silt loam, 12 to 20 percent slopes, eroded
HEL	BaE	Baxter cherty silt loam, 20 to 30 percent slopes	BaE	Baxter cherty silt loam, 20 to 30 percent slopes
HEL	BaE2	Baxter cherty silt loam, 20 to 30 percent slopes, eroded	BaE2	Baxter cherty silt loam, 20 to 30 percent slopes, eroded
HEL	BcC3	Baxter cherty silty clay loam, 6 to 12 percent slopes, severely eroded	BcC3	Baxter cherty silty clay loam, 6 to 12 percent slopes, severely eroded
HEL	BcD3	Baxter cherty silty clay loam, 12 to 20 percent slopes, severely eroded	BcD3	Baxter cherty silty clay loam, 12 to 20 percent slopes, severely eroded
HEL	BcE3	Baxter cherty silty clay loam, 20 to 30 percent slopes, severely eroded	BcE3	Baxter cherty silty clay loam, 20 to 30 percent slopes, severely eroded
HEL	BeC2	Baxter-Talbott rocky silt loams, 6 to 12 percent slopes, eroded	BeC2	Baxter-Talbott rocky silt loams, 6 to 12 percent slopes, eroded (baxter, caneyville rocky)
HEL	BeD2	Baxter-Talbott rocky silt loams, 12 to 20 percent slopes, eroded	BeD2	Baxter-Talbott rocky silt loams, 12 to 20 percent slopes, eroded (baxter, caneyville rocky)
HEL	BeE2	Baxter-Talbott rocky silt loams, 20 to 30 percent slopes, eroded	BeE2	Baxter-Talbott rocky silt loams, 20 to 30 percent slopes, eroded (baxter, caneyville rocky)
HEL	BfD3	Baxter-Talbott rocky silty clay loams, 12 to 20 percent slopes, severely eroded	BfD3	Baxter-Talbott rocky silty clay loams, 12 to 20 percent slopes, severely eroded (baxter, caneyville rocky)
HEL	BoD	Bodine cherty silt loam, 12 to 20 percent slopes	BoD	Bodine cherty silt loam, 12 to 20 percent slopes
HEL	BoE	Bodine cherty silt loam, 20 to 35 percent slopes	BoE	Bodine cherty silt loam, 20 to 35 percent slopes
HEL	CaE	Caneyville rocky complex, 20 to 30 percent slopes	CaE	Caneyville rocky complex, 20 to 30 percent slopes
HEL	CaE3	Caneyville rocky complex, 20 to 30 percent slopes, severely eroded	CaE3	Caneyville rocky complex, 20 to 30 percent slopes, severely eroded
HEL	CaF	Caneyville rocky complex, 30 to 50 percent slopes	CaF	Caneyville rocky complex, 30 to 50 percent slopes
NHEL	CbA	Captina silt loam, 0 to 2 percent slopes	CbA	Captina silt loam, 0 to 2 percent slopes
HEL	CbB	Captina silt loam, 2 to 6 percent slopes	CbB	Captina silt loam, 2 to 6 percent slopes
HEL	CcD3	Christian clay loam, 6 to 20 percent slopes, severely eroded	CcD3	Christian clay loam, 6 to 20 percent slopes, severely eroded
NHEL	CdB	Christian loam, 2 to 6 percent slopes	CdB	Christian loam, 2 to 6 percent slopes

Soil Correlation Of
Metcalf County, Kentucky: Detailed Soil Map Legend

HEL Class*	Frozen symbol	Frozen map unit name	Current symbol	Current map unit name
HEL	CdC	Christian loam, 6 to 12 percent slopes	CdC	Christian loam, 6 to 12 percent slopes
HEL	CdC2	Christian loam, 6 to 12 percent slopes, eroded	CdC2	Christian loam, 6 to 12 percent slopes, eroded
HEL	CdD2	Christian loam, 12 to 20 percent slopes, eroded	CdD2	Christian loam, 12 to 20 percent slopes, eroded
HEL	CeD	Christian rocky soils, 12 to 20 percent slopes	CeD	Christian rocky soils, 12 to 20 percent slopes (caneyville rocky)
HEL	CkB	Clarksville cherty silt loam, 2 to 6 percent slopes	CkB	Clarksville cherty silt loam, 2 to 6 percent slopes
HEL	CkC	Clarksville cherty silt loam, 6 to 12 percent slopes	CkC	Clarksville cherty silt loam, 6 to 12 percent slopes
HEL	CkC2	Clarksville cherty silt loam, 6 to 12 percent slopes, eroded	CkC2	Clarksville cherty silt loam, 6 to 12 percent slopes, eroded
HEL	CkD2	Clarksville cherty silt loam, 12 to 20 percent slopes, eroded	CkD2	Clarksville cherty silt loam, 12 to 20 percent slopes, eroded
HEL	CkE2	Clarksville cherty silt loam, 20 to 30 percent slopes, eroded	CkE2	Clarksville cherty silt loam, 20 to 30 percent slopes, eroded
NHEL	CrB	Crider silt loam, 2 to 6 percent slopes	CrB	Crider silt loam, 2 to 6 percent slopes
NHEL	CrB2	Crider silt loam, 2 to 6 percent slopes, eroded	CrB2	Crider silt loam, 2 to 6 percent slopes, eroded
HEL	CrC2	Crider silt loam, 6 to 12 percent slopes, eroded	CrC2	Crider silt loam, 6 to 12 percent slopes, eroded
NHEL	CuB	Cumberland cherty silt loam, 2 to 6 percent slopes	CuB	Cumberland cherty silt loam, 2 to 6 percent slopes (frederick)
NHEL	CuB2	Cumberland cherty silt loam, 2 to 6 percent slopes, eroded	CuB2	Cumberland cherty silt loam, 2 to 6 percent slopes, eroded (frederick)
HEL	CuC2	Cumberland cherty silt loam, 6 to 12 percent slopes, eroded	CuC2	Cumberland cherty silt loam, 6 to 12 percent slopes, eroded (frederick)
HEL	CuD2	Cumberland cherty silt loam 12 to 20 percent slopes, eroded	CuD2	Cumberland cherty silt loam 12 to 20 percent slopes, eroded (frederick)
HEL	CvD3	Cumberland cherty silty clay, 12 to 20 percent slopes, severely eroded	CvD3	Cumberland cherty silty clay, 12 to 20 percent slopes, severely eroded (frederick)
HEL	DaD	Dandridge and Westmoreland shaly silt loams, 12 to 20 percent slopes	DaD	Dandridge and Westmoreland shaly silt loams, 12 to 20 percent slopes (dandridge, garmon)
HEL	DaF	Dandridge and Westmoreland shaly silt loams, 20 to 50 percent slopes	DaF	Dandridge and Westmoreland shaly silt loams, 20 to 50 percent slopes (dandridge, garmon)
HEL	DbD3	Dandridge and Westmoreland shaly silty clay loams, 12 to 20 percent slopes, severely eroded	DbD3	Dandridge and Westmoreland shaly silty clay loams, 12 to 20 percent slopes, severely eroded (dandridge, garmon)
HEL	DbF3	Dandridge and Westmoreland shaly silty clay loams, 20 to 50 percent slopes, severely eroded	DbF3	Dandridge and Westmoreland shaly silty clay loams, 20 to 50 percent slopes, severely eroded (dandridge, garmon)
HEL	DcB	Dandridge and Westmoreland silt loams, 2 to 6 percent slopes	DcB	Dandridge and Westmoreland silt loams, 2 to 6 percent slopes (dandridge, garmon)
HEL	DcC	Dandridge and Westmoreland silt loams, 6 to 12 percent slopes	DcC	Dandridge and Westmoreland silt loams, 6 to 12 percent slopes (dandridge, garmon)
NHEL	DeB	Dewey silt loam, 2 to 6 percent slopes	DeB	Dewey silt loam, 2 to 6 percent slopes

Soil Correlation Of
Metcalf County, Kentucky: Detailed Soil Map Legend

HEL Class*	Frozen symbol	Frozen map unit name	Current symbol	Current map unit name
HEL	DeC2	Dewey silt loam, 6 to 12 percent slopes, eroded	DeC2	Dewey silt loam, 6 to 12 percent slopes, eroded
HEL	DeD2	Dewey silt loam, 12 to 20 percent slopes, eroded	DeD2	Dewey silt loam, 12 to 20 percent slopes, eroded
NHEL	DkA	Dickson silt loam, 0 to 2 percent slopes	DkA	Dickson silt loam, 0 to 2 percent slopes
HEL	DkB	Dickson silt loam, 2 to 6 percent slopes	DkB	Dickson silt loam, 2 to 6 percent slopes
HEL	DkB2	Dickson silt loam, 2 to 6 percent slopes, eroded	DkB2	Dickson silt loam, 2 to 6 percent slopes, eroded
HEL	DkC2	Dickson silt loam, 6 to 12 percent slopes, eroded	DkC2	Dickson silt loam, 6 to 12 percent slopes, eroded
NHEL	EkB	Elk silt loam, 2 to 6 percent slopes	EkB	Elk silt loam, 2 to 6 percent slopes
HEL	Gu	Gullied land	Gu	Gullied land
NHEL	HcB	Humphreys cherty silt loam, 2 to 6 percent slopes	HcB	Humphreys cherty silt loam, 2 to 6 percent slopes
HEL	HcC	Humphreys cherty silt loam, 6 to 12 percent slopes	HcC	Humphreys cherty silt loam, 6 to 12 percent slopes
HEL	HcC2	Humphreys cherty silt loam, 6 to 12 percent slopes, eroded	HcC2	Humphreys cherty silt loam, 6 to 12 percent slopes, eroded
NHEL	Hg	Huntington gravelly silt loam	Hg	Huntington gravelly silt loam (sensabaugh)
NHEL	Hu	Huntington silt loam	Hu	Huntington silt loam
HEL	LaC2	Landisburg cherty silt loam, 6 to 12 percent slopes, eroded	LaC2	Landisburg cherty silt loam, 6 to 12 percent slopes, eroded (tarklin)
HEL	LdB	Landisburg silt loam, 2 to 6 percent slopes	LdB	Landisburg silt loam, 2 to 6 percent slopes (captina)
HEL	LdC2	Landisburg silt loam, 6 to 12 percent slopes, eroded	LdC2	Landisburg silt loam, 6 to 12 percent slopes, eroded (captina)
NHEL	Ls	Lindside silt loam	Ls	Lindside silt loam
NHEL	Me	Melvin silt loam	Me	Melvin silt loam
NHEL	MoB	Mountview silt loam, 2 to 6 percent slopes	MoB	Mountview silt loam, 2 to 6 percent slopes
HEL	MoC2	Mountview silt loam, 6 to 12 percent slopes, eroded	MoC2	Mountview silt loam, 6 to 12 percent slopes, eroded
HEL	MuC	Muse silt loam, 6 to 12 percent slopes	MuC	Muse silt loam, 6 to 12 percent slopes
NHEL	Nk	Newark silt loam	Nk	Newark silt loam
NHEL	PmB	Pembroke silt loam, 2 to 6 percent slopes	PmB	Pembroke silt loam, 2 to 6 percent slopes
HEL	PmC2	Pembroke silt loam, 6 to 12 percent slopes, eroded	PmC2	Pembroke silt loam, 6 to 12 percent slopes, eroded
	Pt	Pits, quarries	Pt	Pits, quarries
HEL	RaC	Renox silt loam, 6 to 12 percent slopes	RaC	Renox silt loam, 6 to 12 percent slopes
NHEL	Rb	Robertsville silt loam	Rb	Robertsville silt loam
NHEL	Rf	Robinsonville fine sandy loam	Rf	Robinsonville fine sandy loam
	Rk	Rock land	Rk	Rock land (rock outcrop)
NHEL	SaA	Sango silt loam, 0 to 2 percent slopes	SaA	Sango silt loam, 0 to 2 percent slopes
HEL	SaB	Sango silt loam, 2 to 6 percent slopes	SaB	Sango silt loam, 2 to 6 percent slopes

Soil Correlation Of
Metcalfe County, Kentucky: Detailed Soil Map Legend

HEL Class*	Frozen symbol	Frozen map unit name	Current symbol	Current map unit name
NHEL	Ta	Taft silt loam	Ta	Taft silt loam
HEL	TbC	Talbott silt loam, 6 to 12 percent slopes	TbC	Talbott silt loam, 6 to 12 percent slopes (caneyville rocky)
HEL	TcC2	Talbott silty clay loam, 6 to 12 percent slopes, eroded	TcC2	Talbott silty clay loam, 6 to 12 percent slopes, eroded (caneyville rocky)
	W	Water	W	Water

HEL Class*

HEL = Highly Erodible Land

NHEL = Not Highly Erodible Land

PHEL = Potentially Highly Erodible Land