

LA Statewide Average Cost List  
FY 2006

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
100	CTA	Comprehensive Nutrient Management Plan	Comprehensive Nutrient Management Plan	no	350	FR	100
313	CTA	Waste Storage Facility	Waste Storage Structure, Standard Design, Litter Building (earthwork, concrete, building)	sf	5.28	AC	100
313	CTA	Waste Storage Facility	Concrete Form Walls & Str Form Steel, Place & Finish	cy	340	AC	100
313	CTA	Waste Storage Facility	Concrete Slabs (Forming, Steel, Placement & Finish)	cy	185	AC	100
313	CTA	Waste Storage Facility	Slotted Riser 8" X 3'	ea	52	AC	100
313	CTA	Waste Storage Facility	Earthfill Moisture Control	cy	1.62	AC	100
313	CTA	Waste Storage Facility	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
313	CTA	Waste Storage Facility	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
314	CTA	Brush Management	Herbicide - Light Cover Competition	ac	42.1	AC	100
314	CTA	Brush Management	Herbicide - Medium Cover Competition	ac	56.15	AC	100
314	CTA	Brush Management	Herbicide - Heavy Cover Competition	ac	114.78	AC	100
314	CTA	Brush Management	Power Grubbing	ac	125	AC	100
314	CTA	Brush Management	Low Energy Grubbing	ac	70	AC	100
314	CTA	Brush Management	Roller Chopping	ac	35	AC	100
314	CTA	Brush Management	Root Plowing	ac	50	AC	100
317	CTA	Composting Facility	Composting Facility, Rotary Drum Composter (composter, freight)	gal	6.17	AC	100
317	CTA	Composting Facility	Rotary Drum Composter Building (earthwork, concrete, materials, installed)	sf	7.64	AC	100
317	CTA	Composting Facility	Compost Facility, Standard Design, Poultry (earthwork, concrete, building)	sf	7.32	AC	100
317	CTA	Composting Facility	Concrete Slabs (Forming, Steel, Placement & Finish)	cy	185	AC	100

LA Statewide Average Cost List  
FY 2006

317	CTA	Composting Facility	Earthfill Moisture Control	cy	1.62	AC	100
317	CTA	Composting Facility	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
317	CTA	Composting Facility	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
327	CTA	Conservation Cover	Native Species (seedbed preparation, seed, planting)	ac	116	AC	100
327	CTA	Conservation Cover	Introduced Species (CRP-CP1 only) (seedbed preparation, seed, planting)	ac	81	AC	100
327	CTA	Conservation Cover	Herbicide - Light Cover Competition	ac	42.1	AC	100
327	CTA	Conservation Cover	Herbicide - Medium Cover Competition	ac	56.15	AC	100
327	CTA	Conservation Cover	Fertilizer - N	lb	0.41	AC	100
327	CTA	Conservation Cover	Fertilizer - P	lb	0.33	AC	100
327	CTA	Conservation Cover	Fertilizer - K	lb	0.26	AC	100
327	CTA	Conservation Cover	Lime	tn	39	AC	100
327	CTA	Conservation Cover	Wildlife Nesting Habitat Improvement: CRP Mid-contract Managemetn Activity	ac	5	FR	100
327	CTA	Conservation Cover	Light Disking: CRP Mid-contract Managemetn Activity	ac	11	AM	100
327	CTA	Conservation Cover	Mowing and Baling: CRP Mid-contract Managemetn Activity	ac	22	AM	100
327	CTA	Conservation Cover	Chemical Application: CRP Mid-contract Managemetn Activity	ac	42.1	AM	100
327	CTA	Conservation Cover	Inter-Seeding / Inter-Planting ("Native" Grass / Legume / Forb seeds for wildlife (1/2 seed rate), disking, planting): CRP Mid-contract Managemetn Activity	ac	90.5	AM	100
329	CTA	Residue Management	No Till	ac	15	FR	100
345	CTA	Residue Management	Mulch Till	ac	10	FR	100
346	CTA	Residue Management	Ridge Till	ac	12	FR	100
330	CTA	Contour Farming	Contour Farming	ac	5	FR	100

LA Statewide Average Cost List  
FY 2006

338	CTA	Prescribed Burning	Prescribed Burning	ac	25	AC	100
338	CTA	Prescribed Burning	Prescribed Burning: CRP Mid-Contract Management Activity	ac	25	AM	100
340	CTA	Cover and Green Manure Crop	Cover and Green Manure Crop	ac	20	FR	100
342	CTA	Critical Area Planting	Earthwork (including smoothing, shaping, and mobilization)	ac	528	AC	100
342	CTA	Critical Area Planting	Seedbed Prep, seed, and planting (including temporary and permanent seeding)	ac	193	AC	100
342	CTA	Critical Area Planting	Fertilizer - N	lb	0.41	AC	100
342	CTA	Critical Area Planting	Fertilizer - P	lb	0.33	AC	100
342	CTA	Critical Area Planting	Fertilizer - K	lb	0.26	AC	100
342	CTA	Critical Area Planting	Lime	tn	39	AC	100
342	CTA	Critical Area Planting	Pelletized Lime	tn	247.5	AC	100
350	CTA	Sediment Basin	Sediment Basin (installed, mobilization, earthwork, outlet structure)	cy	2.26	AC	100
350	CTA	Sediment Basin	Earthfill Moisture Control	cy	1.62	AC	100
350	CTA	Sediment Basin	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
350	CTA	Sediment Basin	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
351	CTA	Well Decommissioning	Earthfill for well closure (Includes excavation, hauling, placement & compaction)	cy	11.96	AC	100
351	CTA	Well Decommissioning	Excavation (Includes excavation, placement & shaping)	cy	1.58	AC	100
351	CTA	Decommissioning	Earthwork (cost for typical well closure)	cy	156	AC	100
351	CTA	Decommissioning	Well closure (per inch of well diameter)	in	1146.9	AC	100
356	CTA	Dike	Dike (installed, mobilization, earthwork)	cy	1.64	AC	100
356	CTA	Dike	Earthfill Moisture Control	cy	1.62	AC	100
356	CTA	Dike	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100

LA Statewide Average Cost List  
FY 2006

356	CTA	Dike	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
359	CTA	Waste Treatment Lagoon	Old lagoon (clean out in order to upgrade facility to NRCS Standards)	gal	0.01	AC	100
359	CTA	Waste Treatment Lagoon	New lagoon and appertunences (total lagoon volume cost basis) (installed, mobilization, earthwork, materials)	cf	0.17	AC	100
359	CTA	Waste Treatment Lagoon	Earthliner using material from lagoon (includes excavation, hauling, placement, compaction)	cy	3.64	AC	100
359	CTA	Waste Treatment Lagoon	Earthliner using material from on farm (includes excavation, hauling, placement, compaction)	cy	7.54	AC	100
359	CTA	Waste Treatment Lagoon	Earthfill Moisture Control	cy	1.62	AC	100
359	CTA	Waste Treatment Lagoon	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
359	CTA	Waste Treatment Lagoon	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
362	CTA	Diversion	Diversion (installed, mobilization, earthwork)	cy	3.53	AC	100
362	CTA	Diversion	Earthfill Moisture Control	cy	1.62	AC	100
362	CTA	Diversion	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
362	CTA	Diversion	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
378	CTA	Pond	Embankment Pond (including mobilization, earthwork, materials)	cy	3.34	AC	100
378	CTA	Pond	Excavated pond (includes mobilization, earthwork)	cy	1.89	AC	100
378	CTA	Pond	Earthliner using material from pond (includes excavation, hauling, placement, compaction)	cy	3.64	AC	100
378	CTA	Pond	Earthliner using material from on farm (includes excavation, hauling, placement, compaction)	cy	7.54	AC	100

LA Statewide Average Cost List  
FY 2006

378	CTA	Pond	Earthfill Moisture Control	cy	1.62	AC	100
378	CTA	Pond	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
378	CTA	Pond	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
382	CTA	Fence	4 Strand Barb Wire, Line Posts, Corner/End/Gate Posts, Staples, Labor	lf	1.71	AC	100
382	CTA	Fence	1 Strand Electric Wire, Line, Posts, Corner/End/Gate Posts, Cement, Energizer, Labor	lf	0.71	AC	100
382	CTA	Fence	2 Strand Electric Wire, Line, Posts, Corner/End/Gate Posts, Cement, Energizer, Labor	lf	0.8	AC	100
382	CTA	Fence	Energizer and components	lf	0.18	AC	100
382	CTA	Fence	Net/Barb, Line Posts, Corner/End/Gate Posts, Staples, Labor	lf	2.12	AC	100
386	CTA	Field Border	Native Species (seedbed preparation, seed, planting)	ac	116	AC	100
386	CTA	Field Border	Introduced Species (seedbed preparation, seed, planting)	ac	81	AC	100
386	CTA	Field Border	Herbicide - Light Cover Competition	ac	42.1	AC	100
386	CTA	Field Border	Herbicide - Medium Cover Competition	ac	56.15	AC	100
386	CTA	Field Border	Fertilizer - N	lb	0.41	AC	100
386	CTA	Field Border	Fertilizer - P	lb	0.33	AC	100
386	CTA	Field Border	Fertilizer - K	lb	0.26	AC	100
386	CTA	Field Border	Lime	tn	39	AC	100
393	CTA	Filter Strip	Earthwork (smoothing and shaping)	cy	1.52	AC	100
393	CTA	Filter Strip	Native Species (seedbed preparation, seed, planting)	ac	116	AC	100
393	CTA	Filter Strip	Herbicide - Light Cover Competition	ac	42.1	AC	100

LA Statewide Average Cost List  
FY 2006

393	CTA	Filter Strip	Herbicide - Medium Cover Competition	ac	56.15	AC	100
393	CTA	Filter Strip	Fertilizer - (P)	lb	0.33	AC	100
393	CTA	Filter Strip	Fertilizer - (K)	lb	0.26	AC	100
394	CTA	Fire Break	Firebreak Double Disked	ft	0.01	AC	100
394	CTA	Fire Break	Firebreak Heavy Equipment	ft	0.03	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP - Aluminum up to 12" diameter pipe, (installed, mobilization, materials)	ft	35.71	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP up to 12" diameter pipe, (installed, mobilization, materials)	ft	38.05	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Plastic up to 12" diameter pipe, (installed, mobilization, materials)	ft	29.68	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Smooth Steel up to 12" diameter pipe, (installed, mobilization, materials)	ft	41.72	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP - Aluminum 13" to 16" diameter pipe, (installed, mobilization, materials)	ft	31.96	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP 13" to 16" diameter pipe, (installed, mobilization, materials)	ft	34.31	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Plastic 13" to 16" diameter pipe, (installed, mobilization, materials)	ft	28.75	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Smooth Steel 13" to 16" diameter pipe, (installed, mobilization, materials)	ft	46.11	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP - Aluminum 17" to 24" diameter pipe, (installed, mobilization, materials)	ft	39.66	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP 17" to 24" diameter pipe, (installed, mobilization, materials)	ft	48.2	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Plastic 17" to 24" diameter pipe, (installed, mobilization, materials)	ft	47.35	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Smooth Steel 17" to 24" diameter pipe, (installed, mobilization, materials)	ft	54.12	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP - Aluminum 25" to 30" diameter pipe, (installed, mobilization, materials)	ft	41.65	AC	100

LA Statewide Average Cost List  
FY 2006

410	CTA	Grade Stabilization Structure	Straight Pipe, CMP 25" to 30" diameter pipe, (installed, mobilization, materials)	ft	54.22	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Plastic 25" to 30" diameter pipe, (installed, mobilization, materials)	ft	54.4	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Smooth Steel 25" to 30" diameter pipe, (installed, mobilization, materials)	ft	58.46	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP - Aluminum 31" to 36" diameter pipe, (installed, mobilization, materials)	ft	55.22	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP 31" to 36" diameter pipe, (installed, mobilization, materials)	ft	85.31	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Plastic 31" to 36" diameter pipe, (installed, mobilization, materials)	ft	50.99	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Smooth Steel 31" to 36" diameter pipe, (installed, mobilization, materials)	ft	66.04	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP - Aluminum 37" to 42" diameter pipe, (installed, mobilization, materials)	ft	78.34	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP 37" to 42" diameter pipe, (installed, mobilization, materials)	ft	95.89	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Smooth Steel 37" to 42" diameter pipe, (installed, mobilization, materials)	ft	116.51	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP - Aluminum 43" to 48" diameter pipe, (installed, mobilization, materials)	ft	93.4	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP 43" to 48" diameter pipe, (installed, mobilization, materials)	ft	106.35	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Plastic 37" and larger diameter pipe, (installed, mobilization, materials)	ft	71.38	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Smooth Steel 43" to 48" diameter pipe, (installed, mobilization, materials)	ft	130.24	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP - Aluminum 49" to 66" diameter pipe, (installed, mobilization, materials)	ft	149.52	AC	100

LA Statewide Average Cost List  
FY 2006

410	CTA	Grade Stabilization Structure	Straight Pipe, CMP 49" to 66" diameter pipe, (installed, mobilization, materials)	ft	141.81	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, Smooth Steel 49" and larger diameter pipe, (installed, mobilization, materials)	ft	130.24	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP - Aluminum 67" to 72" diameter pipe, (installed, mobilization, materials)	ft	181.79	AC	100
410	CTA	Grade Stabilization Structure	Straight Pipe, CMP 67" to 72" diameter pipe, (installed, mobilization, materials)	ft	153.34	AC	100
410	CTA	Grade Stabilization Structure	Anti-vortex Baffel - PVC or Corrugated Metal (per inch of riser diameter)	in	5.78	AC	100
410	CTA	Grade Stabilization Structure	Chute - PVC - SDR 51 80 PSI 6' Chute (max 2.5' overfall)	ea	480.55	AC	100
410	CTA	Grade Stabilization Structure	Chute - Steel - 11 GA 6' Chute (max 2.5' overfall)	ea	197.6	AC	100
410	CTA	Grade Stabilization Structure	Concrete, 80 # bag Sackcrete	ea	4.04	AC	100
410	CTA	Grade Stabilization Structure	Low Overfall End Sections - PVC for 18" to 27" diameter pipe (per inch of pipe diameter)	in	9.29	AC	100
410	CTA	Grade Stabilization Structure	Low Overfall End Sections - PVC for 8" to 15" diameter pipe (per inch of pipe diameter)	in	4.56	AC	100
410	CTA	Grade Stabilization Structure	Riser - CMP - Fabrication Charge for CMP Riser (per inch of riser diameter)	in	5.5	AC	100
410	CTA	Grade Stabilization Structure	Riser - PVC Mini Pipedrop 10" x 8"	ea	67.09	AC	100
410	CTA	Grade Stabilization Structure	Riser - PVC Mini Pipedrop 12" x 10"	ea	90.9	AC	100
410	CTA	Grade Stabilization Structure	Riser - PVC Mini Pipedrop 15" x 12"	ea	134.17	AC	100
410	CTA	Grade Stabilization Structure	Riser - PVC Standard 10" X 8"	ea	93.66	AC	100

LA Statewide Average Cost List  
FY 2006

410	CTA	Grade Stabilization Structure	Riser - PVC Standard 12" X 10"	ea	118.02	AC	100
410	CTA	Grade Stabilization Structure	Riser - PVC Standard 15" X 12"	ea	153.52	AC	100
410	CTA	Grade Stabilization Structure	Riser - PVC Standard 21" X 15"	ea	383.66	AC	100
410	CTA	Grade Stabilization Structure	Riser - PVC Standard 24" X 18"	ea	760.16	AC	100
410	CTA	Grade Stabilization Structure	Riser - PVC Standard 27" X 18"	ea	847.17	AC	100
410	CTA	Grade Stabilization Structure	Riser - add Deflection to any size PVC standard riser	ea	6.36	AC	100
410	CTA	Grade Stabilization Structure	Riser - Telescopic Riser Ext PVC Pipedrop with Gasket (per inch of gasket diameter)	in	1.78	AC	100
410	CTA	Grade Stabilization Structure	Riser Extension - PVC Pipedrop 10"	lf	10.6	AC	100
410	CTA	Grade Stabilization Structure	Riser Extension - PVC Pipedrop 12"	lf	15.14	AC	100
410	CTA	Grade Stabilization Structure	Riser Extension - PVC Pipedrop 15"	lf	22.72	AC	100
410	CTA	Grade Stabilization Structure	Riser Extension - PVC Pipedrop 21"	lf	30.3	AC	100
410	CTA	Grade Stabilization Structure	Riser Extension - PVC Pipedrop 24"	lf	39.06	AC	100
410	CTA	Grade Stabilization Structure	Rock Riprap (rock, geotextile, hauling & placement)	tn	63.96	AC	100
410	CTA	Grade Stabilization Structure	Smooth Steel Pipe - Notch Weir Inlet fabrication charge (per inch of pipe diameter)	in	4.52	AC	100
410	CTA	Grade Stabilization Structure	Smooth Steel Pipe - Fabrication charges to lengthen pipe or to attach header to barrel (per inch of pipe/barrel diameter)	in	8.49	AC	100

LA Statewide Average Cost List  
FY 2006

410	CTA	Grade Stabilization Structure	Variable Weir Inlet - Aluminum Header 24" x 12" x 4'	ea	267.8	AC	100
410	CTA	Grade Stabilization Structure	Variable Weir Inlet - Aluminum Header 36" x 15" x 4'	ea	286	AC	100
410	CTA	Grade Stabilization Structure	Variable Weir Inlet - Aluminum Header 48" x 18" x 4'	ea	432.15	AC	100
410	CTA	Grade Stabilization Structure	Variable Weir Inlet - Aluminum Header 48" x 21" x 4'	ea	364	AC	100
410	CTA	Grade Stabilization Structure	Variable Weir Inlet - PVC Headers 24" x 12" x 4'	ea	372.3	AC	100
410	CTA	Grade Stabilization Structure	Variable Weir Inlet - PVC Headers 24" x 15" x 4'	ea	395.98	AC	100
410	CTA	Grade Stabilization Structure	Variable Weir Inlet - PVC Headers 36" x 15" x 4'	ea	519.59	AC	100
410	CTA	Grade Stabilization Structure	Variable Weir Inlet - PVC Headers 36" x 18" x 4'	ea	531.96	AC	100
410	CTA	Grade Stabilization Structure	Variable Weir Inlet - PVC Headers 48" x 18" x 4'	ea	742.1	AC	100
410	CTA	Grade Stabilization Structure	Variable Weir Inlet - PVC Headers 48" x 21" x 4'	ea	771.77	AC	100
410	CTA	Grade Stabilization Structure	Variable Weir Inlet - PVC Headers 48" x 24" x 4'	ea	796.49	AC	100
410	CTA	Grade Stabilization Structure	Earthfill Moisture Control	cy	1.62	AC	100
410	CTA	Grade Stabilization Structure	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
410	CTA	Grade Stabilization Structure	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
412	CTA	Grassed Waterway	Waterway (installed, mobilization, excavation)	cy	2.32	AC	100
430DD	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 3" or 4" dia. (installed, mobilization, materials)	ft	5.42	AC	100

LA Statewide Average Cost List  
FY 2006

430DD	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 6" or 8" dia. (installed, mobilization, materials)	ft	5.95	AC	100
430DD	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 10" dia. (installed, mobilization, materials)	ft	7.8	AC	100
430DD	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 12" dia. (installed, mobilization, materials)	ft	9.34	AC	100
430DD	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 15" dia. (installed, mobilization, materials)	ft	12.88	AC	100
430DD	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 18" dia. (installed, mobilization, materials)	ft	19.24	AC	100
430DD	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 3" or 4" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	2306.9	AC	100
430DD	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 6" or 8" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	2629.6	AC	100
430DD	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 10" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	3271.9	AC	100
430DD	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 12" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	3657.7	AC	100
430DD	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 15" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	4367.8	AC	100

LA Statewide Average Cost List  
FY 2006

430DD	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 18" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	4627.8	AC	100
430EE	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 3" or 4" dia. (installed, mobilization, materials)	ft	5.42	AC	100
430EE	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 6" or 8" dia. (installed, mobilization, materials)	ft	5.95	AC	100
430EE	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 10" dia. (installed, mobilization, materials)	ft	7.8	AC	100
430EE	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 12" dia. (installed, mobilization, materials)	ft	9.34	AC	100
430EE	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 15" dia. (installed, mobilization, materials)	ft	12.88	AC	100
430EE	CTA	Irrigation Water Conveyance Pipeline	Pipeline, 18" dia. (installed, mobilization, materials)	ft	19.24	AC	100
430EE	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 3" or 4" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	2306.9	AC	100
430EE	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 6" or 8" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	2629.6	AC	100
430EE	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 10" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	3271.9	AC	100

LA Statewide Average Cost List  
FY 2006

430EE	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 12" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	3657.7	AC	100
430EE	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 15" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	4367.8	AC	100
430EE	CTA	Irrigation Water Conveyance Pipeline	Pump to pipeline connection, 18" dia. (installed, mobilization, pressure regulator w/ valve, air release and pressure relief valves, gate valve, couplings)	ea	4627.8	AC	100
436	CTA	Irrigation Storage Reservoir	Irrigation Storage Reservoir (installed, mobilization, earthwork)	cy	1.7	AC	100
436	CTA	Irrigation Storage Reservoir	Earthfill Moisture Control	cy	1.62	AC	100
436	CTA	Irrigation Storage Reservoir	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
436	CTA	Irrigation Storage Reservoir	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
441	CTA	Irrigation System, Microirrigation	Surface Irrigation of field grown nursery stock	ac	4400	AM	100
449	CTA	Irrigation Water Management	Irrigation Water Management	ac	6	FR	100
462	CTA	Precision Land Forming	150 to 225 cy per ac (installed , mobilization, earthwork)	ac	276.36	AC	100
462	CTA	Precision Land Forming	226 to 275 cy per ac (installed, mobilization, earthwork)	ac	367.5	AC	100
462	CTA	Precision Land Forming	Greater than 276 cy per ac (installed, mobilization, earthwork)	ac	441	AC	100

LA Statewide Average Cost List  
FY 2006

464	CTA	Irrigation Land Leveling	150 to 225 cy per ac (installed , mobilization, earthwork)	ac	276.36	AC	100
464	CTA	Irrigation Land Leveling	226 to 275 cy per ac (installed, mobilization, earthwork)	ac	367.5	AC	100
464	CTA	Irrigation Land Leveling	Greater than 276 cy per ac (installed, mobilization, earthwork)	ac	441	AC	100
484	CTA	Mulching	Erosion Control Matting - Permanent (installed, materials)	sy	5.72	AC	100
484	CTA	Mulching	Erosion Control Matting - Temporary (installed, materials)	sy	2.86	AC	100
484	CTA	Muching	Hay or Straw Bales	ac	728	AC	100
490	CTA	Forest Site Preparation	Herbicide - Light Cover Competition	ac	42.1	AC	100
490	CTA	Forest Site Preparation	Herbicide - Medium Cover Competition	ac	56.15	AC	100
490	CTA	Forest Site Preparation	Herbicide - Heavy Cover Competition	ac	114.78	AC	100
490	CTA	Forest Site Preparation	Afforestaion Mechanical -(Bushhogging)	ac	11	AC	100
490	CTA	Forest Site Preparation	Afforestation Mechanical -(Disking)	ac	11	AC	100
490	CTA	Forest Site Preparation	Afforestation Mechancial-(Deep Tillage)	ac	20	AC	100
490	CTA	Forest Site Preparation	Reforestation Mechancial-(Deep Tillage)	ac	75	AC	100
490	CTA	Forest Site Preparation	Reforestation Strip Debris Dispersal	ac	50	AC	100
500	CTA	Obstruction Removal	WRP - Bushhogging (Heavy)	ac	20	AC	100
512	CTA	Pasture and Hayland Planting	Introduced Species (seedbed preparation, seed, planting)	ac	81	AC	100

LA Statewide Average Cost List  
FY 2006

512	CTA	Pasture and Hayland Planting	Native Species (seedbed preparation, seed, planting)	ac	116	AC	100
512	CTA	Pasture and Hayland Planting	Herbicide - Light Cover Competition	ac	42.1	AC	100
512	CTA	Pasture and Hayland Planting	Herbicide - Medium Cover Competition	ac	56.15	AC	100
512	CTA	Pasture and Hayland Planting	Fertilizer - N	lb	0.41	AC	100
512	CTA	Pasture and Hayland Planting	Fertilizer - P	lb	0.33	AC	100
512	CTA	Pasture and Hayland Planting	Fertilizer - K	lb	0.26	AC	100
512	CTA	Pasture and Hayland Planting	Lime	tn	39	AC	100
516	CTA	Pipeline	Plastic - 3/4" dia. (installed, mobilization, materials, earthwork)	lf	1.71	AC	100
516	CTA	Pipeline	Plastic - 1" to 1-1/2" dia. (installed, mobilization, materials, earthwork)	lf	1.87	AC	100
516	CTA	Pipeline	Plastic - 2" dia. (installed, mobilization, materials, earthwork)	lf	2.25	AC	100
516	CTA	Pipeline	Boring under roadway (installation)	ea	1040	AC	100
521A	CTA	Pond Sealing or Lining, Flexible Membrane	Pond Liner, Flexible Membrane (installed, mobilization, liner)	sf	0.82	AC	100
521C	CTA	Pond Sealing or Lining, Bentonite Sealant	Pond Liner, Bentonite Treatment (installed, mobilization, bentonite)	ton	322.4	AC	100
528	CTA	Prescribed Grazing	Prescribed Grazing	ac	10	FR	100
528	CTA	Prescribed Grazing	Livestock Shade Structure	sf	1.85	AC	100
533	CTA	Pumping Plant	Greater than 500 GPM (installed, mobilization, pump, hookup)	gpm	4.07	AC	100

LA Statewide Average Cost List  
FY 2006

533	CTA	Pumping Plant	Up to 500 GPM (installed, mobilization, pump, hookup)	gpm	22.6	AC	100
533	CTA	Pumping Plant	Nose Pump for livestock water (pump, suction hose, foot valve, platform)	ea	572	AC	100
533	CTA	Pumping Plant	Solar Pump for livestock water (pump, solar panel, discharge hose, wiring harness)	ea	3120	AC	100
550	CTA	Range Planting	Native Species (seedbed preparation, seed, planting)	ac	116	AC	100
550	CTA	Range Planting	Herbicide - Light Cover Competition	ac	42.1	AC	100
550	CTA	Range Planting	Herbicide - Medium Cover Competition	ac	56.15	AC	100
550	CTA	Range Planting	Fertilizer - P	lb	0.33	AC	100
550	CTA	Range Planting	Fertilizer - K	lb	0.26	AC	100
552	CTA	Irrigation Regulating Reservoir	Irrigation Regulating Reservoir (installed, mobilization, earthwork)	cy	1.77	AC	100
552	CTA	Irrigation Regulating Reservoir	Earthfill Moisture Control	cy	1.62	AC	100
552	CTA	Irrigation Regulating Reservoir	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
552	CTA	Irrigation Regulating Reservoir	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
558	CTA	Roof Runoff Management	Gutters 6" X 6"	lf	5.2	AC	100
561	CTA	Heavy Use Area Protection	Heavy Use Area - all surface material types (installed, mobilization, earthwork, all materials)	sf	3.01	AC	100
561	CTA	Heavy Use Area Protection	Earthfill Moisture Control	cy	1.62	AC	100
561	CTA	Heavy Use Area Protection	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
561	CTA	Heavy Use Area Protection	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100

LA Statewide Average Cost List  
FY 2006

575	CTA	Animal Trails and Walkways	Animal Trail or Walkway (installed, mobilization, earthfill)	lf	2.52	AC	100
575	CTA	Animal Trails and Walkways	Earthfill Moisture Control	cy	1.62	AC	100
575	CTA	Animal Trails and Walkways	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
575	CTA	Animal Trails and Walkways	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
578	CTA	Stream Crossing	Concrete low water crossing (installed, mobilization, crossing surface, earthwork)	lf	88.77	AC	100
578	CTA	Stream Crossing	Earthfill Moisture Control	cy	1.62	AC	100
578	CTA	Stream Crossing	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
578	CTA	Stream Crossing	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
580	CTA	Streambank and Shoreline Protection	Shoreline Protection Rock Riprap (installed, mobilization, earthwork, rock)	lf	67.04	AC	100
580	CTA	Streambank and Shoreline Protection	Shoreline Protection Vegetative Plantings (installed, mobilization, earthwork, plants)	lf	12.36	AC	100
580	CTA	Streambank and Shoreline Protection	Shoreline Protection Combination of Riprap & Plantings (installed, mobilization, earthwork, materials)	lf	72.05	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP - Aluminum up to 12" diameter pipe, (installed, mobilization, materials)	ft	35.71	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP up to 12" diameter pipe, (installed, mobilization, materials)	ft	38.05	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Plastic up to 12" diameter pipe, (installed, mobilization, materials)	ft	29.68	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Smooth Steel up to 12" diameter pipe, (installed, mobilization, materials)	ft	41.72	AC	100

LA Statewide Average Cost List  
FY 2006

587	CTA	Structure for Water Control	Straight Pipe, CMP - Aluminum 13" to 16" diameter pipe, (installed, mobilization, materials)	ft	31.96	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP 13" to 16" diameter pipe, (installed, mobilization, materials)	ft	34.31	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Plastic 13" to 16" diameter pipe, (installed, mobilization, materials)	ft	28.75	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Smooth Steel 13" to 16" diameter pipe, (installed, mobilization, materials)	ft	46.11	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP - Aluminum 17" to 24" diameter pipe, (installed, mobilization, materials)	ft	39.66	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP 17" to 24" diameter pipe, (installed, mobilization, materials)	ft	48.2	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Plastic 17" to 24" diameter pipe, (installed, mobilization, materials)	ft	47.35	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Smooth Steel 17" to 24" diameter pipe, (installed, mobilization, materials)	ft	54.12	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP - Aluminum 25" to 30" diameter pipe, (installed, mobilization, materials)	ft	41.65	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP 25" to 30" diameter pipe, (installed, mobilization, materials)	ft	54.22	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Plastic 25" to 30" diameter pipe, (installed, mobilization, materials)	ft	54.4	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Smooth Steel 25" to 30" diameter pipe, (installed, mobilization, materials)	ft	58.46	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP - Aluminum 31" to 36" diameter pipe, (installed, mobilization, materials)	ft	55.22	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP 31" to 36" diameter pipe, (installed, mobilization, materials)	ft	85.31	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Plastic 31" to 36" diameter pipe, (installed, mobilization, materials)	ft	50.99	AC	100

LA Statewide Average Cost List  
FY 2006

587	CTA	Structure for Water Control	Straight Pipe, Smooth Steel 31" to 36" diameter pipe, (installed, mobilization, materials)	ft	66.04	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP - Aluminum 37" to 42" diameter pipe, (installed, mobilization, materials)	ft	78.34	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP 37" to 42" diameter pipe, (installed, mobilization, materials)	ft	95.89	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Smooth Steel 37" to 42" diameter pipe, (installed, mobilization, materials)	ft	116.51	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP - Aluminum 43" to 48" diameter pipe, (installed, mobilization, materials)	ft	93.4	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP 43" to 48" diameter pipe, (installed, mobilization, materials)	ft	106.35	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Plastic 37" and larger diameter pipe, (installed, mobilization, materials)	ft	71.38	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Smooth Steel 43" to 48" diameter pipe, (installed, mobilization, materials)	ft	130.24	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP - Aluminum 49" to 66" diameter pipe, (installed, mobilization, materials)	ft	149.52	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP 49" to 66" diameter pipe, (installed, mobilization, materials)	ft	141.81	AC	100
587	CTA	Structure for Water Control	Straight Pipe, Smooth Steel 49" and larger diameter pipe, (installed, mobilization, materials)	ft	130.24	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP - Aluminum 67" to 72" diameter pipe, (installed, mobilization, materials)	ft	181.79	AC	100
587	CTA	Structure for Water Control	Straight Pipe, CMP 67" to 72" diameter pipe, (installed, mobilization, materials)	ft	153.34	AC	100
587	CTA	Structure for Water Control	Concrete Slabs (Forming, Steel, Placement & Finish)	cy	185	AC	100
587	CTA	Structure for Water Control	Concrete, 80# bag Sackcrete	ea	4.04	AC	100

LA Statewide Average Cost List  
FY 2006

587	CTA	Structure for Water Control	Low Overfall End Sections - PVC for 18" to 27" diameter pipe (per inch of pipe diameter)	in	12.96	AC	100
587	CTA	Structure for Water Control	Low Overfall End Sections - PVC for 8" to 15" diameter pipe (per inch of pipe diameter)	in	4.92	AC	100
587	CTA	Structure for Water Control	Riser - CMP - Fabrication Charge for CMP Riser (per inch of riser diameter)	in	5.5	AC	100
587	CTA	Structure for Water Control	Rock Riprap (Includes purchase, geotextile, hauling & place)	tn	63.96	AC	100
587	CTA	Structure for Water Control	Smooth Steel - 1/2 Round Riser 30"wide x 3' high x 18" barrel	ea	257.92	AC	100
587	CTA	Structure for Water Control	Smooth Steel - 1/2 Round Riser 30"wide x 3' high x 20" barrel	ea	275.6	AC	100
587	CTA	Structure for Water Control	Smooth Steel - 1/2 Round Riser 30"wide x 3' high x 22" barrel	ea	308.88	AC	100
587	CTA	Structure for Water Control	Smooth Steel - 1/2 Round Riser 30"wide x 3' high x 24" barrel	ea	326.56	AC	100
587	CTA	Structure for Water Control	Smooth Steel - Cost per additional foot of 1/2 round riser height	ea	20.8	AC	100
587	CTA	Structure for Water Control	Smooth Steel - Cost per additional foot of rectangular riser height	ea	81.12	AC	100
587	CTA	Structure for Water Control	Smooth Steel Pipe - Fabrication charges to lengthen pipe or to attach header to barrel (per inch of pipe/barrel diameter)	in	8.53	AC	100
587	CTA	Structure for Water Control	Smooth Steel - Rect. 2' wide x 4' deep x 3' high x 18" barrel	ea	384.8	AC	100
587	CTA	Structure for Water Control	Smooth Steel - Rect. 2' wide x 4' deep x 3' high x 20" barrel	ea	391.04	AC	100
587	CTA	Structure for Water Control	Smooth Steel - Rect. 2' wide x 4' deep x 3' high x 22" barrel	ea	398.32	AC	100
587	CTA	Structure for Water Control	Smooth Steel - Rect. 2' wide x 4' deep x 3' high x 24" barrel	ea	405.6	AC	100

LA Statewide Average Cost List  
FY 2006

587	CTA	Structure for Water Control	Smooth Steel - Rect. 2' wide x 4' deep x 3' high x 26" barrel	ea	410.8	AC	100
587	CTA	Structure for Water Control	Smooth Steel - Rect. 2' wide x 4' deep x 3' high x 30" barrel	ea	420.16	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - Aluminum Header 24"x12"x4'	ea	267.8	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - Aluminum Header 36"x15"x4'	ea	286	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - Aluminum Header 48"x18"x4'	ea	432.15	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - Aluminum Header 48"x21"x4'	ea	364	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - PVC Headers 24" X 12" X 4'	ea	372.3	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - PVC Headers 24" X 15" X 4'	ea	395.98	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - PVC Headers 36" X 15" X 4'	ea	519.59	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - PVC Headers 36" X 18" X 2'	ea	469.56	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - PVC Headers 36" X 18" X 3'	ea	500.76	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - PVC Headers 36" X 18" X 4'	ea	531.96	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - PVC Headers 48" X 18" X 4'	ea	742.1	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - PVC Headers 48" X 21" X 2'	ea	709.37	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - PVC Headers 48" X 21" X 3'	ea	740.57	AC	100

LA Statewide Average Cost List  
FY 2006

587	CTA	Structure for Water Control	Variable Weir Inlet - PVC Headers 48" X 21" X 4'	ea	771.77	AC	100
587	CTA	Structure for Water Control	Variable Weir Inlet - PVC Headers 48" X 24" X 4'	ea	796.49	AC	100
587	CTA	Structure for Water Control	Earthfill Moisture Control	cy	1.62	AC	100
587	CTA	Structure for Water Control	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
587	CTA	Structure for Water Control	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
590	CTA	Nutrient Management	Lime	tn	39	AC	100
590	CTA	Nutrient Management	Precision Agriculture - with Yield Monitor	ac	14	FR	100
590	CTA	Nutrient Management	Precision Agriculture - without Yield Monitor	ac	6	FR	100
595	CTA	Pest Management	Cogongrass-initial treatment-herbicide	ac	135	AC	100
595	CTA	Pest Management	Cogongrass-initial treatment-by commercial pesticide applicator	no	300	AC	100
595	CTA	Pest Management	Cogongrass-initial treatment-bushhogging/mowing	ac	10	AC	100
595	CTA	Pest Management	Cogongrass-followup spot treatment	ac	100	AC	100
600	CTA	Terrace	Terrace (installed, mobilization, earthwork)	lf	1.36	AC	100
600	CTA	Terrace	Earthfill Moisture Control	cy	1.62	AC	100
600	CTA	Terrace	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
600	CTA	Terrace	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
601	CTA	Vegetative Barrier	Native Species (seedbed preparation, seed, planting)	lf	0.05	AC	100
601	CTA	Vegetative Barrier	Herbicide - Light Cover Competition	ac	42.1	AC	100
601	CTA	Vegetative Barrier	Herbicide - Medium Cover Competition	ac	56.15	AC	100
601	CTA	Vegetative Barrier	Fertilizer - P	lb	0.33	AC	100
601	CTA	Vegetative Barrier	Fertilizer - K	lb	0.26	AC	100

LA Statewide Average Cost List  
FY 2006

612	CTA	Tree/Shrub Establishment	Hardwood Seedlings @ 302 SPA, including planting cost	ac	135	AC	100
612	CTA	Tree/Shrub Establishment	Bareroot Pine Seedlings @ 680 SPA, including planting cost	ac	105	AC	100
612	CTA	Tree/Shrub Establishment	Container Pine Seedlings @ 450 SPA, including planting cost	ac	131	AC	100
614	CTA	Watering Facility	Permanent Water Trough 50 to 100 Gal (installed, materials)	ea	227	AC	100
614	CTA	Watering Facility	Permanent Water Trough 101 to 560 Gal (installed, materials)	ea	295	AC	100
614	CTA	Watering Facility	Permanent Water Trough 561 to 720 Gal (installed, materials)	ea	310	AC	100
614	CTA	Watering Facility	Permanent Water Trough larger than 720 Gal (installed, materials)	ea	388	AC	100
620	CTA	Underground Outlet	Underground Outlet (installed, mobilization, earthwork, materials)	lf	8.14	AC	100
633	CTA	Waste Utilization	Waste Utilization within the 8-digit HUC from where the waste is produced	ac	10	FR	100
633	CTA	Waste Utilization	Waste Utilization outside the 8-digit HUC from where the waste is produced	ac	20	FR	100
638	CTA	Water and Sediment Control Basin	Water and Sediment Control Basin (installed, mobilization, earthwork, outlet structure)	cy	2.26	AC	100
638	CTA	Water and Sediment Control Basin	Earthfill Moisture Control	cy	1.62	AC	100
638	CTA	Water and Sediment Control Basin	Earthfill Soil Modification-quicklime material & freight	tn	129.79	AC	100
638	CTA	Water and Sediment Control Basin	Earthfill Soil Modification-quicklime treated earthfill for dispersive clays	cy	6.49	AC	100
642	CTA	Water Well	Artesian Water Well	ft	6.24	AC	100
642	CTA	Water Well	Well & Pump	ea	3382	AC	100

LA Statewide Average Cost List  
FY 2006

646	CTA	Shallow Water Management For Wildlife	Shallow Water Management For Wildlife	ac	5	FR	100
647	CTA	Shallow Water Management For Wildlife (Shallow Water Area-Early Flooding)	Shallow Water Management For Wildlife (Shallow Water Area-Early Flooding)	ac in	2.38	AC	100
647	CTA	Early Successional Habitat Management (Bushhogging)	Early Successional Habitat Management (Bushhogging)	ac	11	AC	100
647	CTA	Early Successional Habitat Management (Disking)	Early Successional Habitat Management (Disking)	ac	11	AC	100
647	CTA	Early Successional Habitat Management (Chemical Application)	Early Successional Habitat Management (Chemical Application)	ac	42.1	AC	100
655	CTA	Forest Harvest Trails & Landings	Waterbar (installed, mobilization, earthwork)	ea	72.54	AC	100
655	CTA	Forest Harvest Trails & Landings	Wing Ditch (installed, mobilization, earthwork)	ea	76	AC	100
655	CTA	Forest Harvest Trails & Landings	Rolling Dip (installed, mobilization, earthwork)	ea	102	AC	100
655	CTA	Forest Harvest Trails & Landings	Broad Based Dip (installed, mobilization, earthwork)	ea	128	AC	100
666	CTA	Forest Stand Improvement	Herbicide - Light Cover Competition	ac	42.1	AC	100
666	CTA	Forest Stand Improvement	Herbicide - Medium Cover Competition	ac	56.15	AC	100

LA Statewide Average Cost List  
 FY 2006

666	CTA	Forest Stand Improvement	Herbicide - Heavy Cover Competition	ac	114.78	AC	100
910	CTA	TA PLANNING	TA PLANNING	NO.	0	AM	100
911	CTA	TA DESIGN	TA DESIGN	NO.	0	AM	100
912	CTA	TA APPLICATION	TA APPLICATION	NO.	0	AM	100
913	CTA	TA CHECK-OUT	TA CHECK-OUT	NO.	0	AM	100
991	CTA	Record Keeping (Record Keeping)	Record Keeping (Record Keeping)	ac	0.5	FR	100