

Practice: 500 - Obstruction Removal

Scenario: #10 - Removal and Disposal of Brush and Trees < 6 inch Diameter

Scenario Description: Remove and disposal of brush and trees < 6 inches in diameter by demolition, excavation or other means required for removal. Dispose of all brush and trees so that it does not impede subsequent work or cause onsite or offsite damage. Dispose of all brush and trees by removal to an approved landfill, wood chipping and or land distribution, or recycling center, burial at an approved location or burning. If burning is used, implement appropriate smoke management to protect public health and safety. Remove and dispose of brush and trees in order to apply conservation practices or facilitate the planned land use. Brush and tree removal will address the resource concerns of the prevention or hindrance to the installation of conservation practices or present a hazard to their use and enjoyment.

Before Situation: On any land where existing obstructions interfere with planned land use development, public safety or infrastructure. The site may be abandoned mine lands, construction sites, recreation areas, farms, ranches, and areas affected by natural disasters. This is not intended for the removal of obstructions from aquatic environments.

After Situation: The typical area will be a 2.0 acre impaired area. The removal of brush and trees < 6 inch diameter will be performed with the use of equipment and hand labor. Dispose of all brush and trees from the obstruction removal so that it does not impede subsequent work or cause onsite or offsite damage. Revegetate or otherwise protect from erosion disturbed areas as soon as possible. Refer to NRCS Conservation Practice Standard 342, Critical Area Planting for seedbed preparation, seeding, fertilizing, and mulching requirements. The practice is to improve site conditions in order to apply conservation practices or facilitate better use of the landscape.

Scenario Feature Measure: Land Area

Scenario Unit: Acre

Scenario Typical Size: 2

Total Scenario Cost: \$2,056.02

Scenario Cost/Unit: \$1,028.01

Cost Details

| Component Name | Id | Description | Unit | Cost | Qty | Total |
|----------------|----|-------------|------|------|-----|-------|
|----------------|----|-------------|------|------|-----|-------|

Labor

| | | | | | | |
|----------------------------|-----|--|------|---------|---|----------|
| Equipment Operators, Light | 232 | Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers | Hour | \$22.70 | 8 | \$181.61 |
| General Labor | 231 | Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc. | Hour | \$22.04 | 9 | \$198.39 |
| Skilled Labor | 230 | Labor requiring a high level skill set: Includes carpenters, welders, electricians, conservation professionals involved with data collection, monitoring, and or record keeping, etc. | Hour | \$28.79 | 9 | \$259.15 |

Equipment Installation

| | | | | | | |
|----------------------------|-----|--|------|----------|---|----------|
| Brush Chipper, 6" capacity | 938 | Brush Chipper, 6" capacity, typically 35 HP. Includes chipper and power unit. Labor not included. | Hour | \$18.91 | 8 | \$151.25 |
| Dozer, 140 HP | 927 | Track mounted Dozer with horsepower range of 125 to 160. Equipment and power unit costs. Labor not included. | Hour | \$110.36 | 8 | \$882.90 |
| Truck, Pickup | 939 | Equipment and power unit costs. Labor not included. | Hour | \$19.39 | 8 | \$155.09 |

Mobilization

| | | | | | | |
|--------------------------------|------|---|------|----------|---|----------|
| Mobilization, medium equipment | 1139 | Equipment with 70-150 HP or typical weights between 14,000 and 30,000 pounds. | Each | \$227.64 | 1 | \$227.64 |
|--------------------------------|------|---|------|----------|---|----------|

Practice: 500 - Obstruction Removal

Scenario: #11 - Removal and Disposal of Brush and Trees > 6 inch Diameter

Scenario Description: Remove and disposal of brush and trees > 6 inches in diameter by demolition, excavation or other means required for removal. Dispose of all brush and trees so that it does not impede subsequent work or cause onsite or offsite damage. Dispose of all brush and trees by removal to an approved landfill, wood chipping and or land distribution, or recycling center, burial at an approved location or burning. If burning is used, implement appropriate smoke management to protect public health and safety. Remove and dispose of brush and trees in order to apply conservation practices or facilitate the planned land use. Brush and tree removal will address the resource concerns of the prevention or hindrance to the installation of conservation practices or present a hazard to their use and enjoyment.

Before Situation: On any land where existing obstructions interfere with planned land use development, public safety or infrastructure. The site may be abandoned mine lands, construction sites, recreation areas, farms, ranches, and areas affected by natural disasters. This is not intended for the removal of obstructions from aquatic environments.

After Situation: The typical area will be a 2.0 acre impaired area. The removal of brush and trees > 6 inch diameter will be performed with the use of equipment and hand labor. Dispose of all brush and trees from the obstruction removal so that it does not impede subsequent work or cause onsite or offsite damage. Revegetate or otherwise protect from erosion disturbed areas as soon as possible. Refer to NRCS Conservation Practice Standard 342, Critical Area Planting for seedbed preparation, seeding, fertilizing, and mulching requirements. The practice is to improve site conditions in order to apply conservation practices or facilitate better use of the landscape.

Scenario Feature Measure: Land Area

Scenario Unit: Acre

Scenario Typical Size: 2

Total Scenario Cost: \$4,026.70

Scenario Cost/Unit: \$2,013.35

Cost Details

| Component Name | Id | Description | Unit | Cost | Qty | Total |
|----------------|----|-------------|------|------|-----|-------|
|----------------|----|-------------|------|------|-----|-------|

Labor

| | | | | | | |
|----------------------------|-----|--|------|---------|----|----------|
| Equipment Operators, Heavy | 233 | Includes: Cranes, Hydraulic Excavators >=50 HP, Dozers, Paving Machines, Rock Trenchers, Trenchers >=12", Dump Trucks, Ag Equipment >=150 HP, Scrapers, Water Wagons. | Hour | \$27.99 | 13 | \$363.81 |
| General Labor | 231 | Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc. | Hour | \$22.04 | 13 | \$286.56 |
| Skilled Labor | 230 | Labor requiring a high level skill set: Includes carpenters, welders, electricians, conservation professionals involved with data collection, monitoring, and or record keeping, etc. | Hour | \$28.79 | 13 | \$374.32 |

Equipment Installation

| | | | | | | |
|-----------------------------|------|--|------|----------|----|------------|
| Brush Chipper, 15" capacity | 1868 | Brush Chipper, 15" capacity, typically 165 HP. Includes chipper and power unit. Does not include labor. | Hour | \$58.02 | 12 | \$696.26 |
| Dozer, 200 HP | 928 | Track mounted Dozer with horsepower range of 160 to 250. Equipment and power unit costs. Labor not included. | Hour | \$172.76 | 12 | \$2,073.12 |
| Truck, Pickup | 939 | Equipment and power unit costs. Labor not included. | Hour | \$19.39 | 12 | \$232.63 |

Practice: 500 - Obstruction Removal

Scenario: #12 - Removal and Disposal of Fence

Scenario Description: Remove and disposal of all existing fences by demolition, excavation or other means required for removal. Dispose of all fence materials from the site so that it does not impede subsequent work or cause onsite or offsite damage. Dispose of all materials by removal to an approved landfill, wood chipping and land distribution, or recycling center, burial at an approved location or burning. If burning is used, implement appropriate smoke management to protect public health and safety. Remove and dispose of the unwanted fence obstruction in order to apply conservation practices such as Upland Wildlife Habitat Management (645) or facilitate the planned land use. Fence removal will address the resource concerns of the prevention or hindrance to the installation of conservation practices or present a hazard to their use and enjoyment and reduce hazards to wildlife.

Before Situation: On any land where existing fence interferes with planned land use development, public safety, wildlife movement and habitat, or infrastructure. The site may be abandoned mine lands, construction sites, recreation areas, farms, ranches, and areas affected by natural disasters. This is not intended for the removal of obstructions from aquatic environments.

After Situation: The typical fence will be 2640 in linear feet. The removal of the fence will be performed with the use of equipment and hand labor. Dispose of all debris from the fence removal so that it does not impede subsequent work or cause onsite or offsite damage. Revegetate or otherwise protect from erosion disturbed areas as soon as possible. Refer to NRCS Conservation Practice Standard 342, Critical Area Planting for seedbed preparation, seeding, fertilizing, and mulching requirements. The practice is to improve site conditions in order to apply conservation practices or facilitate better use of the landscape such as Upland Wildlife Habitat Management (645).

Scenario Feature Measure: Length of Fence

Scenario Unit: Foot

Scenario Typical Size: 2640

Total Scenario Cost: \$2,326.01

Scenario Cost/Unit: \$0.88

Cost Details

| Component Name | Id | Description | Unit | Cost | Qty | Total |
|----------------|----|-------------|------|------|-----|-------|
|----------------|----|-------------|------|------|-----|-------|

Labor

| | | | | | | |
|----------------------------|-----|--|------|---------|----|----------|
| Equipment Operators, Light | 232 | Includes: Skid Steer Loaders, Hydraulic Excavators <50 HP, Trenchers <12", Ag Equipment <150 HP, Pickup Trucks, Forklifts, Mulchers | Hour | \$22.70 | 20 | \$454.02 |
| General Labor | 231 | Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc. | Hour | \$22.04 | 21 | \$462.91 |

Equipment Installation

| | | | | | | |
|------------------|-----|---|------|---------|----|----------|
| Skidsteer, 80 HP | 933 | Skidsteer loader with horsepower range of 60 to 90. Equipment and power unit costs. Labor not included. | Hour | \$39.69 | 20 | \$793.73 |
| Truck, Pickup | 939 | Equipment and power unit costs. Labor not included. | Hour | \$19.39 | 20 | \$387.72 |

Mobilization

| | | | | | | |
|--------------------------------|------|---|------|----------|---|----------|
| Mobilization, medium equipment | 1139 | Equipment with 70-150 HP or typical weights between 14,000 and 30,000 pounds. | Each | \$227.64 | 1 | \$227.64 |
|--------------------------------|------|---|------|----------|---|----------|

Practice: 500 - Obstruction Removal

Scenario: #14 - Removal and Disposal of Steel and or Concrete Structures

Scenario Description: Remove and disposal of steel and or concrete structures by demolition, excavation or other means required for removal. Dispose of all steel and or concrete structures so that it does not impede subsequent work or cause onsite or offsite damage. Dispose of all steel and or concrete structures by removal to an approved location, or reuse location. Remove and dispose all steel and or concrete structures in order to apply conservation practices or facilitate the planned land use. Steel and or concrete structure removal will address the resource concerns of the prevention or hindrance to the installation of conservation practices or present a hazard to their use and enjoyment.

Before Situation: On any land where existing obstructions interfere with planned land use development, public safety or infrastructure. The site may be abandoned mine lands, construction sites, recreation areas, farms, ranches, and areas affected by natural disasters. This is not intended for the removal of obstructions from aquatic environments.

After Situation: The typical area will be a 2000 square feet of impaired land. The removal of steel and or concrete structures will be performed by demolition, excavation or other means required for removal with the use of heavy equipment and hand labor. Dispose of all steel and or concrete structures from the obstruction removal so that it does not impede subsequent work or cause onsite or offsite damage. Revegetate or otherwise protect from erosion disturbed areas as soon as possible. Refer to NRCS Conservation Practice Standard 342, Critical Area Planting for seedbed preparation, seeding, fertilizing, and mulching requirements. The practice is to improve site conditions in order to apply conservation practices or facilitate better use of the landscape.

Scenario Feature Measure: Land Area

Scenario Unit: Square Foot

Scenario Typical Size: 2000

Total Scenario Cost: \$26,680.73

Scenario Cost/Unit: \$13.34

Cost Details

| Component Name | Id | Description | Unit | Cost | Qty | Total |
|----------------|----|-------------|------|------|-----|-------|
|----------------|----|-------------|------|------|-----|-------|

Labor

| | | | | | | |
|----------------------------|-----|--|------|---------|----|------------|
| Equipment Operators, Heavy | 233 | Includes: Cranes, Hydraulic Excavators >=50 HP, Dozers, Paving Machines, Rock Trenchers, Trenchers >=12", Dump Trucks, Ag Equipment >=150 HP, Scrapers, Water Wagons. | Hour | \$27.99 | 65 | \$1,819.04 |
| General Labor | 231 | Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc. | Hour | \$22.04 | 65 | \$1,432.80 |
| Skilled Labor | 230 | Labor requiring a high level skill set: Includes carpenters, welders, electricians, conservation professionals involved with data collection, monitoring, and or record keeping, etc. | Hour | \$28.79 | 65 | \$1,871.62 |

Equipment Installation

| | | | | | | |
|----------------------------|------|--|------|----------|----|-------------|
| Dozer, 200 HP | 928 | Track mounted Dozer with horsepower range of 160 to 250. Equipment and power unit costs. Labor not included. | Hour | \$172.76 | 64 | \$11,056.63 |
| Hydraulic Excavator, .5 CY | 930 | Track mounted hydraulic excavator with bucket capacity range of 0.3 to 0.8 CY. Equipment and power unit costs. Labor not included. | Hour | \$55.83 | 64 | \$3,573.07 |
| Truck, dump, 18 CY | 1400 | Dump truck for moving bulk material. Typically capacity is 25 ton or 18 cubic yards. Includes equipment only. | Hour | \$108.24 | 64 | \$6,927.57 |

Practice: 500 - Obstruction Removal

Scenario: #15 - Removal and Disposal of Wood Structures

Scenario Description: Remove and disposal of wood structures by demolition, excavation or other means required for removal. Dispose of all wood structures so that it does not impede subsequent work or cause onsite or offsite damage. Dispose of all wood structures by removal to an approved location, landfill, or reuse location. Remove and dispose all wood structures in order to apply conservation practices or facilitate the planned land use. Wood structure removal will address the resource concerns of the prevention or hindrance to the installation of conservation practices or present a hazard to their use and enjoyment.

Before Situation: On any land where existing obstructions interfere with planned land use development, public safety or infrastructure. The site may be abandoned mine lands, construction sites, recreation areas, farms, ranches, and areas affected by natural disasters. This is not intended for the removal of obstructions from aquatic environments.

After Situation: The typical area will be a 2000 square feet of impaired land. The removal of wood structures will be performed by demolition, excavation or other means required for removal with the use of heavy equipment and hand labor. Dispose of all wood structures from the obstruction removal so that it does not impede subsequent work or cause onsite or offsite damage. Revegetate or otherwise protect from erosion disturbed areas as soon as possible. Refer to NRCS Conservation Practice Standard 342, Critical Area Planting for seedbed preparation, seeding, fertilizing, and mulching requirements. The practice is to improve site conditions in order to apply conservation practices or facilitate better use of the landscape.

Scenario Feature Measure: Land Area

Scenario Unit: Square Foot

Scenario Typical Size: 2000

Total Scenario Cost: \$13,379.78

Scenario Cost/Unit: \$6.69

Cost Details

| Component Name | Id | Description | Unit | Cost | Qty | Total |
|----------------|----|-------------|------|------|-----|-------|
|----------------|----|-------------|------|------|-----|-------|

Labor

| | | | | | | |
|----------------------------|-----|--|------|---------|----|----------|
| Equipment Operators, Heavy | 233 | Includes: Cranes, Hydraulic Excavators >=50 HP, Dozers, Paving Machines, Rock Trenchers, Trenchers >=12", Dump Trucks, Ag Equipment >=150 HP, Scrapers, Water Wagons. | Hour | \$27.99 | 33 | \$923.51 |
| General Labor | 231 | Labor performed using basic tools such as power tool, shovels, and other tools that do not require extensive training. Ex. pipe layer, herder, concrete placement, materials spreader, flagger, etc. | Hour | \$22.04 | 33 | \$727.42 |
| Skilled Labor | 230 | Labor requiring a high level skill set: Includes carpenters, welders, electricians, conservation professionals involved with data collection, monitoring, and or record keeping, etc. | Hour | \$28.79 | 33 | \$950.21 |

Equipment Installation

| | | | | | | |
|----------------------------|------|--|------|----------|----|------------|
| Dozer, 200 HP | 928 | Track mounted Dozer with horsepower range of 160 to 250. Equipment and power unit costs. Labor not included. | Hour | \$172.76 | 32 | \$5,528.31 |
| Hydraulic Excavator, .5 CY | 930 | Track mounted hydraulic excavator with bucket capacity range of 0.3 to 0.8 CY. Equipment and power unit costs. Labor not included. | Hour | \$55.83 | 32 | \$1,786.53 |
| Truck, dump, 18 CY | 1400 | Dump truck for moving bulk material. Typically capacity is 25 ton or 18 cubic yards. Includes equipment only. | Hour | \$108.24 | 32 | \$3,463.78 |