

Massachusetts
Highly Erodible Soils
and
Potentially Highly Erodible Soils

Bristol County – Southern Part

Publication Map Symbol	SSURGO Map Symbol	<i>Map Units Highly Erodible by Water</i> (Only those units considered tillable)*
Map Unit Name		
HgC	242C	Hinckley gravelly fine sandy loam, 8 to 15 percent slopes
HgD	242D	Hinckley gravelly fine sandy loam, 15 to 25 percent slopes
PfC	305C	Paxton fine sandy loam, 8 to 15 percent slopes

Publication Map Symbol	SSURGO Map Symbol	<i>Map Units <u>POTENTIALLY</u> Highly Erodible by Water</i> (Only those units considered tillable)*	Critical LS Factor
Map Unit Name			
AgB	275B	Agawam fine sandy loam, 3 to 8 percent slopes	.71
GcB	449B	Glouster-Hinckley complex, undulating	.22
HgB	242B	Hinckley gravelly fine sandy loam, 3 to 8 percent slopes	.85
MeB	254B	Merrimac fine sandy loam, 3 to 8 percent slopes	.71
NeB	325B	Newport loam, 3 to 8 percent slopes	.62
PfB	305B	Paxton fine sandy loam, 3 to 8 percent slopes	.71
PtB	345B	Pittstown loam, 0 to 8 percent slopes	.62
RdB	70B	Ridgebury fine sandy loam, 3 to 8 percent slopes	.71
SdB	260B	Sudbury fine sandy loam, 3 to 8 percent slopes	.71
WnC	255C	Windsor loamy sand, 8 to 15 percent slopes	1.4
WrB	310B	Woodbridge fine sandy loam, 3 to 8 percent slopes	.71

5/12/2006

* Stony and rocky units, urban land, “soil” – urban land complexes, pits, Udorthents, udipsamments, etc., are not considered tillable. Should you encounter an instance where such areas are converted to cropland or are farmed, contact the local soil scientist or state soils staff for assistance.