

Massachusetts
Highly Erodible Soils
and
Potentially Highly Erodible Soils

Norfolk & Suffolk Counties

Publication Map Symbol	SSURGO Map Symbol	<i>Map Units Highly Erodible by Water</i> (Only those units considered tillable)*
		Map Unit Name
CaC	420C	Canton fine sandy loam, 8 to 15 percent slopes
CaD	420D	Canton fine sandy loam, 15 to 35 percent slopes
HfC	245C	Hinckley sandy loam, 8 to 15 percent slopes
MmC	254C	Merrimac fine sandy loam, 8 to 15 percent slopes
MoC	300C	Montauk fine sandy loam, 8 to 15 percent slopes
NpC	325C	Newport silt loam, 8 to 15 percent slopes
NpD	325D	Newport silt loam, 15 to 25 percent slopes
PaC	305C	Paxton fine sandy loam, 8 to 15 percent slopes
PaD	305D	Paxton fine sandy loam, 15 to 25 percent slopes

Publication Map Symbol	SSURGO Map Symbol	<i>Map Units <u>POTENTIALLY</u> Highly Erodible by Water</i> (Only those units considered tillable)*	Critical LS Factor
		Map Unit Name	
CaB	420B	Canton fine sandy loam, 3 to 8 percent slopes	.73
HaB	251B	Haven silt loam, 3 to 8 percent slopes	.55
HfB	245B	Hinckley sandy loam, 3 to 8 percent slopes	.87
MmB	254B	Merrimac fine sandy loam, 3 to 8 percent slopes	.73
MoB	300B	Montauk fine sandy loam, 3 to 8 percent slopes	.55
NpB	325B	Newport silt loam, 3 to 8 percent slopes	.63
PaB	305B	Paxton fine sandy loam, 3 to 8 percent slopes	.73
PtB	345B	Pittstown silt loam, 2 to 8 percent slopes	.63
ScB	223B	Scio very fine sandy loam, 2 to 5 percent slopes	.36
SeB	315B	Scituate fine sandy loam, 3 to 8 percent slopes	.73
SuB	260B	Sudbury fine sandy loam, 2 to 8 percent slopes	.73
WnC	255C	Windsor loamy sand, 8 to 15 percent slopes	1.72
WrB	310B	Woodbridge fine sandy loam, 3 to 8 percent slopes	.73

7/13/2006

* Stony and rocky units, urban land, “soil” – urban land complexes, pits, Udorthents, udipsamments, etc., are not considered tillable. Should you encounter an instance where such areas are converted to cropland or are farmed, contact the local soil scientist or state soils staff for assistance.