

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT  
 Talbot County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification	
		R=	C=
BaA	BARCLAY SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
BaB2	BARCLAY SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	
Bp	BORROW PITS	not highly erodible	
Cb	COASTAL BEACHES	potentially highly erodible	
DoA	DOWNER LOAMY SAND, 0 TO 2 PERCENT SLOPES	not highly erodible	
DoB2	DOWNER LOAMY SAND, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	
DoC2	DOWNER LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	
Ek	ELKTON LOAM	not highly erodible	
Es	ELKTON SILT LOAM	not highly erodible	
Fa	FALLSINGTON SANDY LOAM	not highly erodible	
Ff	FALLSINGTON FINE SANDY LOAM	not highly erodible	
Fg	FALLSINGTON LOAM	not highly erodible	
GaB	GALESTOWN LOAMY SAND, 0 TO 5 PERCENT SLOPES	not highly erodible	
GaC	GALESTOWN LOAMY SAND, 5 TO 15 PERCENT SLOPES	not highly erodible	
KmA	KEYPORT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
KmB2	KEYPORT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	
KmC2	KEYPORT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible	
KmD	KEYPORT LOAM, 10 TO 15 PERCENT SLOPES	highly erodible	
KpA	KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
KpB2	KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	
KsC3	KEYPORT SILTY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible	
KsD3	KEYPORT SILTY CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	highly erodible	
Ky	KLEJ LOAMY SAND	not highly erodible	
Ma	MADE LAND	not highly erodible	
MkA	MATAPEAKE LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
MkB2	MATAPEAKE LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	
MkC2	MATAPEAKE LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible	
MkD	MATAPEAKE LOAM, 10 TO 15 PERCENT SLOPES	highly erodible	
M1A	MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
M1B2	MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	
M1C2	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible	
M1C3	MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible	
M1D3	MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	highly erodible	
MpA	MATTAPEX LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
MpB2	MATTAPEX LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	
MxA	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
MxB2	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	
My	MIXED ALLUVIAL LAND	not highly erodible	
Oh	OTHELLO SILT LOAM	not highly erodible	
Ot	OTHELLO SILT LOAM, LOW	not highly erodible	
Pe	PLUMMER LOAMY SAND	not highly erodible	
Pk	POCOMOKE SANDY LOAM	not highly erodible	
Pm	POCOMOKE LOAM	not highly erodible	

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued  
 Talbot County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification	
		R=	C=
Pt	PORTSMOUTH SILT LOAM	not highly erodible	
SaA	SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
SaB2	SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	
SaC2	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible	
SaC3	SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible	
SaD	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES	highly erodible	
SaD3	SASSAFRAS SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	highly erodible	
SfA	SASSAFRAS FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
SfB2	SASSAFRAS FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	
SmA	SASSAFRAS LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
SmB2	SASSAFRAS LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	
SmC2	SASSAFRAS LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	highly erodible	
SmC3	SASSAFRAS LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	highly erodible	
St	STEEP LAND	highly erodible	
Tm	TIDAL MARSH	not highly erodible	
WdA	WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
WdB2	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	
WfA	WOODSTOWN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
WoA	WOODSTOWN LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
WoB2	WOODSTOWN LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	not highly erodible	

