

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT
 Garrett County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification	
		R=	C=
AbB	ALBRIGHTS SILT LOAM, 0 TO 8 PERCENT SLOPES	potentially highly erodible	highly erodible
AbC2	ALBRIGHTS SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	highly erodible
AgC	ALBRIGHTS VERY STONY SILT LOAM, 0 TO 15 PERCENT SLOPES	potentially highly erodible	highly erodible
AhB	ALLEGHENY FINE SANDY LOAM, 0 TO 8 PERCENT	potentially highly erodible	highly erodible
An	ALLUVIAL LAND	not highly erodible	highly erodible
Ao	ALLUVIAL LAND, VERY STONY	not highly erodible	highly erodible
Ar	ARMAGH SILT LOAM	not highly erodible	highly erodible
At	ATKINS SILT LOAM	not highly erodible	highly erodible
BrA	BRINKERTON AND ANDOVER SILT LOAMS, 0 TO 3 PERCENT SLOPES	potentially highly erodible	highly erodible
BrB	BRINKERTON AND ANDOVER SILT LOAMS, 3 TO 8 PERCENT SLOPES	potentially highly erodible	highly erodible
BsC	BRINKERTON AND ANDOVER VERY STONY SILT LOAMS, 0 TO 15 PERCENT SLOPES	potentially highly erodible	highly erodible
CaC2	CALVIN-GILPIN-UNGERS CHANNERY LOAMS, 10 TO 20 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	highly erodible
CaD2	CALVIN-GILPIN-UNGERS CHANNERY LOAMS, 20 TO 35 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	highly erodible
CaD3	CALVIN-GILPIN-UNGERS CHANNERY LOAMS, 20 TO 35 PERCENT SLOPES, SEVERELY ERODED	potentially highly erodible	highly erodible
C1E	CALVIN AND LEHEW CHANNERY LOAMS, 35 TO 50 PERCENT SLOPES	potentially highly erodible	highly erodible
CnC2	CALVIN, UNGERS AND LEHEW CHANNERY LOAMS, 10 TO 20 PERCENT SLOPES MODERATELY ERODED	potentially highly erodible	highly erodible
CnD2	CALVIN, UNGERS AND LEHEW CHANNERY LOAMS, 20 TO 35 PERCENT SLOPES MODERATELY ERODED	potentially highly erodible	highly erodible
CnD3	CALVIN, UNGERS AND LEHEW CHANNERY LOAMS, 20 TO 35 PERCENT SLOPES SEVERELY ERODED	potentially highly erodible	highly erodible
CoB	CAVODE SILT LOAM, 0 TO 8 PERCENT SLOPES	potentially highly erodible	highly erodible
CoC2	CAVODE SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	highly erodible
CrB	CLYMER CHANNERY LOAM, 0 TO 10 PERCENT SLOPES	potentially highly erodible	highly erodible
CtB	COOKPORT CHANNERY LOAM, 0 TO 8 PERCENT SLOPES	potentially highly erodible	highly erodible
CtC2	COOKPORT CHANNERY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	highly erodible
CuB	COOKPORT AND ERNEST VERY STONY SILT LOAMS, 0 TO 8 PERCENT SLOPES	potentially highly erodible	highly erodible
CuD	COOKPORT AND ERNEST VERY STONY SILT LOAMS, 8 TO 25 PERCENT SLOPES	potentially highly erodible	highly erodible
Cv	CUT AND FILL LAND	potentially highly erodible	highly erodible
DbB	DEKALB CHANNERY LOAM, 0 TO 10 PERCENT SLOPES	potentially highly erodible	highly erodible
DbC2	DEKALB CHANNERY LOAM, 10 TO 20 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	highly erodible
DbD2	DEKALB CHANNERY LOAM, 20 TO 35 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	highly erodible
DcC	DEKALB-CALVIN-LEHEW VERY STONY LOAMS, 0 TO 15 PERCENT SLOPES	potentially highly erodible	highly erodible
DcD	DEKALB-CALVIN-LEHEW VERY STONY LOAMS, 15 TO 25 PERCENT SLOPES	potentially highly erodible	highly erodible
DgC	DEKALB AND GILPIN VERY STONY LOAMS, 0 TO 15 PERCENT SLOPES	potentially highly erodible	highly erodible

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued
 Garrett County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification	
		R=	C=
DgD	DEKALB AND GILPIN VERY STONY LOAMS, 15 TO 25 PERCENT SLOPES	highly erodible	
DlC	DEKALB AND LEETONIA VERY STONY SANDY LOAMS, 0 TO 15 PERCENT SLOPES	potentially highly erodible	
DlD	DEKALB AND LEETONIA VERY STONY SANDY LOAMS, 15 TO 25 PERCENT SLOPES	highly erodible	
Ek	ELKINS SILT LOAM	not highly erodible	
ErA	ERNEST SILT LOAM, 0 TO 3 PERCENT SLOPES	not highly erodible	
ErB	ERNEST SILT LOAM, 3 TO 8 PERCENT SLOPES	potentially highly erodible	
ErC2	ERNEST SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible	
ErD2	ERNEST SILT LOAM, 15 TO 30 PERCENT SLOPES, MODERATELY ERODED	highly erodible	
GnB2	GILPIN CHANNERY SILT LOAM, 0 TO 10 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	
GnC2	GILPIN CHANNERY SILT LOAM, 10 TO 20 PERCENT SLOPES MODERATELY ERODED	highly erodible	
GnD2	GILPIN CHANNERY SILT LOAM, 20 TO 35 PERCENT SLOPES MODERATELY ERODED	highly erodible	
GnD3	GILPIN CHANNERY SILT LOAM, 20 TO 35 PERCENT SLOPES SEVERELY ERODED	highly erodible	
LaB	LAIDIG VERY STONY LOAM, 0 TO 8 PERCENT SLOPES	potentially highly erodible	
LaD	LAIDIG VERY STONY LOAM, 8 TO 25 PERCENT SLOPES	highly erodible	
Lc	LICKDALE SILT LOAM	not highly erodible	
Ls	LICKDALE VERY STONY SILT LOAM	not highly erodible	
McB	MECKESVILLE SILT LOAM, 0 TO 8 PERCENT SLOPES	potentially highly erodible	
McC2	MECKESVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	highly erodible	
MdB	MECKESVILLE VERY STONY SILT LOAM, 0 TO 8 PERCENT SLOPES	potentially highly erodible	
MdD	MECHESVILLE VERY STONY SILT LOAM, 8 TO 25 PERCENT SLOPES	highly erodible	
NoB	NOLO SILT LOAM, 0 TO 8 PERCENT SLOPES	potentially highly erodible	
Pe	PEAT	not highly erodible	
Ph	PHILO SILT LOAM	not highly erodible	
Ps	POPE SILT LOAM	not highly erodible	
PuC2	PURDY SILT LOAM, 0 TO 15 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	
St	STRIP MINES AND DUMPS	potentially highly erodible	
SW	SWAMP	highly erodible	
UcB	UNGERS, CALVIN AND LEHEW CHANNERY LOAMS, 0 TO 10 PERCENT SLOPES	not highly erodible	
UnB	UNGERS-GILPIN-CALVIN CHANNERY LOAMS, 0 TO 10 PERCENT SLOPES	potentially highly erodible	
VsD	VERY STONY LAND, ROLLING	potentially highly erodible	
VsF	VERY STONY LAND, STEEP	highly erodible	
WhB2	WHARTON SILT LOAM, 0 TO 10 PERCENT SLOPES, MODERATELY ERODED	potentially highly erodible	
WhC2	WHARTON SILT LOAM, 10 TO 20 PERCENT SLOPES, MODERATELY ERODED	highly erodible	

