

United States Department of Agriculture
 Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP
 Washington County, Maryland: Detailed Soil Map Legend (update)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
AmB	AIRMONT	AIRMONT COBBLY LOAM, 3 TO 8 PERCENT SLOPES, EXTREMELY STONY		1
AmD	AIRMONT	AIRMONT COBBLY LOAM, 8 TO 25 PERCENT SLOPES, EXTREMELY STONY		1
AnB	ANDOVER	ANDOVER-BUCHANAN LOAMS, 0 TO 8 PERCENT SLOPES, VERY STONY		1
At	ATKINS	ATKINS SILT LOAM		1
BaB	BAGTOWN	BAGTOWN COBBLY LOAM, 3 TO 8 PERCENT SLOPES, EXTREMELY STONY		1
BaC	BAGTOWN	BAGTOWN COBBLY LOAM, 8 TO 15 PERCENT SLOPES, EXTREMELY STONY		1
BaD	BAGTOWN	BAGTOWN COBBLY LOAM, 15 TO 25 PERCENT SLOPES. EXTREMELY STONY		1
BbD	BAGTOWN	BAGTOWN COBBLY LOAM, 15 TO 25 PERCENT SLOPES, RUBBLY		1
BbE	BAGTOWN	BAGTOWN COBBLY LOAM, 25 TO 45 PERCENT SLOPES, RUBBLY		1
Bc	BASHER	BASHER FINE SANDY LOAM		2
BeB	BERKS	BERKS CHANNERY SILT LOAM, 3 TO 8 PERCENT SLOPES		1
BeC	BERKS	BERKS CHANNERY SILT LOAM, 8 TO 15 PERCENT SLOPES		1
BfB	BERKS	BERKS-WEIKERT CHANNERY SILT LOAMS, 3 TO 8 PERCENT SLOPES		1
BfC	BERKS	BERKS-WEIKERT CHANNERY SILT LOAMS, 8 TO 15 PERCENT SLOPES		1
BkB	BERKS	BERKS-WEIKERT-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES		1
BkD	BERKS	BERKS-WEIKERT-URBAN LAND COMPLEX, 8 TO 25 PERCENT SLOPES		1
Bp	BIGPOOL	BIGPOOL SILT LOAM		1
BrB	BRADDOCK	BRADDOCK-THURMONT GRAVELLY LOAMS, 3 TO 8 PERCENT SLOPES		2
BrC	BRADDOCK	BRADDOCK-THURMONT GRAVELLY LOAMS, 8 TO 15 PERCENT SLOPES		2
BrD	BRADDOCK	BRADDOCK-THURMONT GRAVELLY LOAMS, 15 TO 25 PERCENT SLOPES		2
BtB	BRINKERTON	BRINKERTON SILT LOAM, 0 TO 8 PERCENT SLOPES		1
BuB	BUCHANAN	BUCHANAN GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES		1
BuC	BUCHANAN	BUCHANAN GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES		1
BuD	BUCHANAN	BUCHANAN GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES		1
CaB	CALVIN	CALVIN CHANNERY LOAM, 3 TO 8 PERCENT SLOPES		1
CaC	CALVIN	CALVIN CHANNERY LOAM, 8 TO 15 PERCENT SLOPES		1
CaD	CALVIN	CALVIN CHANNERY LOAM, 15 TO 25 PERCENT SLOPES		1
CcB	CATOCTIN	CATOCTIN-MYERSVILLE CHANNERY LOAMS, 3 TO 8 PERCENT SLOPES		1
CcC	CATOCTIN	CATOCTIN-MYERSVILLE CHANNERY LOAMS, 8 TO 15 PERCENT SLOPES		1
CcD	CATOCTIN	CATOCTIN-MYERSVILLE CHANNERY LOAMS, 15 TO 25 PERCENT SLOPES		1
CkB	CLEARBROOK	CLEARBROOK CHANNERY SILT LOAM, 0 TO 8 PERCENT SLOPES		1
Co	COMBS	COMBS FINE SANDY LOAM		1
Cp	COMBS	COMBS SILT LOAM		1
DaB	DEKALB	DEKALB CHANNERY LOAM, 3 TO 8 PERCENT SLOPES, VERY STONY		3
DaC	DEKALB	DEKALB CHANNERY LOAM, 8 TO 15 PERCENT SLOPES, VERY STONY		3
DaD	DEKALB	DEKALB CHANNERY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY		3
DeA	DEKALB	DEKALB-ROCK OUTCROP COMPLEX, 0 TO 3 PERCENT SLOPES		2
DeB	DEKALB	DEKALB-ROCK OUTCROP COMPLEX. 3 TO 8 PERCENT SLOPES		2
DeC	DEKALB	DEKALB-ROCK OUTCROP COMPLEX, 8 TO 15 PERCENT SLOPES		2
DeD	DEKALB	DEKALB-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES		2
DgF	BAGTOWN	DEKALB-BAGTOWN-ROCK OUTCROP COMPLEX, 25 TO 65 PERCENT SLOPES		1
DhF	DEKALB	DEKALB AND HAZLETON SOILS, 25 TO 65 PERCENT SLOPES, RUBBLY		2
Dk	DEPOSIT	DEPOSIT GRAVELLY LOAM		2

United States Department of Agriculture
 Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP
 Washington County, Maryland: Detailed Soil Map Legend (update)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
DnB	DEPOSIT	DEPOSIT GRAVELLY LOAM, 0 TO 8 PERCENT SLOPES, VERY STONY		2
DoA	DOWNSVILLE	DOWNSVILLE GRAVELLY LOAM, 0 TO 3 PERCENT SLOPES		2
DoB	DOWNSVILLE	DOWNSVILLE GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES		2
DoC	DOWNSVILLE	DOWNSVILLE GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES		2
DoD	DOWNSVILLE	DOWNSVILLE GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES		2
DoE	DOWNSVILLE	DOWNSVILLE GRAVELLY LOAM, 25 TO 45 PERCENT SLOPES		2
DrA	DRYRUN	DRYRUN GRAVELLY LOAM, 0 TO 3 PERCENT SLOPES		1
DrB	DRYRUN	DRYRUN GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES		1
DsA	DUFFIELD	DUFFIELD SILT LOAM, 0 TO 3 PERCENT SLOPES		2
DsB	DUFFIELD	DUFFIELD SILT LOAM, 3 TO 8 PERCENT SLOPES		2
DsC	DUFFIELD	DUFFIELD SILT LOAM, 8 TO 15 PERCENT SLOPES		2
DsD	DUFFIELD	DUFFIELD SILT LOAM, 15 TO 25 PERCENT SLOPES		2
DuB	DUFFIELD	DUFFIELD SILT LOAM, 3 TO 8 PERCENT SLOPES, VERY ROCKY		2
DuC	DUFFIELD	DUFFIELD SILT LOAM, 8 TO 15 PERCENT SLOPES, VERY ROCKY		2
DvB	DUFFIELD	DUFFIELD-ROCK OUTCROP COMPLEX, 3 TO 8 PERCENT SLOPES		2
DvC	DUFFIELD	DUFFIELD-ROCK OUTCROP COMPLEX, 8 TO 15 PERCENT SLOPES		2
DvD	DUFFIELD	DUFFIELD-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES		2
FO	FOXVILLE	FOXVILLE AND HATBORO SOILS		1
Fa	FAIRPLAY	FAIRPLAY (MARL) SILT LOAM		1
Ft	FUNKSTOWN	FUNKSTOWN SILT LOAM		2
HaA	HAGERSTOWN	HAGERSTOWN SILT LOAM, 0 TO 3 PERCENT SLOPES		2
HaB	HAGERSTOWN	HAGERSTOWN SILT LOAM, 3 TO 8 PERCENT SLOPES		2
HaC	HAGERSTOWN	HAGERSTOWN SILT LOAM, 8 TO 15 PERCENT SLOPES		2
HaD	HAGERSTOWN	HAGERSTOWN SILT LOAM, 15 TO 25 PERCENT SLOPES		2
HbB	HAGERSTOWN	HAGERSTOWN SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES, VERY ROCKY		2
HbC	HAGERSTOWN	HAGERSTOWN SILTY CLAY LOAM, 8 TO 15 PERCENT SLOPES, VERY ROCKY		2
HbD	HAGERSTOWN	HAGERSTOWN SILTY CLAY LOAM, 15 TO 25 PERCENT SLOPES, VERY ROCKY		2
HcB	HAGERSTOWN	HAGERSTOWN-ROCK OUTCROP COMPLEX, 3 TO 8 PERCENT SLOPES		2
HcC	HAGERSTOWN	HAGERSTOWN-ROCK OUTCROP COMPLEX, 8 TO 15 PERCENT SLOPES		2
HcD	HAGERSTOWN	HAGERSTOWN-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES		2
HdB	HAGERSTOWN	HAGERSTOWN-DUFFIELD-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES		2
HdD	HAGERSTOWN	HAGERSTOWN-DUFFIELD-URBAN LAND COMPLEX, 8 TO 25 PERCENT SLOPES		2
HgB	HAGERSTOWN	HAGERSTOWN-OPEQUON-ROCK OUTCROP COMPLEX, 0 TO 8 PERCENT SLOPES		2
Hh	HATBORO	HATBORO SILT LOAM		1
HnB	HAZEL	HAZEL CHANNERY SILT LOAM, 3 TO 8 PERCENT SLOPES		1
HnC	HAZEL	HAZEL CHANNERY SILT LOAM, 8 TO 15 PERCENT SLOPES		1
HnD	HAZEL	HAZEL CHANNERY SILT LOAM, 15 TO 25 PERCENT SLOPES		2
HrE	HAZEL	HAZEL-ROCK OUTCROP COMPLEX, 25 TO 45 PERCENT SLOPES		2
HsD	HAZLETON	HAZLETON CHANNERY SANDY LOAM, 15 TO 25 PERCENT SLOPES, EXTREMELY STONY		2
HsE	HAZLETON	HAZLETON CHANNERY SANDY LOAM, 25 TO 45 PERCENT SLOPES, EXTREMELY STONY		2
KcB	KLINESVILLE	KLINESVILLE-CALVIN CHANNERY LOAMS, 3 TO 8 PERCENT SLOPES		2
KcC	KLINESVILLE	KLINESVILLE-CALVIN CHANNERY LOAMS, 8 TO 15 PERCENT SLOPES		2
KcD	KLINESVILLE	KLINESVILLE-CALVIN CHANNERY LOAMS, 15 TO 25 PERCENT SLOPES		2
KcF	KLINESVILLE	KLINESVILLE-CALVIN CHANNERY LOAMS, 25 TO 65 PERCENT SLOPES		2

United States Department of Agriculture
 Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP
 Washington County, Maryland: Detailed Soil Map Legend (update)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
LaB	LANTZ	LANTZ-ROHRERSVILLE SILT LOAMS, 0 TO 8 PERCENT SLOPES, EXTREMELY STONY		1
Lb	LAPPANS	LAPPANS (MARL) LOAM		3
Ln	LINDSIDE	LINDSIDE SILT LOAM		1
Me	MELVIN	MELVIN SILT LOAM		1
MgA	MONONGAHELA	MONONGAHELA SILT LOAM, 0 TO 3 PERCENT SLOPES		1
MgB	MONONGAHELA	MONONGAHELA SILT LOAM, 3 TO 8 PERCENT SLOPES		1
MgC	MONONGAHELA	MONONGAHELA SILT LOAM, 8 TO 15 PERCENT SLOPES		1
MgD	MONONGAHELA	MONONGAHELA SILT LOAM, 15 TO 25 PERCENT SLOPES		1
MhA	MONONGAHELA	MONONGAHELA GRAVELLY LOAM, 0 TO 3 PERCENT SLOPES		1
MhB	MONONGAHELA	MONONGAHELA GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES		1
MhC	MONONGAHELA	MONONGAHELA GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES		1
MkB	MT. ZION	MT. ZION GRAVELLY SILT LOAM, 3 TO 8 PERCENT SLOPES		1
MkC	MT. ZION	MT. ZION GRAVELLY SILT LOAM, 8 TO 15 PERCENT SLOPES		1
MmA	MT. ZION	MT. ZION-ROHRERSVILLE SILT LOAMS, 0 TO 3 PERCENT SLOPES		1
MoB	MURRILL	MURRILL SILT LOAM, 3 TO 8 PERCENT SLOPES		2
MoC	MURRILL	MURRILL SILT LOAM, 8 TO 15 PERCENT SLOPES		2
MsB	MURRILL	MURRILL GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES		2
MsC	MURRILL	MURRILL GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES		2
MsD	MURRILL	MURRILL GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES		2
MuB	MURRILL	MURRILL-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES		2
MuD	MURRILL	MURRILL-URBAN LAND COMPLEX, 8 TO 25 PERCENT SLOPES		2
MvB	MYERSVILLE	MYERSVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES		2
MvC	MYERSVILLE	MYERSVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES		2
MwB	MYERSVILLE	MYERSVILLE GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES		2
MwC	MYERSVILLE	MYERSVILLE GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES		3
MwD	MYERSVILLE	MYERSVILLE GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES		3
NoB	NOLLVILLE	NOLLVILLE CHANNERY SILT LOAM, 3 TO 8 PERCENT SLOPES		2
NoC	NOLLVILLE	NOLLVILLE CHANNERY SILT LOAM, 8 TO 15 PERCENT SLOPES		2
NoD	NOLLVILLE	NOLLVILLE CHANNERY SILT LOAM, 15 TO 25 PERCENT SLOPES		2
OpA	OPEQUON	OPEQUON SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES		1
OpB	OPEQUON	OPEQUON SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES		1
OpC	OPEQUON	OPEQUON SILTY CLAY LOAM, 8 TO 15 PERCENT SLOPES		1
OrB	OPEQUON	OPEQUON-ROCK OUTCROP COMPLEX, 3 TO 8 PERCENT SLOPES		1
OrC	OPEQUON	OPEQUON-ROCK OUTCROP COMPLEX, 8 TO 15 PERCENT SLOPES		1
OrD	OPEQUON	OPEQUON-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES		1
OrF	OPEQUON	OPEQUON-ROCK OUTCROP COMPLEX, 25 TO 65 PERCENT SLOPES		1
PaB	PECKTONVILLE	PECKTONVILLE GRAVELLY SILT LOAM, 3 TO 8 PERCENT SLOPES		1
PaC	PECKTONVILLE	PECKTONVILLE GRAVELLY SILT LOAM, 8 TO 15 PERCENT SLOPES		1
PaD	PECKTONVILLE	PECKTONVILLE GRAVELLY SILT LOAM, 15 TO 25 PERCENT SLOPES		1
PcB	PECKTONVILLE	PECKTONVILLE COBBLY LOAM, 3 TO 8 PERCENT SLOPES		1
PcC	PECKTONVILLE	PECKTONVILLE COBBLY LOAM, 8 TO 15 PERCENT SLOPES		1
PcD	PECKTONVILLE	PECKTONVILLE COBBLY LOAM, 15 TO 25 PERCENT SLOPES		1
PeE	PECKTONVILLE	PECKTONVILLE-ROCK OUTCROP COMPLEX, 25 TO 45 PERCENT SLOPES		1
Pg	PHILO	PHILO SILT LOAM		2
Ph	PHILO	PHILO GRAVELLY SANDY LOAM		2
Pn	POPE	POPE FINE SANDY LOAM		2
Po	POPE	POPE GRAVELLY LOAM		2
RaC	RAVENROCK	RAVENROCK GRAVELLY LOAM, 3 TO 15 PERCENT SLOPES, EXTREMELY STONY		1
RaD	RAVENROCK	RAVENROCK GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES, EXTREMELY STONY		1
RcC	RAVENROCK	RAVENROCK-ROHRERSVILLE COMPLEX, 3 TO 15 PERCENT SLOPES, EXTREMELY STONY		1

United States Department of Agriculture
 Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP
 Washington County, Maryland: Detailed Soil Map Legend (update)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
ReC	RAVENROCK	RAVENROCK-HIGHFIELD-ROCK OUTCROP COMPLEX, 8 TO 15 PERCENT SLOPES		1
ReD	RAVENROCK	RAVENROCK-HIGHFIELD-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES		1
ReF	RAVENROCK	RAVENROCK-HIGHFIELD-ROCK OUTCROP COMPLEX, 25 TO 65 PERCENT SLOPES		1
RhB	ROHRERSVILL	ROHRERSVILLE-LANTZ SILT LOAMS, 0 TO 8 PERCENT SLOPES		1
RmB	RYDER	RYDER-DUFFIELD CHANNERY SILT LOAMS, 3 TO 8 PERCENT SLOPES		1
RmC	RYDER	RYDER-DUFFIELD CHANNERY SILT LOAMS, 8 TO 15 PERCENT SLOPES		1
RmD	RYDER	RYDER-DUFFIELD CHANNERY SILT LOAMS, 15 TO 25 PERCENT SLOPES		1
RnB	RYDER	RYDER-NOLLVILLE CHANNERY SILT LOAMS, 3 TO 8 PERCENT SLOPES		1
RnC	RYDER	RYDER-NOLLVILLE CHANNERY SILT LOAMS, 8 TO 15 PERCENT SLOPES		1
RnD	RYDER	RYDER-NOLLVILLE CHANNERY SILT LOAMS, 15 TO 25 PERCENT SLOPES		1
RvC	RYDER	RYDER-NOLLVILLE, CHANNERY SILT LOAMS, 8 TO 15 PERCENT SLOPES, VERY ROCKY		1
RyB	RYDER	RYDER-ROCK OUTCROP COMPLEX, 3 TO 8 PERCENT SLOPES		1
RyC	RYDER	RYDER-ROCK OUTCROP COMPLEX, 8 TO 15 PERCENT SLOPES		1
RyD	RYDER	RYDER-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES		1
SdB	SIDELING	SIDELING GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES		2
SdC	SIDELING	SIDELING GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES		2
SdD	SIDELING	SIDELING GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES		2
SgB	SIDELING	SIDELING GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES, EXTREMELY STONY		2
SgC	SIDELING	SIDELING GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, EXTREMELY STONY		2
SgD	SIDELING	SIDELING GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES, EXTREMELY STONY		2
SpA	SWANPOND	SWANPOND SILT LOAM, 0 TO 3 PERCENT SLOPES		1
SpB	SWANPOND	SWANPOND SILT LOAM, 3 TO 8 PERCENT SLOPES		1
SsA	SWANPOND	SWANPOND-FUNKSTOWN SILT LOAMS, 0 TO 3 PERCENT SLOPES		1
SuA	SWANPOND	SWANPOND-FUNKSTOWN-URBAN LAND COMPLEX, 0 TO 3 PERCENT SLOPES		1
TaB	TALLADEGA	TALLADEGA CHANNERY SILT LOAM, 3 TO 8 PERCENT SLOPES		1
TaC	TALLADEGA	TALLADEGA CHANNERY SILT LOAM, 8 TO 15 PERCENT SLOPES		1
TaD	TALLADEGA	TALLADEGA CHANNERY SILT LOAM, 15 TO 25 PERCENT SLOPES		1
ThB	THURMONT	THURMONT GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES		3
ThC	THURMONT	THURMONT GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES		3
ThD	THURMONT	THURMONT GRAVELLY LOAM, 15 TO 25 PERCENT SLOPES		3
TrA	TREGO	TREGO GRAVELLY LOAM, 0 TO 3 PERCENT SLOPES		1
TrB	TREGO	TREGO GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES		1
TrC	TREGO	TREGO GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES		1
TyA	TYLER	TYLER SILT LOAM, 0 TO 3 PERCENT SLOPES		1
TyB	TYLER	TYLER SILT LOAM, 3 TO 8 PERCENT SLOPES		1
WaA	WALKERSVILL	WALKERSVILLE SILT LOAM, 0 TO 3 PERCENT SLOPES		2
WaB	WALKERSVILL	WALKERSVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES		2
WaC	WALKERSVILL	WALKERSVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES		2
WcA	WALKERSVILL	WALKERSVILLE GRAVELLY LOAM, 0 TO 3 PERCENT SLOPES		2
WcB	WALKERSVILL	WALKERSVILLE GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES		2
WcC	WALKERSVILL	WALKERSVILLE GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES		2
WeB	WEIKERT	WEIKERT VERY CHANNERY SILT LOAM, 3 TO 8 PERCENT SLOPES	1	1

United States Department of Agriculture
 Natural Resources Conservation Service

First Named Component Leaching Index Values for CRP
 Washington County, Maryland: Detailed Soil Map Legend (update)

(see footnotes at end of table)

Map Symbol	Component Name	Map Unit Name	Drained Index	Undrained Index
WeC	WEIKERT	WEIKERT VERY CHANNERY SILT LOAM, 8 TO 15 PERCENT SLOPES	1	1
WeD	WEIKERT	WEIKERT VERY CHANNERY SILT LOAM, 15 TO 25 PERCENT SLOPES	2	1
WeF	WEIKERT	WEIKERT VERY CHANNERY LOAM, 25 TO 65 PERCENT SLOPES	2	1
WkB	WEIKERT	WEIKERT-BERKS CHANNERY SILT LOAMS, 3 TO 8 PERCENT SLOPES	1	1
WkC	WEIKERT	WEIKERT-BERKS CHANNERY SILT LOAMS, 8 TO 15 PERCENT SLOPES	1	1
WkD	WEIKERT	WEIKERT-BERKS CHANNERY SILT LOAMS, 15 TO 25 PERCENT SLOPES	2	1
WrC	WEVERTON	WEVERTON VERY FLAGGY LOAM, 8 TO 15 PERCENT SLOPES		2
WrD	WEVERTON	WEVERTON VERY FLAGGY LOAM, 15 TO 25 PERCENT SLOPES		2
WrE	WEVERTON	WEVERTON VERY FLAGGY LOAM, 25 TO 45 PERCENT SLOPES		2
WuB	WURNO	WURNO-NOLLVILLE CHANNERY SILT LOAMS, 3 TO 8 PERCENT SLOPES		1
WuC	WURNO	WURNO-NOLLVILLE CHANNERY SILT LOAMS, 8 TO 15 PERCENT SLOPES		1
WuD	WURNO	WURNO-NOLLVILLE CHANNERY SILT LOAMS, 15 TO 25 PERCENT SLOPES		1
WuE	WURNO	WURNO-NOLLVILLE CHANNERY SILT LOAMS, 25 TO 45 PERCENT SLOPES		1

This report produces Leaching Index Values (1, 2 and 3) suitable for use as described in Part 539.58 - National Ranking Factor N2, Subfactor B in the CRP Manual. The index information presented in the report is based on data from the first named component of the soil map unit.

The values 1, 2 and 3 are derived by using the same algorithms included in the SOIL PESTICIDE INTERACTION SCREENING PROCEDURE II, Goss and Wauchope, November, 1990. These algorithms produce the leaching values 1, 2, 3 and 4 but this report reverses the order of meaning and combines values 3 and 4. Thus, this report, as required by CRP rules correctly reports 1 as low, 2 as medium, and 3 as high. These values are ready for use in determining signup scores for National ranking subfactor N2 without further code conversion.

