Hydric Soils List

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
AdA:							
ADELPHIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Adelphia	No	---	---	---	---	---
AdB2:							
ADELPHIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERA TELY ERODED	Adelphia	No	---	---	---	---	---
AdC2:							
ADELPHIA FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODER ATELY ERODED	Adelphia	No	---	---	---	---	---
AhA:							
ADELPHIA SILT LOAM, 0 TO 2 PERCENT SLOPES	Adelphia	No	---	---	---	---	---
AhB2:							
ADELPHIA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY E RODED	Adelphia	No	---	---	---	---	---
AuB2:							
AURA GRAVELLY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY E RODED	Aura	No	---	---	---	---	---
AuC2:							
AURA GRAVELLY LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	Aura	No	---	---	---	---	---
AuC3:							
AURA GRAVELLY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ER ODED	Aura	No	---	---	---	---	---
AuD:							
AURA GRAVELLY LOAM, 12 TO 20 PERCENT SLOPES	Aura	No	---	---	---	---	---
AvE:							
AURA AND CROOM GRAVELLY LOAMS, 20 TO 50 PERCENT SLOPES	Aura	No	---	---	---	---	---
	Croom	No	---	---	---	---	---
BeA:							
BELTSVILLE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Beltsville	No	---	---	---	---	---
BeB2:							
BELTSVILLE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODE RATELY ERODED	Beltsville	No	---	---	---	---	---
BeC2:							
BELTSVILLE FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MOD ERATELY ERODED	Beltsville	No	---	---	---	---	---
BlA:							
BELTSVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES	Beltsville	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
BlB2: BELTSVILLE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Beltsville	No	---	---	---	---	---
BlC2: BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATEL Y ERODED	Beltsville	No	---	---	---	---	---
BlC3: BELTSVILLE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Beltsville	No	---	---	---	---	---
BlD3: BELTSVILLE SILT LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	Beltsville	No	---	---	---	---	---
BmB: BELTSVILLE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	Beltsville	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
BmC: BELTSVILLE-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	Beltsville	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
Bn: BIBB SANDY LOAM	Bibb	Yes	flood plain	2B3,4	YES	YES	NO
Bo: BIBB SILT LOAM	Bibb	Yes	flood plain	2B3,4	YES	YES	NO
Br: BIBB-URBAN LAND COMPLEX	Bibb	Yes	flood plain	2B3,4	YES	YES	NO
	Urban Land	No	---	---	---	---	---
BtB2: BUTLERTOWN SILT LOAM, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	Butlertown	No	---	---	---	---	---
CaB2: CHILLUM SILT LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ER ODED	Chillum	No	---	---	---	---	---
CaC2: CHILLUM SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY E RODED	Chillum	No	---	---	---	---	---
CaC3: CHILLUM SILT LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERO DED	Chillum	No	---	---	---	---	---
CaD2: CHILLUM SILT LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY ERODED	Chillum	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
CbB:							
CHILLUM-URBAN LAND COMPLEX, 0 TO 6 PERCENT SLOPES	Chillum	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
CbC:							
CHILLUM-URBAN LAND COMPLEX, 6 TO 12 PERCENT SLOPES	Chillum	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
CbE:							
CHILLUM-URBAN LAND COMPLEX, 12 TO 35 PERCENT SLOPES	Chillum	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
CcC3:							
CHRISTIANA CLAY, 5 TO 10 PERCENT SLOPES, SEVERELY ERODE D	Christiana	No	---	---	---	---	---
CcD3:							
CHRISTIANA CLAY, 10 TO 15 PERCENT SLOPES, SEVERELY EROD ED	Christiana	No	---	---	---	---	---
CcE3:							
CHRISTIANA CLAY, 15 TO 35 PERCENT SLOPES, SEVERELY EROD ED	Christiana	No	---	---	---	---	---
CdA:							
CHRISTIANA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Christiana	No	---	---	---	---	---
CdB2:							
CHRISTIANA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODE RATELY ERODED	Christiana	No	---	---	---	---	---
CdC2:							
CHRISTIANA FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MOD ERATELY ERODED	Christiana	No	---	---	---	---	---
CdD2:							
CHRISTIANA FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MO DERATELY ERODED	Christiana	No	---	---	---	---	---
CeA:							
CHRISTIANA SILT LOAM, 0 TO 2 PERCENT SLOPES	Christiana	No	---	---	---	---	---
CeB2:							
CHRISTIANA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Christiana	No	---	---	---	---	---
CeC2:							
CHRISTIANA SILT LOAM 5 TO 10 PERCENT SLOPES MODERATELY ERODED	Christiana	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
CeD2:							
CHRISTIANA SILT LOAM, 10 TO 25 PERCENT SLOPES, MODERATE LY ERODED	Christiana	No	---	---	---	---	---
CfB:							
CHRISTIANA-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	Christiana	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
CfC:							
CHRISTIANA-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	Christiana	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
CfE:							
CHRISTIANA-URBAN LAND COMPLEX, 15 TO 40 PERCENT SLOPES	Christiana	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
Cg:							
CLAY PITS	Clay Pits	No	---	---	---	---	---
Ch:							
CODORUS SILT LOAM	Codorus	No	---	---	---	---	---
Ck:							
CODORUS-URBAN LAND COMPLEX	Codorus	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
Cl:							
COLEMANTOWN LOAM	Colemantown	Yes	flat	2B3	YES	NO	NO
CmA:							
COLLINGTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Collington	No	---	---	---	---	---
CmB2:							
COLLINGTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODE RATELY ERODED	Collington	No	---	---	---	---	---
CmC2:							
COLLINGTON FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MOD ERATELY ERODED	Collington	No	---	---	---	---	---
CmC3:							
COLLINGTON FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Collington	No	---	---	---	---	---
CmD2:							
COLLINGTON FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MO DERATELY ERODED	Collington	No	---	---	---	---	---
CmD3:							
COLLINGTON FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, SE	Collington	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
CmE2:							
COLLINGTON FINE SANDY LOAM, 15 TO 40 PERCENT SLOPES, MO DERATELY ERODED	Collington	No	---	---	---	---	---
CmE3:							
COLLINGTON FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES, SE VERELY ERODED	Collington	No	---	---	---	---	---
CnB2:							
COLLINGTON LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES, MODE RATELY ERODED	Collington	No	---	---	---	---	---
CnC2:							
COLLINGTON LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES, MOD ERATELY ERODED	Collington	No	---	---	---	---	---
CnD2:							
COLLINGTON LOAMY FINE SAND, 10 TO 15 PERCENT SLOPES, MO DERATELY ERODED	Collington	No	---	---	---	---	---
CoA:							
COLLINGTON SILT LOAM, 0 TO 2 PERCENT SLOPES	Collington	No	---	---	---	---	---
CoB2:							
COLLINGTON SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Collington	No	---	---	---	---	---
CoC3:							
COLLINGTON SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Collington	No	---	---	---	---	---
CpB:							
COLLINGTON-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	Collington	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
CpC:							
COLLINGTON-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	Collington	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
Cr:							
COMUS SILT LOAM	Comus	No	---	---	---	---	---
CsB2:							
CROOM GRAVELLY LOAM, 3 TO 8 PERCENT SLOPES MODERATELY E RODED	Croom	No	---	---	---	---	---
CsC2:							
CROOM GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	Croom	No	---	---	---	---	---
CsC3:							
CROOM GRAVELLY LOAM, 8	Croom	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
CtB2:							
CROOM GRAVELLY SANDY LOAM, 3 TO 8 PERCENT SLOPES, MODER ATELY ERODED	Croom	No	---	---	---	---	---
CtC2:							
CROOM GRAVELLY SANDY LOAM, 8 TO 15 PERCENT SLOPES, MODE RATELY ERODED	Croom	No	---	---	---	---	---
CtC3:							
CROOM GRAVELLY SANDY LOAM, 8 TO 15 PERCENT SLOPES, SEVE RELY ERODED	Croom	No	---	---	---	---	---
CtD2:							
CROOM GRAVELLY SANDY LOAM, 15 TO 25 PERCENT SLOPES, MOD ERATELY ERODED	Croom	No	---	---	---	---	---
CuB:							
CROOM-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	Croom	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
CuC:							
CROOM-URBAN LAND COMPLEX, 8 TO 15 PERCENT LOPES	Croom	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
CuE:							
CROOM-URBAN LAND COMPLEX, 15 TO 35 PERCENT SLOPES	Croom	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
DoA:							
DONLONTON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Donlonton	No	---	---	---	---	---
DoB2:							
DONLONTON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODER ATELY ERODED	Donlonton	No	---	---	---	---	---
Ek:							
ELKTON SILT LOAM	Elkton	Yes	flat	2B3	YES	NO	NO
ElB:							
ELKTON FINE SANDY LOAM, THICK SURFACE, 0 TO 5 PERCENT S LOPES	Elkton	Yes	flat	2B3	YES	NO	NO
EmA:							
ELSINBORO LOAM, 0 TO 2 PERCENT SLOPES	Elsinboro	No	---	---	---	---	---
EmB2:							
ELSINBORO LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERODED	Elsinboro	No	---	---	---	---	---
EnA:							

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
EnB2:							
ELSINBORO SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Elsinboro	No	---	---	---	---	---
EnC2:							
ELSINBORO SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATEL Y ERODED	Elsinboro	No	---	---	---	---	---
EuB:							
ELSINBORO-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	Elsinboro	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
Fl:							
FALLSINGTON LOAM	Fallsington	Yes	flat	2B3	YES	NO	NO
Fs:							
FALLSINGTON SANDY LOAM	Fallsington	Yes	flat	2B3	YES	NO	NO
Fu:							
FALLSINGTON-URBAN LAND COMPLEX	Fallsington	Yes	flat	2B3	YES	NO	NO
	Urban Land	No	---	---	---	---	---
GaB:							
GALESTOWN GRAVELLY LOAMY SAND, 0 TO 8 PERCENT SLOPES	Galestown	No	---	---	---	---	---
GaC:							
GALESTOWN GRAVELLY LOAMY SAND, 8 TO 15 PERCENT SLOPES	Galestown	No	---	---	---	---	---
GdB:							
GALESTOWN LOAMY SAND, 0 TO 8 PERCENT SLOPES	Galestown	No	---	---	---	---	---
GdC:							
GALESTOWN LOAMY SAND, 8 TO 15 PERCENT SLOPES	Galestown	No	---	---	---	---	---
GeB:							
GALESTOWN-EVESBORO LOAMY SANDS, 0 TO 8 PERCENT SLOPES	Galestown	No	---	---	---	---	---
	Evesboro	No	---	---	---	---	---
GeC:							
GALESTOWN-EVESBORO LOAMY SANDS, 8 TO 15 PERCENT SLOPES	Galestown	No	---	---	---	---	---
	Evesboro	No	---	---	---	---	---
GmB:							
GALESTOWN-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	Galestown	No	---	---	---	---	---
	Urban Land	Unranked	---	---	---	---	---
GmC:							
GALESTOWN-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES	Galestown	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
GnC2:							
GLENELG LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	Glenelg	No	---	---	---	---	---
GoB:							
GLENELG-URBAN LAND COMPLEX, 0 TO 8 PERCENT SLOPES	Glenelg	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
Gp:							
GRAVEL AND BORROW PITS	Gravel And Borrow Pi	No	---	---	---	---	---
Ha:							
HATBORO SILT LOAM	Hatboro	Yes	flood plain	2B3	YES	NO	NO
HcC3:							
HOWELL CLAY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY EROD ED	Howell	No	---	---	---	---	---
HcD3:							
HOWELL CLAY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERO DED	Howell	No	---	---	---	---	---
HoB2:							
HOWELL FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATE LY ERODED	Howell	No	---	---	---	---	---
HoC2:							
HOWELL FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERAT ELY ERODED	Howell	No	---	---	---	---	---
HwB2:							
HOWELL SILT LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERO DED	Howell	No	---	---	---	---	---
HwC2:							
HOWELL SILT LOAM, 6 TO 12 PERCENT SLOPES, MODERATELY ER ODED	Howell	No	---	---	---	---	---
HwD2:							
HOWELL SILT LOAM, 12 TO 20 PERCENT SLOPES, MODERATELY E RODED	Howell	No	---	---	---	---	---
HwE2:							
HOWELL SILT LOAM, 20 TO 35 PERCENT SLOPES, MODERATELY E RODED	Howell	No	---	---	---	---	---
Hy:							
HYDE SILT LOAM	Hyde	Yes	depression	2B3	YES	NO	NO
Ik:							
IUKA FINE SANDY LOAM	Iuka	No	---	---	---	---	---
ImA:							
IUKA SANDY LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES	Iuka	No	---	---	---	---	---
ImB:							
IUKA SANDY LOAM, LOCAL ALLUVIUM, 2 TO 5	Iuka	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
In:							
IUKA SILT LOAM	Iuka	No	---	---	---	---	---
IoA:							
IUKA SILT LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES	Iuka	No	---	---	---	---	---
IoB:							
IUKA SILT LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT	Iuka	No	---	---	---	---	---
Iu:							
IUKA-URBAN LAND COMPLEX	Iuka	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
Ix:							
IUKA-URBAN LAND COMPLEX, LOCAL ALLUVIUM	Iuka	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
Jo:							
JOHNSTON SILT LOAM	Johnston	Yes	flood plain	2B3	YES	NO	NO
	Johnston	Yes	---	2B3,4	YES	YES	NO
Ju:							
JOHNSTON-URBAN LAND COMPLEX	Johnston	Yes	flood plain	2B3,4	YES	YES	NO
	Urban Land	Unranked	---	---	---	---	---
KeA:							
KEYPORT FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Keyport	No	---	---	---	---	---
KeB2:							
KEYPORT FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERAT ELY ERODED	Keyport	No	---	---	---	---	---
KeC2:							
KEYPORT FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERA TELY ERODED	Keyport	No	---	---	---	---	---
KpA:							
KEYPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	Keyport	No	---	---	---	---	---
KpB2:							
KEYPORT SILT LOAM, 2 TO 5 PERCENT SLOPES MODERATELY ERO DED	Keyport	No	---	---	---	---	---
KpC2:							
KEYPORT SILT LOAM, 5 TO 15 PERCENT SLOPES, MODERATELY E RODED	Keyport	No	---	---	---	---	---
KrC3:							
KEYPORT SILTY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERE LY ERODED	Keyport	No	---	---	---	---	---
KuB:							

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	Urban Land	Unranked	---	---	---	---	---
Ky:							
KLEJ LOAMY SAND	Klej	No	---	---	---	---	---
LeA:							
LEONARDTOWN SILT LOAM, 0 TO 2 PERCENT SLOPES	Leonardtown	Yes	flat	2B3	YES	NO	NO
LeB:							
LEONARDTOWN SILT LOAM, 2 TO 5 PERCENT SLOPES	Leonardtown	Yes	flat	2B3	YES	NO	NO
Ma:							
MADE LAND	Made Land	No	---	---	---	---	---
MfB2:							
MAGNOLIA FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES MODERAT ELY ERODED	Magnolia	No	---	---	---	---	---
MgB2:							
MAGNOLIA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY E RODED	Magnolia	No	---	---	---	---	---
MgC2:							
MAGNOLIA SILT LOAM, 5 TO 10 PERCENT SLOPES MODERATELY E RODED	Magnolia	No	---	---	---	---	---
MhB2:							
MANOR LOAM, 3 TO 8 PERCENT SLOPES, MODERATELY ERODED	Manor	No	---	---	---	---	---
MhC2:							
MANOR LOAM, 8 TO 15 PERCENT SLOPES, MODERATELY ERODED	Manor	No	---	---	---	---	---
MhD2:							
MANOR LOAM, 15 TO 25 PERCENT SLOPES, MODERATELY ERODED	Manor	No	---	---	---	---	---
MhF2:							
MANOR LOAM, 25 TO 60 PERCENT SLOPES, MODERATELY ERODED	Manor	No	---	---	---	---	---
MkC:							
MANOR-URBAN LAND COMPLEX, 8 TO 15 PERCENT SLOPES	Manor	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
MlA:							
MARR FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Marr	No	---	---	---	---	---
MlB2:							
MARR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODERATELY ERODED	Marr	No	---	---	---	---	---
MlB3:							
MARR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, SEVERELY E RODED	Marr	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
MlC2: MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MODERATEL Y ERODED	Marr	No	---	---	---	---	---
MlC3: MARR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	Marr	No	---	---	---	---	---
MlD3: MARR FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	Marr	No	---	---	---	---	---
MlE: MARR FINE SANDY LOAM, 20 TO 35 PERCENT SLOPES	Marr	No	---	---	---	---	---
MmA: MATAPEAKE FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Matapeake	No	---	---	---	---	---
MmB2: MATAPEAKE FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODER ATELY ERODED	Matapeake	No	---	---	---	---	---
MnA: MATAPEAKE SILT LOAM, 0 TO 2 PERCENT SLOPES	Matapeake	No	---	---	---	---	---
MnB2: MATAPEAKE SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Matapeake	No	---	---	---	---	---
MnC2: MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Matapeake	No	---	---	---	---	---
MnC3: MATAPEAKE SILT LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY E RODED	Matapeake	No	---	---	---	---	---
MnD2: MATAPEAKE SILT LOAM, 10 TO 15 PERCENT SLOPES, MODERATEL Y ERODED	Matapeake	No	---	---	---	---	---
MoB2: MATAPEAKE SILT LOAM, SILTY SUBSTRATUM, 2 TO 5 PERCENT S LOPES, MODERATELY ERODED	Matapeake	No	---	---	---	---	---
MpB: MATAPEAKE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	Matapeake	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
MpC: MATAPEAKE-URBAN LAND COMPLEX, 5 TO 15	Matapeake	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
MrA:							
MATAWAN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Matawan	No	---	---	---	---	---
MrB2:							
MATAWAN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERAT ELY ERODED	Matawan	No	---	---	---	---	---
MrC2:							
MATAWAN FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERA TELY ERODED	Matawan	No	---	---	---	---	---
MsA:							
MATAWAN LOAMY SAND, 0 TO 2 PERCENT SLOPES	Matawan	No	---	---	---	---	---
MsB:							
MATAWAN LOAMY SAND, 2 TO 5 PERCENT SLOPES	Matawan	No	---	---	---	---	---
MtA:							
MATTAPEX FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Mattapex	No	---	---	---	---	---
MtB2:							
MATTAPEX FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERA TELY ERODED	Mattapex	No	---	---	---	---	---
MuA:							
MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	Mattapex	No	---	---	---	---	---
MuB2:							
MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY E RODED	Mattapex	No	---	---	---	---	---
MvB:							
MATTAPEX-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	Mattapex	No	---	---	---	---	---
	Urban Land	Unranked	---	---	---	---	---
Mw:							
MIXED ALLUVIAL LAND	Mixed Alluvial Land	Yes	flood plain	2B3,4	YES	YES	NO
MxC3:							
MONMOUTH CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ER ODED	Monmouth	No	---	---	---	---	---
MxD3:							
MONMOUTH CLAY LOAM, 10 TO 30 PERCENT SLOPES, SEVERELY E RODED	Monmouth	No	---	---	---	---	---
MyA:							
MONMOUTH FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Monmouth	No	---	---	---	---	---
MyB2:							
MONMOUTH FINE SANDY	Monmouth	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
MyC2: MONMOUTH FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES MODERA TELY ERODED	Monmouth	No	---	---	---	---	---
MyD2: MONMOUTH FINE SANDY LOAM, 10 TO 15 PERCENT MODERATELY E RODED	Monmouth	No	---	---	---	---	---
MzB2: MUIRKIRK LOAMY SAND, 0 TO 5 PERCENT SLOPES, MODERATELY ERODED	Muirkirk	No	---	---	---	---	---
MzC2: MUIRKIRK LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Muirkirk	No	---	---	---	---	---
OcA: OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT SLOPES	Ochlockonee	No	---	---	---	---	---
OcB: OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 2 TO 5 PERCENT SLOPES	Ochlockonee	No	---	---	---	---	---
OcC: OCHLOCKONEE SANDY LOAM, LOCAL ALLUVIUM, 5 TO 10 PERCENT SLOPES	Ochlockonee	No	---	---	---	---	---
OhA: OCHLOCKONEE SILT LOAM, LOCAL ALLUVIUM, 0 TO 2 PERCENT S LOPES	Ochlockonee	No	---	---	---	---	---
OhB: OCHLOCKONEE SILT LOAM, LOCAL ALLUVIUM 2 TO 5 PERCENT SL OPES	Ochlockonee	No	---	---	---	---	---
Ok: OCHLOCKONEE, LOCAL ALLUVIUM-URBAN LAND COMPLEX	Ochlockonee, Local A	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
Ol: OTHELLO FINE SANDY LOAM	Othello	Yes	flat	2B3	YES	NO	NO
Ot: OTHELLO SILT LOAM	Othello	Yes	flat	2B3	YES	NO	NO
Pr: PLUMMER AND RUTLEGE LOAMY SANDS	Plummer	Yes	depression	2B2	YES	NO	NO
	Rutlege	Yes	depression	2B2,3	YES	NO	YES
RdA: RUMFORD LOAMY SAND, 0 TO 2 PERCENT SLOPES	Rumford	No	---	---	---	---	---
RdB2: RUMFORD LOAMY SAND, 2	Rumford	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
RdC2: RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, MODERATELY ERODED	Rumford	No	---	---	---	---	---
RdC3: RUMFORD LOAMY SAND, 5 TO 10 PERCENT SLOPES, SEVERELY ER ODED	Rumford	No	---	---	---	---	---
RdD2: RUMFORD LOAMY SAND, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	Rumford	No	---	---	---	---	---
ReB: RUMFORD-EVESBORO LOAMY SANDS, 2 TO 6 PERCENT SLOPES	Rumford	No	---	---	---	---	---
	Evesboro	No	---	---	---	---	---
ReC: RUMFORD-EVESBORO LOAMY SANDS, 6 TO 12 PERCENT SLOPES	Rumford	No	---	---	---	---	---
	Evesboro	No	---	---	---	---	---
ReD: RUMFORD-EVESBORO LOAMY SANDS, 12 TO 20 PERCENT SLOPES	Rumford	No	---	---	---	---	---
	Evesboro	No	---	---	---	---	---
SaE: SANDY LAND, STEEP	Sandy Land	No	---	---	---	---	---
ScB: SANDY AND CLAYEY LAND, GENTLY SLOPING	Sandy And Clayey Lan	No	---	---	---	---	---
ScC: SANDY AND CLAYEY LAND, SLOPING	Sandy And Clayey Lan	No	---	---	---	---	---
ScD: SANDY AND CLAYEY LAND, MODERATELY STEEP	Sandy And Clayey Lan	No	---	---	---	---	---
SfB2: SASSAFRAS GRAVELLY LOAM, 2 TO 5 PERCENT SLOPES, MODERAT ELY ERODED	Sassafras	No	---	---	---	---	---
SfC2: SASSAFRAS GRAVELLY LOAM, 5 TO 10 PERCENT SLOPES, MODERA TELY ERODED	Sassafras	No	---	---	---	---	---
SfD2: SASSAFRAS GRAVELLY LOAM, 10 TO 15 PERCENT SLOPES, MODER ATELY ERODED	Sassafras	No	---	---	---	---	---
SgB2: SASSAFRAS GRAVELLY SANDY LOAM, 2 TO 5 PERCENT SLOPES, M ODERATELY ERODED	Sassafras	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
SgC2: SASSAFRAS GRAVELLY SAND LOAM, 5 TO 10 PERCENT SLOPES, M ODERATELY ERODED	Sassafras	No	---	---	---	---	---
SgC3: SASSAFRAS GRAVELLY SANDY LOAM, 5 TO 10 PERCENT, SLOPES, MODERATELY ERODED	Sassafras	No	---	---	---	---	---
SgD2: SASSAFRAS GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERODED	Sassafras	No	---	---	---	---	---
SgD3: SASSAFRAS GRAVELLY SANDY LOAM, 10 TO 15 PERCENT SLOPES, SEVERELY ERODED	Sassafras	No	---	---	---	---	---
SgE: SASSAFRAS GRAVELLY SANDY LOAM, 15 TO 30 PERCENT SLOPES	Sassafras	No	---	---	---	---	---
ShA: SASSAFRAS SANDY LOAM, 0 TO 2 PERCENT SLOPES	Sassafras	No	---	---	---	---	---
ShB2: SASSAFRAS SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Sassafras	No	---	---	---	---	---
ShC2: SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATEL Y ERODED	Sassafras	No	---	---	---	---	---
ShC3: SASSAFRAS SANDY LOAM, 5 TO 10 PERCENT SLOPES, SEVERELY ERODED	Sassafras	No	---	---	---	---	---
SkB: SASSAFRAS-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	Sassafras	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
SkC: SASSAFRAS-URBAN LAND COMPLEX, 5 TO 15 PERCENT SLOPES	Sassafras	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
SkE: SASSAFRAS-URBAN LAND COMPLEX, 15 TO 30 PERCENT SLOPES	Sassafras	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
SlD: SASSAFRAS-COLLINGTON- AURA GRAVELLY SANDY	Collington	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
	Sassafras	No	---	---	---	---	---
	Aura	No	---	---	---	---	---
SlE:							
SASSAFRAS-COLLINGTON-AURA GRAVELLY SANDY LOAMS, 20 TO 3 5 PERCENT SLOPES	Collington	No	---	---	---	---	---
	Sassafras	No	---	---	---	---	---
	Aura	No	---	---	---	---	---
SmA:							
SHREWSBURY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Shrewsbury	Yes	flat	2B3	YES	NO	NO
SmB:							
SHREWSBURY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	Shrewsbury	Yes	flat	2B3	YES	NO	NO
SnA:							
SHREWSBURY SILT LOAM, 0 TO 2 PERCENT SLOPES	Shrewsbury	Yes	flat	2B3	YES	NO	NO
So:							
SHREWSBURY-URBAN LAND COMPLEX	Shrewsbury	Yes	flat	2B3	YES	NO	NO
	Urban Land	No	---	---	---	---	---
SpB:							
SILTY AND CLAYEY LAND, GENTLY SLOPING	Silty And Clayey Land, Gently	No	---	---	---	---	---
SpC:							
SILTY AND CLAYEY LAND, SLOPING	Silty And Clayey Land, Slopin	No	---	---	---	---	---
SpE:							
SILTY AND CLAYEY LAND, STEEP	Silty And Clayey Land, Steep	No	---	---	---	---	---
StB2:							
SUNNYSIDE FINE SANDY LOAM, 0 TO 5 PERCENT SLOPES, MODER ATELY ERODED	Sunnyside	No	---	---	---	---	---
StC2:							
SUNNYSIDE FINE SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODE RATELY ERODED	Sunnyside	No	---	---	---	---	---
StD2:							
SUNNYSIDE FINE SANDY LOAM, 10 TO 15 PERCENT SLOPES, MOD ERATELY ERODED	Sunnyside	No	---	---	---	---	---
StE:							
SUNNYSIDE FINE SANDY LOAM, 15 TO 30 PERCENT SLOPES	Sunnyside	No	---	---	---	---	---
SuB2:							
SUNNYSIDE LOAM, 0 TO 5 PERCENT SLOPES,	Sunnyside	No	---	---	---	---	---

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
SuC2: SUNNYSIDE LOAM, 5 TO 10 PERCENT SLOPES, MODERATELY EROD ED	Sunnyside	No	---	---	---	---	---
SuD2: SUNNYSIDE LOAM, 10 TO 15 PERCENT SLOPES, MODERATELY ERO DED	Sunnyside	No	---	---	---	---	---
SvC3: SUNNYSIDE SANDY CLAY LOAM, 5 TO 10 PERCENT SLOPES, SEVE RELY ERODED	Sunnyside	No	---	---	---	---	---
SvD3: SUNNYSIDE SANDY CLAY LOAM, 10 TO 15 PERCENT SLOPES, SEV ERELY ERODED	Sunnyside	No	---	---	---	---	---
SwB: SUNNYSIDE-URBAN LAND COMPLEX, 0 TO 5 PERCENT SLOPES	Sunnyside	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
SwC: SUNNYSIDE-URBAN LAND COMPLEX, 5 TO 10 PERCENT SLOPES	Sunnyside	No	---	---	---	---	---
	Urban Land	No	---	---	---	---	---
Sx: SWAMP	Manahawkin	Yes	swamp	1,3,4	NO	YES	YES
Tm: TIDAL MARSH	Westbrook	Yes	marsh	1,3	NO	NO	YES
WaA: WESTPHALIA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	Westphalia	No	---	---	---	---	---
WaB2: WESTPHALIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, MODE RATELY ERODED	Westphalia	No	---	---	---	---	---
WaB3: WESTPHALIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, SEVE RELY ERODED	Westphalia	No	---	---	---	---	---
WaC2: WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, MOD ERATELY ERODED	Westphalia	No	---	---	---	---	---
WaC3: WESTPHALIA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEV ERELY ERODED	Westphalia	No	---	---	---	---	---
WaD2: WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, MO	Westphalia	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
WaD3: WESTPHALIA FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SE VERELY ERODED	Westphalia	No	---	---	---	---	---
WbB2: WESTPHALIA VERY FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES, MODERATELY ERODED	Westphalia	No	---	---	---	---	---
WbC2: WESTPHALIA VERY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES , MODERATELY ERODED	Westphalia	No	---	---	---	---	---
WbD2: WESTPHALIA VERY FINE SANDY LOAM, 12 TO 20 PERCENT SLOPE S, MODERATELY ERODED	Westphalia	No	---	---	---	---	---
WeB2: WESTPHALIA-EVESBORO COMPLEX, 2 TO 6 PERCENT SLOPES, MOD ERATELY ERODED	Westphalia	No	---	---	---	---	---
	Evesboro	No	---	---	---	---	---
WeC2: WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES, MO DERATELY ERODED	Westphalia	No	---	---	---	---	---
	Evesboro	No	---	---	---	---	---
WeC3: WESTPHALIA-EVESBORO COMPLEX, 6 TO 12 PERCENT SLOPES, SE VERELY ERODED	Westphalia	No	---	---	---	---	---
	Evesboro	No	---	---	---	---	---
WeD3: WESTPHALIA-EVESBORO COMPLEX, 12 TO 20 PERCENT SLOPES, S EVERELY ERODED	Westphalia	No	---	---	---	---	---
	Evesboro	No	---	---	---	---	---
WoA: WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES	Woodstown	No	---	---	---	---	---
WoB2: WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	Woodstown	No	---	---	---	---	---
WoC2: WOODSTOWN SANDY LOAM, 5 TO 10 PERCENT SLOPES, MODERATEL Y ERODED	Woodstown	No	---	---	---	---	---
Wu: WOODSTOWN-URBAN LAND COMPLEX	Woodstown	No	---	---	---	---	---

Hydric Soils List -- contiuned

Criteria codes and definitions may be obtained directly from the USDA-NRCS Hydric Soils Homepage at http://www.statlab.iastate.edu/soils/hydric/intro.html

There may be small areas of included soils or miscellaneous areas that are significant to use and management of the soil; yet are too small to delineate on the soil map at the map's original scale. These may be designated as spot symbols and are described on the conventional and special symbols legend.

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
ZZ900: PAVED AREAS	Paved Areas	No	---	---	---	---	---