

Map symbol	Soil name	Acres	Percent
AdA	Aldino silt loam, 0 to 3 percent slopes-----	235	*
AdB2	Aldino silt loam, 3 to 8 percent slopes, moderately eroded-----	2,030	0.8
AuB2	Aura gravelly sandy loam, 2 to 5 percent slopes, moderately eroded-----	1,376	0.6
AuC2	Aura gravelly sandy loam, 5 to 10 percent slopes, moderately eroded-----	1,276	0.5
AvD2	Aura gravelly sandy loam, 10 to 15 percent slopes, moderately eroded-----	1,543	0.6
BaA	Baile silt loam, 0 to 3 percent slopes-----	2,754	1.1
BaB	Baile silt loam, 3 to 8 percent slopes-----	1,772	0.7
BcA	Barclay silt loam, 0 to 2 percent slopes-----	538	0.2
BcB	Barclay silt loam, 2 to 5 percent slopes-----	1,063	0.4
BeA	Beltsville silt loam, 0 to 2 percent slopes-----	1,017	0.4
BeB2	Beltsville silt loam, 2 to 5 percent slopes, moderately eroded-----	4,541	1.9
BeC2	Beltsville silt loam, 5 to 10 percent slopes, moderately eroded-----	2,271	0.9
BeC3	Beltsville silt loam, 5 to 10 percent slopes, severely eroded-----	332	0.1
BuA	Butlertown silt loam, 0 to 2 percent slopes-----	2,880	1.2
BuB2	Butlertown silt loam, 2 to 5 percent slopes, moderately eroded-----	8,367	3.4
BuC2	Butlertown silt loam, 5 to 10 percent slopes, moderately eroded-----	1,820	0.7
BuC3	Butlertown silt loam, 5 to 10 percent slopes, severely eroded-----	1,104	0.5
BuD2	Butlertown silt loam, 10 to 15 percent slopes, moderately eroded-----	725	0.3
CeA	Chester silt loam, 0 to 3 percent slopes-----	671	0.3
CeB2	Chester silt loam, 3 to 8 percent slopes, moderately eroded-----	5,881	2.4
ChB2	Chillum silt loam, 2 to 5 percent slopes, moderately eroded-----	1,675	0.7
ChC2	Chillum silt loam, 5 to 10 percent slopes, moderately eroded-----	1,228	0.5
ChC3	Chillum silt loam, 5 to 10 percent slopes, severely eroded-----	347	0.1
ChD2	Chillum silt loam, 10 to 15 percent slopes, moderately eroded-----	597	0.2
ChD3	Chillum silt loam, 10 to 15 percent slopes, severely eroded-----	251	0.1
ClB2	Christiana fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	151	*
CmB2	Chrome silt loam, 3 to 8 percent slopes, moderately eroded-----	924	0.4
CmC2	Chrome silt loam, 8 to 15 percent slopes, moderately eroded-----	448	0.2
CmD2	Chrome silt loam, 15 to 25 percent slopes, moderately eroded-----	261	0.1
CnD3	Chrome clay loam, 8 to 25 percent slopes, severely eroded-----	167	*
CnE3	Chrome clay loam, 25 to 45 percent slopes, severely eroded-----	241	*
Co	Coastal beaches-----	65	*
Cp	Clay pits-----	33	*
Cr	Codorus silt loam-----	2,154	0.9
CsB2	Collington sandy loam, 2 to 5 percent slopes, moderately eroded-----	218	*
CsC2	Collington sandy loam, 5 to 10 percent slopes, moderately eroded-----	329	0.1
CtB2	Collington loam, 2 to 5 percent slopes, moderately eroded-----	601	0.2
CtC2	Collington loam, 5 to 10 percent slopes, moderately eroded-----	702	0.3
CtC3	Collington loam, 5 to 10 percent slopes, severely eroded-----	1,300	0.5
CtD2	Collington loam, 10 to 15 percent slopes, moderately eroded-----	556	0.2
CtD3	Collington loam, 10 to 15 percent slopes, severely eroded-----	1,409	0.6
Cu	Comus silt loam-----	671	0.3
CwC	Conowingo silt loam, 3 to 15 percent slopes-----	171	*
ElA	Elkton loam, 0 to 2 percent slopes-----	443	0.2
ElB	Elkton loam, 2 to 5 percent slopes-----	592	0.2
EmA	Elkton silt loam, 0 to 2 percent slopes-----	1,981	0.8
EmB	Elkton silt loam, 2 to 5 percent slopes-----	924	0.4
EoA	Elsinboro silt loam, 0 to 2 percent slopes-----	542	0.2
EoB2	Elsinboro silt loam, 2 to 5 percent slopes, moderately eroded-----	965	0.4
EoC2	Elsinboro silt loam, 5 to 10 percent slopes, moderately eroded-----	215	*
EvB	Evesboro loamy sand, 0 to 5 percent slopes-----	241	*
EvD	Evesboro loamy sand, 5 to 15 percent slopes-----	425	0.2
EvE	Evesboro loamy sand, 15 to 40 percent slopes-----	296	0.1
FaA	Fallsington sandy loam, 0 to 2 percent slopes-----	485	0.2
FaB	Fallsington sandy loam, 2 to 5 percent slopes-----	540	0.2
FaC	Fallsington sandy loam, 5 to 10 percent slopes-----	372	0.2
FmA	Fallsington loam, 0 to 2 percent slopes-----	942	0.4
FmB	Fallsington loam, 2 to 5 percent slopes-----	803	0.3
GeA	Glenelg silt loam, 0 to 3 percent slopes-----	520	0.2
GeB2	Glenelg silt loam, 3 to 8 percent slopes, moderately eroded-----	14,294	5.9
GeC2	Glenelg silt loam, 8 to 15 percent slopes, moderately eroded-----	6,314	2.6
GeC3	Glenelg silt loam, 8 to 15 percent slopes, severely eroded-----	2,470	1.0

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
GeD2	Glenelg silt loam, 15 to 25 percent slopes, moderately eroded-----	1,126	0.5
GeD3	Glenelg silt loam, 15 to 25 percent slopes, severely eroded-----	820	0.3
GeE	Glenelg silt loam, 25 to 45 percent slopes-----	393	0.2
GnA	Glenville silt loam, 0 to 3 percent slopes-----	1,075	0.4
GnB2	Glenville silt loam, 3 to 8 percent slopes, moderately eroded-----	7,621	3.1
GnC2	Glenville silt loam, 8 to 15 percent slopes, moderately eroded-----	344	0.1
Gv	Gravel and borrow pits-----	486	0.2
Ha	Hatboro silt loam-----	3,724	1.5
KeA	Keyport loam, 0 to 2 percent slopes-----	177	*
KeB2	Keyport loam, 2 to 5 percent slopes, moderately eroded-----	2,477	1.0
KeC2	Keyport loam, 5 to 10 percent slopes, moderately eroded-----	1,482	0.6
KpA	Keyport silt loam, 0 to 2 percent slopes-----	708	0.3
KpB2	Keyport silt loam, 2 to 5 percent slopes, moderately eroded-----	3,645	1.5
KpC2	Keyport silt loam, 5 to 10 percent slopes, moderately eroded-----	2,238	0.9
KpD2	Keyport silt loam, 10 to 15 percent slopes, moderately eroded-----	981	0.4
KsB3	Keyport silty clay loam, 2 to 5 percent slopes, severely eroded-----	249	0.1
KsC3	Keyport silty clay loam, 5 to 10 percent slopes, severely eroded-----	450	0.2
LeB2	Legore silt loam, 3 to 8 percent slopes, moderately eroded-----	516	0.2
LeC2	Legore silt loam, 8 to 15 percent slopes, moderately eroded-----	637	0.3
LeD2	Legore silt loam, 15 to 25 percent slopes, moderately eroded-----	380	0.2
LgC3	Legore silty clay loam, 8 to 15 percent slopes, severely eroded-----	284	0.1
LgE3	Legore silty clay loam, 15 to 45 percent slopes, severely eroded-----	684	0.3
LoA	Leonardtown silt loam, 0 to 2 percent slopes-----	713	0.3
LoB	Leonardtown silt loam, 2 to 5 percent slopes-----	557	0.2
LyC	Loamy and clayey land, sloping-----	5,848	2.4
LyD	Loamy and clayey land, moderately steep-----	1,909	0.8
LyE	Loamy and clayey land steep-----	915	0.4
MaB	Made land, gently sloping-----	1,448	0.6
MaD	Made land, moderately steep-----	702	0.3
MB2	Manor loam, 3 to 8 percent slopes, moderately eroded-----	1,655	0.7
MLC2	Manor loam, 8 to 15 percent slopes, moderately eroded-----	1,821	0.7
MLC3	Manor loam, 8 to 15 percent slopes, severely eroded-----	1,415	0.6
MLD2	Manor loam, 15 to 25 percent slopes, moderately eroded-----	1,839	0.8
MLD3	Manor loam, 15 to 25 percent slopes, severely eroded-----	1,199	0.5
MLE	Manor loam, 25 to 45 percent slopes-----	786	0.3
MmD	Manor very stony loam, 3 to 25 percent slopes-----	251	0.1
MnA	Matapeake silt loam, 0 to 2 percent slopes-----	1,681	0.7
MnB2	Matapeake silt loam, 2 to 5 percent slopes, moderately eroded-----	17,742	7.3
MnC2	Matapeake silt loam, 5 to 10 percent slopes, moderately eroded-----	4,081	1.7
MnC3	Matapeake silt loam, 5 to 10 percent slopes, severely eroded-----	2,712	1.1
MnD2	Matapeake silt loam, 10 to 15 percent slopes, moderately eroded-----	1,726	0.7
MnD3	Matapeake silt loam, 10 to 15 percent slopes, severely eroded-----	1,235	0.5
MoA	Matapeake silt loam, silty substratum, 0 to 2 percent slopes-----	1,282	0.5
MoB2	Matapeake silt loam, silty substratum, 2 to 5 percent slopes, moderately eroded-----	3,108	1.3
MpA	Mattapex silt loam, 0 to 2 percent slopes-----	736	0.3
MpB2	Mattapex silt loam, 2 to 5 percent slopes, moderately eroded-----	1,000	0.4
MpC2	Mattapex silt loam, 5 to 10 percent slopes, moderately eroded-----	215	*
Mr	Mixed alluvial land-----	4,336	1.8
MtA	Montalto silt loam, 0 to 3 percent slopes-----	252	0.1
MtB2	Montalto silt loam, 3 to 8 percent slopes, moderately eroded-----	1,730	0.7
MtC2	Montalto silt loam, 8 to 15 percent slopes, moderately eroded-----	369	0.2
MvD	Montalto very stony silt loam, 3 to 25 percent slopes-----	446	0.2
MyC3	Montalto silty clay loam, 8 to 15 percent slopes, severely eroded-----	1,136	0.5
MyD3	Montalto silty clay loam, 15 to 25 percent slopes, severely eroded-----	477	0.2
NeA	Neshaminy silt loam, 0 to 3 percent slopes-----	320	0.1
NeB2	Neshaminy silt loam 3 to 8 percent slopes, moderately eroded-----	4,465	1.8
NeC2	Neshaminy silt loam, 8 to 15 percent slopes, moderately eroded-----	1,208	0.5
NeD2	Neshaminy silt loam, 15 to 25 percent slopes, moderately eroded-----	357	0.1
OhA	Othello silt loam, 0 to 2 percent slopes-----	1,290	0.5
OhB	Othello silt loam, 2 to 5 percent slopes-----	841	0.3
RuB	Rumford loamy sand, 2 to 5 percent slopes-----	303	0.1
RuC	Rumford loamy sand, 5 to 10 percent slopes-----	332	0.1

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
RuD	Rumford loamy sand, 10 to 15 percent slopes-----	343	0.1
SaA	Sassafras sandy loam, 0 to 2 percent slopes-----	252	0.1
SaB2	Sassafras sandy loam, 2 to 5 percent slopes, moderately eroded-----	3,411	1.4
SaC2	Sassafras sandy loam, 5 to 10 percent slopes, moderately eroded-----	1,895	0.8
SaC3	Sassafras sandy loam, 5 to 10 percent slopes, severely eroded-----	975	0.4
SaD2	Sassafras sandy loam, 10 to 15 percent slopes, moderately eroded-----	658	0.3
SaD3	Sassafras sandy loam, 10 to 15 percent slopes, severely eroded-----	554	0.2
SfB2	Sassafras fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	561	0.2
SgB2	Sassafras gravelly loam, 2 to 5 percent slopes, moderately eroded-----	467	0.2
SgC2	Sassafras gravelly loam, 5 to 10 percent slopes, moderately eroded-----	618	0.3
SgC3	Sassafras gravelly loam, 5 to 10 percent slopes, severely eroded-----	658	0.3
SgD3	Sassafras gravelly loam, 10 to 15 percent slopes, severely eroded-----	1,081	0.4
SrE	Sassafras and aura soils, 15 to 40 percent slopes-----	7,353	3.0
St	Stony land-----	1,303	0.5
Tm	Tidal marsh-----	1,688	0.7
Wa	Watchung very stony silt loam-----	693	0.3
WoA	Woodstown sandy loam, 0 to 2 percent slopes-----	180	*
WoB2	Woodstown sandy loam, 2 to 5 percent slopes, moderately eroded-----	2,012	0.8
WoC2	Woodstown sandy loam, 5 to 10 percent slopes, moderately eroded-----	1,169	0.5
WoC3	Woodstown sandy loam, 5 to 10 percent slopes, severely eroded-----	595	0.2
WoD	Woodstown sandy loam, 10 to 15 percent slopes-----	283	0.1
WsA	Woodstown loam, 0 to 2 percent slopes-----	663	0.3
WsB2	Woodstown loam, 2 to 5 percent slopes, moderately eroded-----	2,874	1.2
	Total-----	225,280	92.4

* Less than 0.1 percent.

