

Map symbol	Soil name	Acres	Percent
Ax	Axis mucky silt loam-----	373	0.2
Be	Beaches-----	208	0.1
Bs	Bibb silt loam-----	6,330	3.3
Bt	Bibb variant silt loam-----	1,416	0.7
BuA	Butlertown-mattapex silt loams, 0 to 2 percent slopes-----	4,085	2.1
BuB2	Butlertown-mattapex silt loams, 2 to 5 percent slopes, moderately eroded-----	4,433	2.3
BuC2	Butlertown-mattapex silt loams, 5 to 10 percent slopes, moderately eroded-----	3,058	1.6
CeB2	Colts neck loam, 0 to 5 percent slopes, moderately eroded-----	318	0.2
CeC2	Colts neck loam, 5 to 10 percent slopes, moderately eroded-----	318	0.2
CgC2	Colts neck gravelly loam, 2 to 10 percent slopes, moderately eroded-----	645	0.3
CgC3	Colts neck gravelly loam, 5 to 10 percent slopes, severely eroded-----	764	0.4
CgD2	Colts neck gravelly loam, 10 to 15 percent slopes, moderately eroded-----	426	0.2
CgD3	Colts neck gravelly loam, 10 to 15 percent slopes, severely eroded-----	1,250	0.6
CnE	Colts neck and sassafras soils, 15 to 40 percent slopes-----	5,663	2.9
Em	Elkton silt loam-----	5,924	3.0
Fa	Fallsington sandy loam-----	3,233	1.7
Fh	Fallsington loam-----	1,466	0.8
FmB	Fort mott loamy sand, 0 to 5 percent slopes-----	875	0.5
FmB2	Fort mott loamy sand, 5 to 10 percent slopes, moderately eroded-----	378	0.2
GaB	Galestown loamy sand, 0 to 5 percent slopes-----	1,494	0.8
GaD	Galestown loamy sand, 5 to 15 percent slopes-----	460	0.2
GaE	Galestown loamy sand, 15 to 40 percent slopes-----	372	0.2
Ih	Ipswich mucky peat-----	440	0.2
Ik	Iuka silt loam, rarely flooded-----	1,191	0.6
KmA	Keyport fine sandy loam, 0 to 2 percent slopes-----	348	0.2
KmB2	Keyport fine sandy loam, 2 to 5 percent slopes, moderately eroded-----	802	0.4
KpA	Keyport silt loam, 0 to 2 percent slopes-----	1,696	0.9
KpB2	Keyport silt loam, 2 to 5 percent slopes, moderately eroded-----	1,730	0.9
KpC2	Keyport silt loam, 5 to 15 percent slopes, moderately eroded-----	725	0.4
Ks	Kingsland mucky peat-----	422	0.2
MfB	Matapeake fine sandy loam, 2 to 5 percent slopes-----	490	0.3
MnA	Matapeake silt loam, 0 to 2 percent slopes-----	11,134	5.7
MnB	Matapeake silt loam, 2 to 5 percent slopes-----	15,356	7.9
MnC2	Matapeake silt loam, 5 to 10 percent slopes, moderately eroded-----	2,709	1.4
MnC3	Matapeake silt loam, 5 to 10 percent slopes, severely eroded-----	1,081	0.6
MnD2	Matapeake silt loam, 10 to 15 percent slopes, moderately eroded-----	420	0.2
MpA	Mattapex fine sandy loam, 0 to 2 percent slopes-----	3,337	1.7
MpB	Mattapex fine sandy loam, 2 to 5 percent slopes-----	2,389	1.2
MtA	Mattapex silt loam, 0 to 2 percent slopes-----	11,402	5.9
MtB	Mattapex silt loam, 2 to 5 percent slopes-----	7,006	3.6
MtC2	Mattapex silt loam, 5 to 10 percent slopes, moderately eroded-----	2,292	1.2
MwD	Mattapex and woodstown soils, 10 to 15 percent slopes-----	865	0.4
MxA	Mattapex-matapeake-butlertown silt loams, 0 to 2 percent slopes-----	5,316	2.7
MxB	Mattapex-matapeake-butlertown silt loams, 2 to 5 percent slopes-----	11,723	6.0
MzA	Mattapex variant silt loam, 0 to 2 percent slopes-----	3,544	1.8
MzB	Mattapex variant silt loam, 2 to 5 percent slopes-----	1,186	0.6
Oh	Othello silt loam-----	9,645	5.0
Pt	Pits, gravel and sand-----	210	0.1
SaA	Sassafras sandy loam, 0 to 2 percent slopes-----	936	0.5
SaB	Sassafras sandy loam, 2 to 5 percent slopes-----	6,525	3.4
SaC2	Sassafras sandy loam, 5 to 10 percent slopes, moderately eroded-----	2,578	1.3
SaD2	Sassafras sandy loam, 10 to 15 percent slopes, moderately eroded-----	384	0.2
SaD3	Sassafras sandy loam, 10 to 15 percent slopes, severely eroded-----	513	0.3
SfA	Sassafras loam, 0 to 2 percent slopes-----	1,713	0.9
SfB	Sassafras loam, 2 to 5 percent slopes-----	6,246	3.2
SfC2	Sassafras loam, 5 to 10 percent slopes, moderately eroded-----	1,637	0.8
SfC3	Sassafras loam, 5 to 10 percent slopes, severely eroded-----	1,165	0.6
SfD3	Sassafras loam, 10 to 15 percent slopes, severely eroded-----	440	0.2
SgB	Sassafras gravelly loam, 0 to 5 percent slopes-----	897	0.5
SgC2	Sassafras gravelly loam, 5 to 10 percent slopes, moderately eroded-----	1,956	1.0
SgC3	Sassafras gravelly loam, 5 to 10 percent slopes, severely eroded-----	1,832	0.9
SgD3	Sassafras gravelly loam, 10 to 15 percent slopes, severely eroded-----	3,377	1.7

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
W	Water-----	1,728	0.9
We	Westbrook peat-----	1,751	0.9
WoA	Woodstown sandy loam, 0 to 2 percent slopes-----	1,421	0.7
WoB	Woodstown sandy loam, 2 to 5 percent slopes-----	4,336	2.2
WsA	Woodstown loam, 0 to 2 percent slopes-----	464	0.2
WsB	Woodstown loam, 2 to 5 percent slopes-----	721	0.4
	Total-----	181,568	93.4

* Less than 0.1 percent.

