

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BlB2: Beltsville-----	100	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Restricted permeability		Low adsorption		Low adsorption	
		Low adsorption		Restricted permeability		Restricted permeability	
		Depth to saturated zone		Too acid		Too acid	
		Too acid	0.73	Depth to saturated zone	1.00	Depth to saturated zone	1.00
						Too steep for surface application	0.08
BlC3: Beltsville-----	100	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Restricted permeability		Low adsorption		Low adsorption	
		Low adsorption		Restricted permeability		Restricted permeability	
		Depth to saturated zone		Too acid		Too acid	
		Too acid	0.73	Depth to saturated zone	1.00	Too steep for surface application	1.00
						Depth to saturated zone	1.00
BtA: Butlertown-----	100	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Restricted permeability		Low adsorption		Low adsorption	
		Low adsorption		Restricted permeability		Restricted permeability	
		Depth to saturated zone		Too acid		Too acid	
		Too acid	0.43	Depth to saturated zone	0.91	Depth to saturated zone	0.91
		Too acid	0.32	Depth to saturated zone	0.43	Depth to saturated zone	0.43
BtB2: Butlertown-----	100	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Restricted permeability		Low adsorption		Low adsorption	
		Low adsorption		Restricted permeability		Restricted permeability	
		Depth to saturated zone		Too acid		Too acid	
		Too acid	0.43	Depth to saturated zone	0.91	Depth to saturated zone	0.91
		Too acid	0.32	Depth to saturated zone	0.43	Depth to saturated zone	0.43

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BtC3: Butlertown-----	100					Too steep for surface application	0.08
		Very limited	1.00	Very limited	1.00	Very limited	1.00
		Restricted permeability	1.00	Low adsorption	1.00	Low adsorption	1.00
		Low adsorption	0.43	Restricted permeability	0.91	Restricted permeability	1.00
		Depth to saturated zone	0.32	Too acid	0.43	Too steep for surface application	0.91
		Too acid		Depth to saturated zone	0.43	Depth to saturated zone	
Co: Coastal Beaches----	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	50	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.73	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.50	Low adsorption	1.00	Too acid	1.00
		Leaching limitation		Too acid	1.00		
Elkton-----	50	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.73	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.50	Low adsorption	1.00	Too acid	1.00
		Leaching limitation		Too acid	1.00		
ErE: Eroded Land-----	100	Not rated		Not rated		Not rated	
Es: Escarpments-----	100	Not rated		Not rated		Not rated	
EvB: Evesboro-----	100	Very limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EvC: Evesboro-----	100	Filtering capacity	1.00	Low adsorption	1.00	Too acid	1.00
		Too acid	0.86	Too acid	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Filtering capacity	1.00	Droughty	0.07
		Droughty	0.07	Droughty	0.07		
		Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Low adsorption	1.00	Too acid	1.00
		Too acid	0.86	Too acid	1.00	Too steep for surface application	1.00
EvE: Evesboro-----	100	Leaching limitation	0.45	Filtering capacity	1.00	Filtering capacity	1.00
		Droughty	0.07	Droughty	0.07	Too steep for sprinkler application	0.22
		Slope	0.04	Slope	0.04	Droughty	0.07
		Very limited		Very limited		Very limited	
		Slope	1.00	Low adsorption	1.00	Too steep for surface application	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.86	Slope	1.00	Too steep for sprinkler application	1.00
FsA: Fallsington-----	50	Leaching limitation	0.45	Filtering capacity	1.00	Filtering capacity	1.00
		Droughty	0.07	Droughty	0.07	Droughty	0.07
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Fallsington-----	50	Too acid	0.73	Low adsorption	1.00	Too acid	1.00
		Leaching limitation	0.70	Too acid	1.00	Low adsorption	0.04
		Low adsorption	0.04				
		Very limited		Very limited		Very limited	
FsB: Fallsington-----	50	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
				Too acid	1.00	Low adsorption	0.04
		Very limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fallsington-----	50	Leaching limitation	0.70	Too acid	1.00	Too steep for surface application	0.08
		Low adsorption	0.04			Low adsorption	0.04
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
		Leaching limitation	0.70	Too acid	1.00	Too steep for surface application	0.08
Gp: Gravel And Borrow Pits-----	95	Low adsorption	0.04			Low adsorption	0.04
		Not rated		Not rated		Not rated	
HoB2: Howell-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Too acid	0.86	Too acid	1.00	Too acid	1.00
		Restricted permeability	0.30	Restricted permeability	0.22	Restricted permeability	0.22
						Too steep for surface application	0.08
HoC2: Howell-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Too acid	0.86	Too acid	1.00	Too acid	1.00
		Restricted permeability	0.30	Restricted permeability	0.22	Too steep for surface application	1.00
		Slope	0.04	Slope	0.04	Too steep for sprinkler application	0.22
HoD2: Howell-----	100	Restricted permeability	0.22			Restricted permeability	0.22
		Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Slope	1.00	Too acid	1.00	Too steep for surface application	1.00
		Too acid	0.86	Slope	1.00	Too acid	1.00
		Restricted permeability	0.30	Restricted permeability	0.22	Too steep for sprinkler application	1.00
						Restricted permeability	0.22

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HwB2: Howell-----	100	Very limited Low adsorption Too acid Restricted permeability	1.00 0.86 0.30	Very limited Low adsorption Too acid Restricted permeability	1.00 1.00 0.22	Very limited Low adsorption Too acid Restricted permeability Too steep for surface application	1.00 1.00 0.22 0.08
HyC3: Howell-----	100	Very limited Low adsorption Too acid Restricted permeability Slope	1.00 0.86 0.30 0.04	Very limited Low adsorption Too acid Restricted permeability Slope	1.00 1.00 0.22 0.04	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application Restricted permeability	1.00 1.00 1.00 0.22 0.22
HyD3: Howell-----	100	Very limited Low adsorption Slope Too acid Restricted permeability	1.00 1.00 0.86 0.30	Very limited Low adsorption Too acid Slope Restricted permeability	1.00 1.00 1.00 0.22	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application Restricted permeability	1.00 1.00 1.00 1.00 0.22
ImB: Iuka-----	95	Very limited Low adsorption Depth to saturated zone Too acid	1.00 1.00 0.18	Very limited Low adsorption Depth to saturated zone Too acid Flooding	1.00 1.00 0.67 0.40	Very limited Low adsorption Depth to saturated zone Too acid	1.00 1.00 0.67
KpA: Keyport-----	100	Very limited Restricted permeability Too acid Depth to saturated zone	1.00 0.73 0.68	Very limited Low adsorption Restricted permeability Too acid Depth to saturated zone	1.00 1.00 1.00 0.68	Very limited Restricted permeability Too acid Depth to saturated zone	1.00 1.00 0.68
KpB2: Keyport-----	100	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ma: Made Land-----	100	Too acid	0.73	Restricted permeability	1.00	Too acid	1.00
		Depth to saturated zone	0.68	Too acid	1.00	Depth to saturated zone	0.68
				Depth to saturated zone	0.68	Too steep for surface application	0.08
		Not rated		Not rated		Not rated	
M1A: Marr-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
M1B2: Marr-----	100	Too acid	0.32	Too acid	0.91	Too acid	0.91
		Very limited		Very limited		Very limited	
M1B2: Marr-----	100	Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.32	Too acid	0.91	Too acid	0.91
M1C2: Marr-----	100	Too steep for surface application		Too steep for surface application		Too steep for surface application	
		Too acid	0.08	Too acid	0.91	Too acid	0.91
M1C2: Marr-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
M1C2: Marr-----	100	Too acid	0.32	Too acid	0.91	Too steep for surface application	1.00
		Slope	0.04	Slope	0.04	Too acid	0.91
M1C3: Marr-----	100	Too steep for sprinkler application		Too steep for sprinkler application		Too steep for sprinkler application	
		Too acid	0.22	Too acid	0.91	Too acid	0.91
M1C3: Marr-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
M1C3: Marr-----	100	Too acid	0.32	Too acid	0.91	Too steep for surface application	1.00
		Slope	0.04	Slope	0.04	Too acid	0.91
M1D3: Marr-----	100	Too steep for sprinkler application		Too steep for sprinkler application		Too steep for sprinkler application	
		Too acid	0.22	Too acid	0.91	Too acid	0.91
M1D3: Marr-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
M1D3: Marr-----	100	Slope	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.32	Too acid	0.91	Too steep for sprinkler application	1.00
						Too acid	0.91

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MmA: Matapeake-----	100	Very limited Low adsorption Too acid	1.00 0.50	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too acid	1.00 1.00
MmB2: Matapeake-----	100	Very limited Low adsorption Too acid	1.00 0.50	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 0.08
MnA: Matapeake-----	100	Very limited Low adsorption Too acid	1.00 0.50	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too acid	1.00 1.00
MnB2: Matapeake-----	100	Very limited Low adsorption Too acid	1.00 0.50	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 0.08
MnC2: Matapeake-----	100	Very limited Low adsorption Too acid	1.00 0.50	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 1.00 0.10
MnC3: Matapeake-----	100	Very limited Low adsorption Too acid	1.00 0.50	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 1.00 0.10
MnD3: Matapeake-----	100	Very limited Low adsorption Slope Too acid	1.00 0.84 0.50	Very limited Low adsorption Too acid Slope	1.00 1.00 0.84	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 1.00 0.90

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtA: Mattapex-----	100	Somewhat limited Depth to saturated zone Too acid	0.95 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Too acid Depth to saturated zone	1.00 0.95
MtB2: Mattapex-----	100	Somewhat limited Depth to saturated zone Too acid	0.95 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Too acid Depth to saturated zone Too steep for surface application	1.00 0.95 0.08
MuA: Mattapex-----	100	Somewhat limited Depth to saturated zone Too acid	0.95 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Too acid Depth to saturated zone	1.00 0.95
MuB2: Mattapex-----	100	Somewhat limited Depth to saturated zone Too acid	0.95 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Too acid Depth to saturated zone Too steep for surface application	1.00 0.95 0.08
MuD3: Mattapex-----	100	Somewhat limited Depth to saturated zone Too acid Slope	0.95 0.73 0.16	Very limited Low adsorption Too acid Depth to saturated zone Slope	1.00 1.00 0.95 0.16	Very limited Too acid Too steep for surface application Depth to saturated zone Too steep for sprinkler application	1.00 1.00 0.95 0.40
My: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OcB: Ochlockonee-----	100	Very limited Low adsorption Too acid	1.00 0.22	Very limited Low adsorption Too acid Flooding	1.00 0.77 0.40	Very limited Low adsorption Too acid	1.00 0.77
OtA: Othello-----	100	Very limited Depth to saturated zone Leaching limitation Too acid Restricted permeability	1.00 0.50 0.50 0.30	Very limited Depth to saturated zone Low adsorption Too acid Restricted permeability	1.00 1.00 1.00 1.00 0.22	Very limited Depth to saturated zone Too acid Restricted permeability	1.00 1.00 1.00 0.22
OtB: Othello-----	100	Very limited Depth to saturated zone Leaching limitation Too acid Restricted permeability	1.00 0.50 0.50 0.30	Very limited Depth to saturated zone Low adsorption Too acid Restricted permeability	1.00 1.00 1.00 1.00 0.22	Very limited Depth to saturated zone Too acid Restricted permeability Too steep for surface application	1.00 1.00 1.00 0.22 0.08
RdB: Rumford-----	100	Very limited Low adsorption Filtering capacity Too acid Droughty	1.00 1.00 0.73 0.03	Very limited Low adsorption Too acid Filtering capacity Droughty	1.00 1.00 1.00 1.00 0.03	Very limited Low adsorption Too acid Filtering capacity Too steep for surface application Droughty	1.00 1.00 1.00 1.00 0.08 0.03
RdC2: Rumford-----	100	Very limited Low adsorption Filtering capacity Too acid Droughty	1.00 1.00 0.73 0.03	Very limited Low adsorption Too acid Filtering capacity Droughty	1.00 1.00 1.00 1.00 0.03	Very limited Low adsorption Too acid Too steep for surface application Filtering capacity Too steep for sprinkler application	1.00 1.00 1.00 1.00 1.00 1.00 0.10
RdD2: Rumford-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Filtering capacity	1.00	Too acid	1.00	Too steep for surface application	1.00
		Slope	0.84	Filtering capacity	1.00	Too acid	1.00
		Too acid	0.73	Slope	0.84	Filtering capacity	1.00
		Droughty	0.03	Droughty	0.03	Too steep for sprinkler application	0.90
ReB: Rumford-----	70	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Droughty	0.92	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.73	Droughty	0.92	Droughty	0.92
						Too steep for surface application	0.08
Evesboro-----	30	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Droughty	0.91	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.73	Droughty	0.91	Droughty	0.91
		Leaching limitation	0.45			Too steep for surface application	0.08
ReC: Rumford-----	60	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Slope	0.04	Slope	0.04	Too steep for surface application	1.00
						Too steep for sprinkler application	0.22
Evesboro-----	40	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Droughty	0.91	Filtering capacity	1.00	Too steep for surface application	1.00
		Too acid	0.73	Droughty	0.91	Filtering capacity	1.00
		Leaching limitation	0.45	Slope	0.04	Droughty	0.91
ReD: Evesboro-----	50	Very limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rumford-----	50	Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Slope	1.00	Too acid	1.00	Too steep for surface application	1.00
		Filtering capacity	1.00	Slope	1.00	Too steep for sprinkler application	1.00
		Droughty	0.91	Filtering capacity	1.00	Too acid	1.00
		Too acid	0.73	Droughty	0.91	Filtering capacity	1.00
SaA: Sassafras-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Slope	1.00	Too acid	1.00	Too steep for surface application	1.00
		Too acid	0.73	Slope	1.00	Too steep for sprinkler application	1.00
						Too acid	1.00
SaB2: Sassafras-----	100	Somewhat limited		Very limited		Very limited	
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
				Too acid	1.00	Too steep for surface application	0.08
SaC2: Sassafras-----	100	Somewhat limited		Very limited		Very limited	
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
				Too acid	1.00	Too steep for surface application	1.00
						Too steep for sprinkler application	0.10
ShA: Sassafras-----	100	Somewhat limited		Very limited		Very limited	
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
				Too acid	1.00		
ShB2: Sassafras-----	100	Somewhat limited		Very limited		Very limited	
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
				Too acid	1.00	Too steep for surface application	0.08
ShC2: Sassafras-----	100	Somewhat limited		Very limited		Very limited	
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShC3: Sassafras-----	100	Somewhat limited Too acid	0.73	Too acid	1.00	Too steep for surface application	1.00
				Very limited Low adsorption Too acid	1.00 1.00	Too steep for sprinkler application	0.10
ShD2: Sassafras-----	100	Somewhat limited Slope Too acid	0.84 0.73	Very limited Low adsorption	1.00	Very limited Too steep for surface application	1.00
				Too acid Slope	1.00 0.84	Too acid Too steep for sprinkler application	1.00 0.90
ShD3: Sassafras-----	100	Somewhat limited Slope Too acid	0.84 0.73	Very limited Low adsorption	1.00	Very limited Too steep for surface application	1.00
				Too acid Slope	1.00 0.84	Too acid Too steep for sprinkler application	1.00 0.90
SlA: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid	1.00
SlB2: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application	1.00 0.08
SlC3: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.10

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SpB2: Sassafras-----	60	Very limited Low adsorption Too acid	1.00 0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 0.08
Westphalia-----	40	Very limited Low adsorption Too acid	1.00 0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 0.08
SpC3: Sassafras-----	60	Very limited Low adsorption Too acid Slope	1.00 0.73 0.04	Very limited Low adsorption Too acid Slope	1.00 1.00 0.04	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00 0.22
Westphalia-----	40	Very limited Low adsorption Too acid Slope	1.00 0.73 0.04	Very limited Low adsorption Too acid Slope	1.00 1.00 0.04	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00 0.22
SrE: Sassafras-----	60	Very limited Slope Too acid	1.00 0.73	Very limited Low adsorption Slope Too acid	1.00 1.00 1.00	Very limited Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00
Westphalia-----	40	Very limited Slope Low adsorption Too acid	1.00 1.00 0.73	Very limited Low adsorption Slope Too acid	1.00 1.00 1.00	Very limited Low adsorption Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00 1.00
Sx: Swamp-----	100	Not rated		Not rated		Not rated	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WaB2: Westphalia-----	100	Very limited Low adsorption Too acid	1.00 0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 0.08
WaC2: Westphalia-----	100	Very limited Low adsorption Too acid Slope	1.00 0.73 0.04	Very limited Low adsorption Too acid Slope	1.00 1.00 0.04	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00 0.22
WaC3: Westphalia-----	100	Very limited Low adsorption Too acid Slope	1.00 0.73 0.04	Very limited Low adsorption Too acid Slope	1.00 1.00 0.04	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00 0.22
WaD2: Westphalia-----	100	Very limited Low adsorption Slope Too acid	1.00 1.00 0.73	Very limited Low adsorption Too acid Slope	1.00 1.00 1.00	Very limited Low adsorption Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00 1.00
WaD3: Westphalia-----	100	Very limited Low adsorption Slope	1.00 1.00	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoA: Woodstown-----	100	Too acid	0.73	Slope	1.00	Too steep for sprinkler application	1.00
						Too acid	1.00
		Somewhat limited Depth to saturated zone	0.84	Very limited Low adsorption	1.00	Very limited Too acid	1.00
		Too acid	0.73	Too acid	1.00	Depth to saturated zone	0.84
WoB: Woodstown-----	100			Depth to saturated zone	0.84		
		Somewhat limited Depth to saturated zone	0.84	Very limited Low adsorption	1.00	Very limited Too acid	1.00
		Too acid	0.73	Too acid	1.00	Depth to saturated zone	0.84
				Depth to saturated zone	0.84	Too steep for surface application	0.08

