

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	100	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Too acid Runoff limitation	1.00 1.00 0.73 0.40	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 1.00 1.00
Bb: Bayboro-----	100	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Too acid Runoff limitation	1.00 1.00 0.73 0.40	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 1.00 1.00
Be: Beaches-----	80	Not rated		Not rated		Not rated	
Bo: Borrow Pits-----	95	Not rated		Not rated		Not rated	
DoA: Downer-----	100	Very limited Filtering capacity Too acid Droughty	1.00 0.73 0.25	Very limited Too acid Filtering capacity Droughty	1.00 1.00 0.25	Very limited Too acid Filtering capacity Droughty	1.00 1.00 0.25
DoB2: Downer-----	100	Very limited Filtering capacity Too acid	1.00 0.73	Very limited Too acid Filtering capacity	1.00 1.00	Very limited Too acid Filtering capacity	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DoC: Downer-----	100	Droughty	0.25	Droughty	0.25	Droughty Too steep for surface application	0.25 0.08
		Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Too steep for surface application	1.00
		Droughty	0.25	Droughty	0.25	Filtering capacity	1.00
Ea: Elkton-----	100	Droughty	0.25	Droughty	0.25	Droughty Too steep for sprinkler application	0.25 0.10
		Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid Leaching limitation	0.73 0.50	Too acid	1.00	Too acid	1.00
Ek: Elkton-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.50				
Em: Elkton-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.50				
En: Elkton-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Leaching limitation	0.50	Too acid	0.99	Too acid	0.99
		Too acid	0.43				

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EoD: Evesboro-----	100	Very limited Filtering capacity Too acid	1.00 0.86	Very limited Too acid Filtering capacity	1.00 1.00	Very limited Too acid Too steep for surface application Filtering capacity	1.00 1.00 1.00
		Leaching limitation Slope	0.45 0.16	Slope Droughty	0.16 0.07	Too steep for sprinkler application Droughty	0.40 0.07
EpB: Evesboro-----	100	Not Rated Not Rated; CEC or Clay Restricted permeability Filtering capacity Too acid	1.00 1.00 0.86	Not Rated Not Rated; CEC or Clay Too acid Restricted permeability Filtering capacity	1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Too acid Restricted permeability Filtering capacity	1.00 1.00 1.00
		Leaching limitation	0.45				
ErD: Evesboro-----	100	Very limited Filtering capacity Too acid	1.00 0.86	Very limited Too acid Filtering capacity	1.00 1.00	Very limited Too acid Too steep for surface application Filtering capacity	1.00 1.00 1.00
		Leaching limitation Slope	0.45 0.16	Slope Droughty	0.16 0.07	Too steep for sprinkler application Droughty	0.40 0.07
EsB: Evesboro-----	100	Not Rated Not Rated; CEC or Clay Restricted permeability Filtering capacity Too acid	1.00 1.00 0.86	Not Rated Not Rated; CEC or Clay Too acid Restricted permeability Filtering capacity	1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Too acid Restricted permeability Filtering capacity	1.00 1.00 1.00
		Leaching limitation	0.45				
EtF: Evesboro-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EvD: Evesboro-----	50	Filtering capacity	1.00	Too acid	1.00	Too steep for sprinkler application	1.00
		Too acid	0.86	Filtering capacity	1.00	Too acid	1.00
		Leaching limitation	0.45	Droughty	0.07	Filtering capacity	1.00
		Droughty	0.07			Droughty	0.07
		Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
		Too acid	0.86	Filtering capacity	1.00	Too steep for surface application	1.00
		Leaching limitation	0.45	Slope	0.16	Filtering capacity	1.00
Galestown-----	30	Slope	0.16	Droughty	0.07	Too steep for sprinkler application	0.40
		Droughty	0.07			Droughty	0.07
		Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
		Droughty	0.75	Filtering capacity	1.00	Too steep for surface application	1.00
		Too acid	0.73	Droughty	0.75	Filtering capacity	1.00
		Leaching limitation	0.45	Slope	0.16	Droughty	0.75
		Slope	0.16			Too steep for sprinkler application	0.40
EwB: Evesboro-----	50	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Restricted permeability	1.00	Too acid	1.00	Too acid	1.00
		Filtering capacity	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.86	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45				
Galestown-----	30	Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
		Droughty	0.75	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.73	Droughty	0.75	Droughty	0.75
		Leaching limitation	0.45				

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EyC: Evesboro-----	30	Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.86	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.07	Too steep for surface application	0.32
		Droughty	0.07			Droughty	0.07
Galestown-----	30	Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Droughty	0.75	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.73	Droughty	0.75	Droughty	0.75
		Leaching limitation	0.45			Too steep for surface application	0.32
Downer-----	20	Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Droughty	0.25	Droughty	0.25	Too steep for surface application	0.32
						Droughty	0.25
Fa: Fallsington-----	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.70			Low adsorption	0.04
		Low adsorption	0.04				
Fg: Fallsington-----	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.70			Low adsorption	0.04
		Low adsorption	0.04				
Fs: Fallsington-----	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.70			Low adsorption	0.04
		Low adsorption	0.04				

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GaD: Galestown-----	100	Very limited Filtering capacity Droughty	1.00 0.75	Very limited Too acid Filtering capacity	1.00 1.00	Very limited Too acid Too steep for surface application	1.00 1.00
		Too acid Leaching limitation Slope	0.73 0.45 0.16	Droughty Slope	0.75 0.16	Filtering capacity Droughty Too steep for sprinkler application	1.00 0.75 0.40
GcB: Galestown-----	100	Very limited Filtering capacity Droughty	1.00 0.75	Very limited Too acid Filtering capacity Droughty	1.00 1.00 0.75	Very limited Too acid Filtering capacity Droughty	1.00 1.00 0.75
		Too acid Leaching limitation	0.73 0.45				
KeA: Keyport-----	100	Very limited Restricted permeability Too acid Depth to saturated zone	1.00 0.73 0.68	Very limited Restricted permeability Too acid Depth to saturated zone	1.00 1.00 0.68	Very limited Restricted permeability Too acid Depth to saturated zone	1.00 1.00 0.68
KeB: Keyport-----	100	Very limited Restricted permeability Too acid Depth to saturated zone	1.00 0.73 0.68	Very limited Restricted permeability Too acid Depth to saturated zone	1.00 1.00 0.68	Very limited Restricted permeability Too acid Depth to saturated zone Too steep for surface application	1.00 1.00 0.68 0.08
KsA: Klej-----	95	Very limited Depth to saturated zone Filtering capacity Too acid Leaching limitation Droughty	1.00 1.00 0.73 0.70 0.02	Very limited Depth to saturated zone Too acid Filtering capacity Droughty	1.00 1.00 1.00 0.02	Very limited Depth to saturated zone Too acid Filtering capacity Droughty	1.00 1.00 1.00 0.02
KsB: Klej-----	100	Very limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Le: Leon-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.70	Droughty	0.02	Too steep for surface application	0.08
		Droughty	0.02			Droughty	0.02
Ma: Made Land-----	95	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.70	Too acid	0.99	Too acid	0.99
		Too acid	0.43				
MdA: Matapeake-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Too acid	0.50	Too acid	1.00	Too acid	1.00
MdB2: Matapeake-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Too acid	0.50	Too acid	1.00	Too acid	1.00
						Too steep for surface application	0.08
MeA: Matapeake-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Too acid	0.50	Too acid	1.00	Too acid	1.00
MeB2: Matapeake-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Too acid	0.50	Too acid	1.00	Too acid	1.00
						Too steep for surface application	0.08

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MeC: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 0.10
MfA: Matawan-----	100	Not Rated Not Rated; CEC or Clay Not Rated Restricted permeability Depth to saturated zone Too acid	0.89 0.86 0.50	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	1.00 0.86 0.78	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	1.00 0.86 0.78
MfB: Matawan-----	100	Not Rated Not Rated; CEC or Clay Not Rated Restricted permeability Depth to saturated zone Too acid	0.89 0.86 0.50	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	1.00 0.86 0.78	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability Too steep for surface application	1.00 0.86 0.78 0.08
MmA: Matawan-----	100	Not Rated Not Rated; CEC or Clay Not Rated Restricted permeability Depth to saturated zone Too acid	0.89 0.86 0.50	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	1.00 0.86 0.78	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	1.00 0.86 0.78
MmB: Matawan-----	100	Not Rated Not Rated; CEC or Clay Not Rated Restricted permeability Depth to saturated zone	0.89 0.86	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	1.00 0.86 0.78	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	1.00 0.86 0.78

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MmC: Matawan-----	100	Too acid	0.50			Too steep for surface application	0.08
		Not Rated Not Rated; CEC or Clay Not Rated		Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Restricted permeability	0.89	Depth to saturated zone	0.86	Too acid	1.00
		Depth to saturated zone Too acid	0.86 0.50	Restricted permeability	0.78	Depth to saturated zone Restricted permeability	0.86 0.78
MmE: Matawan-----	100	Not Rated Not Rated; CEC or Clay Not Rated		Not Rated Not Rated; CEC or Clay Slope	1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Slope	1.00	Too acid	1.00	Too steep for sprinkler application	1.00
		Restricted permeability	0.89	Depth to saturated zone	0.86	Too acid	1.00
		Depth to saturated zone	0.86	Restricted permeability	0.78	Depth to saturated zone	0.86
MnA: Matawan-----	100	Not Rated Not Rated; CEC or Clay Not Rated		Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
		Restricted permeability	0.89	Depth to saturated zone	0.86	Depth to saturated zone	0.86
		Depth to saturated zone	0.86	Restricted permeability	0.78	Restricted permeability	0.78
		Too acid	0.50				
MnB: Matawan-----	100	Not Rated Not Rated; CEC or Clay Not Rated		Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
		Restricted permeability	0.89	Depth to saturated zone	0.86	Depth to saturated zone	0.86
		Depth to saturated zone	0.86	Restricted permeability	0.78	Restricted permeability	0.78
		Too acid	0.50			Too steep for surface application	0.08
MpA: Mattapex-----	100	Somewhat limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MpB: Mattapex-----	100	Depth to saturated zone	0.95	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Depth to saturated zone	0.95
		Somewhat limited Depth to saturated zone	0.95	Very limited Too acid	1.00	Very limited Too acid	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Depth to saturated zone Too steep for surface application	0.95 0.08
MtA: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.95	Very limited Too acid	1.00	Very limited Too acid	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Depth to saturated zone	0.95
MtB: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.95	Very limited Too acid	1.00	Very limited Too acid	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Depth to saturated zone Too steep for surface application	0.95 0.08
Mu: Muck-----	100	Not rated		Not rated		Not rated	
Mv: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
NoA: Norfolk-----	100	Not Rated Not Rated; CEC or Clay Filtering capacity	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
		Too acid	0.62	Filtering capacity	1.00	Filtering capacity	1.00
NoB: Norfolk-----	100	Not Rated		Not Rated		Not Rated	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NoC: Norfolk-----	100	Not Rated; CEC or Clay	1.00	Not Rated; CEC or Clay	1.00	Not Rated; CEC or Clay	1.00
		Filtering capacity		Too acid	1.00	Too acid	1.00
		Too acid	0.62	Filtering capacity	1.00	Filtering capacity	1.00
						Too steep for surface application	0.08
NsD: Norfolk-----	50	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay	1.00	Not Rated; CEC or Clay	1.00	Not Rated; CEC or Clay	1.00
		Filtering capacity		Too acid	1.00	Too steep for surface application	1.00
		Too acid	0.62	Filtering capacity	1.00	Too acid	1.00
Sassafras-----	50					Filtering capacity	1.00
						Too steep for sprinkler application	0.10
		Somewhat limited Slope	0.84	Very limited Too acid	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.73	Slope	0.84	Too acid	1.00
NsE: Norfolk-----	50					Too steep for sprinkler application	0.90
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too steep for sprinkler application	1.00
						Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sassafras-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too steep for sprinkler application	1.00
						Too acid	1.00
Ot: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Leaching limitation	0.50	Too acid	1.00	Too acid	1.00
		Too acid	0.50	Restricted permeability	0.22	Restricted permeability	0.22
		Restricted permeability	0.30				
Ow: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Leaching limitation	0.50	Too acid	1.00	Too acid	1.00
		Too acid	0.50	Restricted permeability	0.22	Restricted permeability	0.22
		Restricted permeability	0.30				
Pe: Plummer-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.70				
Pk: Pocomoke-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Ponding	1.00	Ponding	1.00
		Leaching limitation	0.70				
Po: Pocomoke-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Ponding	1.00	Ponding	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pr: Portsmouth-----	100	Leaching limitation	0.70				
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
Pt: Portsmouth-----	100	Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.70				
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Ru: Rutlege-----	100	Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.70				
		Droughty	0.25	Droughty	0.25	Droughty	0.25
		Very limited		Very limited		Very limited	
SaA: Sassafras-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
SaB: Sassafras-----	100	Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Somewhat limited		Too acid		Too acid	
SsA: Sassafras-----	100	Too acid	0.73	Very limited		Very limited	
		Somewhat limited		Too acid		Too acid	
SsB2: Sassafras-----	100	Too acid	0.73	Very limited		Very limited	
		Somewhat limited		Too acid		Too acid	
						Too steep for surface application	0.08

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SsC2: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Too acid	1.00	Too steep for surface application	0.08
						Very limited Too acid	1.00
						Too steep for surface application	1.00
						Too steep for sprinkler application	0.10
St: St. Johns-----	100	Very limited Depth to saturated zone Filtering capacity Too acid Leaching limitation	1.00 1.00 0.73 0.70	Very limited Depth to saturated zone Too acid Filtering capacity	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone	1.00
						Too acid	1.00
						Filtering capacity	1.00
						Filtering capacity	1.00
Su: St. Johns-----	100	Very limited Depth to saturated zone Filtering capacity Too acid Leaching limitation	1.00 1.00 0.73 0.70	Very limited Depth to saturated zone Too acid Filtering capacity	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone	1.00
						Too acid	1.00
						Filtering capacity	1.00
						Filtering capacity	1.00
Sw: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WfA: Woodstown-----	100	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Too acid Depth to saturated zone	1.00 0.84	Very limited Too acid	1.00
						Depth to saturated zone	0.84

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WfB: Woodstown-----	100	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Too acid Depth to saturated zone	1.00 0.84	Very limited Too acid Depth to saturated zone Too steep for surface application	1.00 0.84 0.08
WoA: Woodstown-----	100	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Too acid Depth to saturated zone	1.00 0.84	Very limited Too acid Depth to saturated zone	1.00 0.84
WsA: Woodstown-----	100	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Too acid Depth to saturated zone	1.00 0.84	Very limited Too acid Depth to saturated zone	1.00 0.84
WsB: Woodstown-----	100	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Too acid Depth to saturated zone	1.00 0.84	Very limited Too acid Depth to saturated zone Too steep for surface application	1.00 0.84 0.08

