

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Aa: Alluvial Land-----	100	Not rated		Not rated		Not rated	
Ad: Alluvial Land-----	100	Not rated		Not rated		Not rated	
Be: Beaches-----	100	Not rated		Not rated		Not rated	
BlA: Beltsville-----	95	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.73	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone	1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone	1.00 1.00 1.00
BlB2: Beltsville-----	100	Not Rated Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.73	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone	1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Restricted permeability Too acid Depth to saturated zone Too steep for surface application	1.00 1.00 1.00 0.08
BlB3: Beltsville-----	100	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
B1C2: Beltsville-----	100	Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Depth to saturated zone	1.00	Depth to saturated zone	1.00
						Too steep for surface application	0.08
B1C3: Beltsville-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	1.00	Too acid	1.00	Too acid	1.00
Bm: Bibb-----	100	Too acid	0.73	Depth to saturated zone	1.00	Too steep for surface application	1.00
						Depth to saturated zone	1.00
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
BrB2: Bourne-----	100	Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.22	Too acid	0.77	Too acid	0.77
Bm: Bibb-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Too acid	0.50	Too acid	1.00	Too acid	1.00
		Runoff limitation	0.40				

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BrC3: Bourne-----	100	Not Rated		Not Rated		Too steep for surface application	0.08
		Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.22	Not Rated; CEC or Clay Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.77	Not Rated Not Rated; CEC or Clay Restricted permeability Too steep for surface application Depth to saturated zone Too acid	1.00 1.00 1.00 1.00 0.77
CaB2: Caroline-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay Too acid	0.73	Not Rated; CEC or Clay Too acid	1.00	Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
CaC2: Caroline-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay Too acid	0.73	Not Rated; CEC or Clay Too acid	1.00	Not Rated; CEC or Clay Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.10
CaC3: Caroline-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay Too acid	0.73	Not Rated; CEC or Clay Too acid	1.00	Not Rated; CEC or Clay Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.10
CaD2: Caroline-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay Slope Too acid	0.84 0.73	Not Rated; CEC or Clay Too acid Slope	1.00 0.84	Not Rated; CEC or Clay Too steep for surface application Too acid	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaD3: Caroline-----	100	Not Rated		Not Rated		Too steep for sprinkler application	0.90
		Not Rated; CEC or Clay	0.84	Not Rated; CEC or Clay	1.00	Not Rated; CEC or Clay	1.00
		Slope	0.73	Too acid	0.84	Too steep for surface application	1.00
ChA: Chillum-----	100	Too acid		Slope		Too acid	0.90
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay	0.50	Not Rated; CEC or Clay	1.00	Not Rated; CEC or Clay	1.00
ChB2: Chillum-----	100	Too acid		Too acid		Too acid	1.00
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay	0.50	Not Rated; CEC or Clay	1.00	Not Rated; CEC or Clay	1.00
ChC2: Chillum-----	100	Too acid		Too acid		Too acid	1.00
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay	0.50	Not Rated; CEC or Clay	1.00	Not Rated; CEC or Clay	1.00
ChC3: Chillum-----	100	Slope	0.04	Slope	0.04	Too steep for surface application	1.00
		Not Rated		Not Rated		Too acid	1.00
		Not Rated; CEC or Clay	0.50	Not Rated; CEC or Clay	1.00	Too steep for sprinkler application	0.22
CrB2: Croom-----	100	Slope	0.04	Slope	0.04	Too steep for surface application	1.00
		Not Rated		Not Rated		Too acid	1.00
		Not Rated; CEC or Clay	0.50	Not Rated; CEC or Clay	1.00	Too steep for sprinkler application	0.22

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CrC2: Croom-----	100	Too acid	0.32	Too acid	0.91	Too acid Too steep for surface application	0.91 0.08
		Not Rated Not Rated; CEC or Clay Too acid	0.32	Not Rated Not Rated; CEC or Clay Too acid	0.91	Not Rated Not Rated; CEC or Clay Too steep for surface application Too acid Too steep for sprinkler application	1.00 0.91 0.10
CrD2: Croom-----	100	Not Rated Not Rated; CEC or Clay Slope	0.84	Not Rated Not Rated; CEC or Clay Too acid	0.91	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Too acid	0.32	Slope	0.84	Too acid Too steep for sprinkler application	0.91 0.90
CrD3: Croom-----	100	Not Rated Not Rated; CEC or Clay Slope	0.84	Not Rated Not Rated; CEC or Clay Too acid	0.91	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Too acid	0.32	Slope	0.84	Too acid Too steep for sprinkler application	0.91 0.90
Cu: Cut And Fill Land---	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	50	Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid Leaching limitation	0.73 0.50	Too acid	1.00	Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Elkton-----	50	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.50				
EvB: Evesboro-----	100	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.86	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.17	Droughty	0.17
		Droughty	0.17			Too steep for surface application	0.08
EvC: Evesboro-----	100	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Filtering capacity	1.00	Too acid	1.00	Too steep for surface application	1.00
		Too acid	0.86	Filtering capacity	1.00	Too acid	1.00
		Slope	0.63	Slope	0.63	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.17	Too steep for sprinkler application	0.78
EwC2: Evesboro-----	60	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.86	Filtering capacity	1.00	Too steep for surface application	1.00
		Leaching limitation	0.45	Droughty	0.17	Filtering capacity	1.00
		Droughty	0.17	Slope	0.04	Too steep for sprinkler application	0.22
Westphalia-----	40	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Too acid	0.73	Too acid	1.00	Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EwD2: Evesboro-----	60	Slope	0.04	Slope	0.04	Too steep for surface application	1.00
						Too steep for sprinkler application	0.22
		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Slope	1.00	Too acid	1.00	Too steep for surface application	1.00
		Filtering capacity	1.00	Slope	1.00	Too acid	1.00
Westphalia-----	40	Too acid	0.86	Filtering capacity	1.00	Too steep for sprinkler application	1.00
		Leaching limitation	0.45	Droughty	0.17	Filtering capacity	1.00
		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Slope	1.00	Too acid	1.00	Too steep for surface application	1.00
		Too acid	0.73	Slope	1.00	Too steep for sprinkler application	1.00
EwE2: Evesboro-----	60	Too acid	1.00	Too acid	1.00	Too acid	1.00
		Filtering capacity	1.00	Too acid	1.00	Too steep for surface application	1.00
		Too acid	0.86	Filtering capacity	1.00	Too steep for sprinkler application	1.00
		Leaching limitation	0.45	Droughty	0.17	Filtering capacity	1.00
		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
Westphalia-----	40	Slope	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too steep for sprinkler application	1.00
						Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FaB: Faceville-----	100	Not Rated Not Rated; CEC or Clay Too acid	0.62	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
Fs: Fallsington-----	50	Very limited Depth to saturated zone Too acid Leaching limitation Low adsorption	1.00 0.73 0.70 0.04	Very limited Depth to saturated zone Too acid	1.00 1.00	Very limited Depth to saturated zone Too acid Low adsorption	1.00 1.00 0.04
Fallsington-----	50	Very limited Depth to saturated zone Too acid Leaching limitation Low adsorption	1.00 0.73 0.70 0.04	Very limited Depth to saturated zone Too acid	1.00 1.00	Very limited Depth to saturated zone Too acid Low adsorption	1.00 1.00 0.04
Gp: Gravel Pits-----	100	Not rated		Not rated		Not rated	
KeC2: Kempsville-----	100	Somewhat limited Too acid	0.32	Somewhat limited Too acid	0.91	Very limited Too steep for surface application Too acid Too steep for sprinkler application	1.00 0.91 0.10
KeC3: Kempsville-----	100	Somewhat limited Too acid	0.32	Somewhat limited Too acid	0.91	Very limited Too steep for surface application Too acid Too steep for sprinkler application	1.00 0.91 0.10
KeD2: Kempsville-----	100	Somewhat limited Slope  Too acid	0.84  0.32	Somewhat limited Too acid  Slope	0.91  0.84	Very limited Too steep for surface application Too acid	1.00  0.91

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KeD3: Kempsville-----	100					Too steep for sprinkler application	0.90
		Somewhat limited Slope	0.84	Somewhat limited Too acid	0.91	Very limited Too steep for surface application	1.00
		Too acid	0.32	Slope	0.84	Too acid Too steep for sprinkler application	0.91 0.90
KpA: Keyport-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Depth to saturated zone	0.68	Depth to saturated zone	0.68	Depth to saturated zone	0.68
KpB2: Keyport-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Depth to saturated zone	0.68	Depth to saturated zone	0.68	Depth to saturated zone	0.68
						Too steep for surface application	0.08
KrA: Keyport-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Depth to saturated zone	0.68	Depth to saturated zone	0.68	Depth to saturated zone	0.68
KrB2: Keyport-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Depth to saturated zone	0.68	Depth to saturated zone	0.68	Depth to saturated zone	0.68
						Too steep for surface application	0.08
KrC2: Keyport-----	100	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Kz: Klej-----	95	Depth to saturated zone	0.68	Depth to saturated zone	0.68	Too steep for surface application	1.00
						Depth to saturated zone	0.68
						Too steep for sprinkler application	0.10
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
Le: Leonardtown-----	100	Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.70	Droughty	0.02	Droughty	0.02
		Droughty	0.02				
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Restricted permeability	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
MaB2: Marr-----	100	Depth to saturated zone	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to dense layer	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73				
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Too acid	0.32	Too acid	0.91	Too acid	0.91
MaC2: Marr-----	100	Too steep for surface application				Too steep for surface application	0.08
		Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Too acid	0.32	Too acid	0.91	Too steep for surface application	1.00
		Slope	0.04	Slope	0.04	Too acid	0.91
						Too steep for sprinkler application	0.22
MaC3: Marr-----	100	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MmA: Matapeake-----	100	Too acid	0.32	Too acid	0.91	Too steep for surface application	1.00
		Slope	0.04	Slope	0.04	Too acid Too steep for sprinkler application	0.91 0.22
MmB2: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
MnA: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
		Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
MnB2: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
MnC3: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid Too steep for sprinkler application	1.00 0.10
MtA: Mattapex-----	100	Somewhat limited Depth to saturated zone	0.95	Very limited Too acid	1.00	Very limited Too acid	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Depth to saturated zone	0.95
MtB2: Mattapex-----	100	Somewhat limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MuA: Mattapex-----	100	Depth to saturated zone	0.95	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Depth to saturated zone	0.95
						Too steep for surface application	0.08
		Somewhat limited	0.95	Very limited	1.00	Very limited	1.00
MuB2: Mattapex-----	100	Depth to saturated zone	0.95	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Depth to saturated zone	0.95
		Somewhat limited	0.95	Very limited	1.00	Very limited	1.00
MuC2: Mattapex-----	100	Depth to saturated zone	0.95	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Depth to saturated zone	0.95
						Too steep for surface application	0.08
		Somewhat limited	0.95	Very limited	1.00	Very limited	1.00
On: Othello-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Leaching limitation	0.50	Too acid	1.00	Too acid	1.00
		Too acid	0.50	Restricted permeability	0.22	Restricted permeability	0.22
		Restricted permeability	0.30				
Ot: Othello-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Leaching limitation	0.50	Too acid	1.00	Too acid	1.00
		Too acid	0.50	Restricted permeability	0.22	Restricted permeability	0.22

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RuB: Rumford-----	100	Restricted permeability	0.30				
		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Filtering capacity Too acid	1.00	Too acid	1.00	Too acid	1.00
			0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Droughty	0.03	Droughty	0.03	Droughty	0.03
RuC2: Rumford-----	100	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Filtering capacity Too acid	1.00	Too acid	1.00	Too acid	1.00
			0.73	Filtering capacity	1.00	Too steep for surface application	1.00
		Droughty	0.03	Droughty	0.03	Filtering capacity Too steep for sprinkler application	1.00 0.10
SaA: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Too acid	1.00	Very limited Too acid	1.00
SaB2: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Too acid	1.00	Very limited Too acid Too steep for surface application	1.00 0.08
SaC2: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Too acid	1.00	Very limited Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.10
SaC3: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Too acid	1.00	Very limited Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.10

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaD2: Sassafras-----	100	Somewhat limited Slope	0.84	Very limited Too acid	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.73	Slope	0.84	Too acid Too steep for sprinkler application	1.00 0.90
SaD3: Sassafras-----	100	Somewhat limited Slope	0.84	Very limited Too acid	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.73	Slope	0.84	Too acid Too steep for sprinkler application	1.00 0.90
SfA: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Too acid	1.00	Very limited Too acid	1.00
SfB2: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Too acid	1.00	Very limited Too acid Too steep for surface application	1.00 0.08
SmC2: Sassafras-----	65	Not Rated Not Rated; CEC or Clay Too acid Slope	0.73 0.04	Not Rated Not Rated; CEC or Clay Too acid Slope	1.00 0.04	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.22
Chillum-----	35	Not Rated Not Rated; CEC or Clay Too acid Slope	0.50 0.04	Not Rated Not Rated; CEC or Clay Too acid Slope	1.00 0.04	Not Rated Not Rated; CEC or Clay Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 0.22
SmC3: Sassafras-----	65	Not Rated Not Rated; CEC or Clay Too acid	0.73	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Chillum-----	35	Slope	0.04	Slope	0.04	Too steep for surface application	1.00
						Too steep for sprinkler application	0.22
		Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Slope	0.04	Slope	0.04	Too acid Too steep for sprinkler application	1.00 0.22
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WeB2: Westphalia-----	100	Not Rated Not Rated; CEC or Clay Too acid	0.73	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
WeC2: Westphalia-----	100	Not Rated Not Rated; CEC or Clay Too acid Slope	0.73 0.04	Not Rated Not Rated; CEC or Clay Too acid Slope	1.00 0.04	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.22
WeC3: Westphalia-----	100	Not Rated Not Rated; CEC or Clay Too acid Slope	0.73 0.04	Not Rated Not Rated; CEC or Clay Too acid Slope	1.00 0.04	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.22

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WsA: Woodstown-----	100	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Too acid Depth to saturated zone	1.00 0.84	Very limited Too acid Depth to saturated zone	1.00 0.84
WsB: Woodstown-----	100	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Too acid Depth to saturated zone	1.00 0.84	Very limited Too acid Depth to saturated zone Too steep for surface application	1.00 0.84 0.08
WsC2: Woodstown-----	100	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Too acid Depth to saturated zone	1.00 0.84	Very limited Too acid Too steep for surface application Depth to saturated zone Too steep for sprinkler application	1.00 1.00 0.84 0.10

