

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AcB: Acquango-----	90	Very limited Filtering capacity	1.00	Very limited Flooding	1.00	Very limited Filtering capacity	1.00
		Droughty	0.90	Filtering capacity	1.00	Droughty	0.90
		Flooding	0.60	Droughty	0.90	Flooding	0.60
		Leaching limitation	0.45	Too acid	0.07	Too steep for surface application	0.08
		Too acid	0.02	Salinity	0.01	Too acid	0.07
AcC: Acquango-----	90	Very limited Filtering capacity	1.00	Very limited Flooding	1.00	Very limited Too steep for surface application	1.00
		Droughty	0.90	Filtering capacity	1.00	Filtering capacity	1.00
		Flooding	0.60	Droughty	0.90	Droughty	0.90
		Leaching limitation	0.45	Too acid	0.07	Flooding	0.60
		Too acid	0.02	Salinity	0.01	Too steep for sprinkler application	0.10
As: Askecksy-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.90	Filtering capacity	1.00	Filtering capacity	1.00
		Droughty	0.80	Droughty	0.80	Droughty	0.80
		Too acid	0.56				
Be: Beaches-----	100	Not rated		Not rated		Not rated	
Bh: Berryland-----	80	Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay		Not Rated Not Rated; CEC or Clay	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BkA: Brockatonorton-----	80	Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.94	Filtering capacity	1.00	Filtering capacity	1.00
		Very limited Filtering capacity	1.00	Very limited Flooding	1.00	Very limited Filtering capacity	1.00
		Depth to saturated zone	0.86	Filtering capacity	1.00	Depth to saturated zone	0.86
		Flooding	0.60	Depth to saturated zone	0.86	Flooding	0.60
		Runoff limitation	0.40	Too acid	0.07	Too acid	0.07
BkB: Brockatonorton-----	80	Too acid	0.02	Salinity	0.01	Salinity	0.01
		Very limited Filtering capacity	1.00	Very limited Flooding	1.00	Very limited Filtering capacity	1.00
		Depth to saturated zone	0.86	Filtering capacity	1.00	Depth to saturated zone	0.86
		Flooding	0.60	Depth to saturated zone	0.86	Flooding	0.60
		Runoff limitation	0.40	Too acid	0.07	Too steep for surface application	0.08
		Too acid	0.02	Salinity	0.01	Too acid	0.07
Br: Broadkill-----	80	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Salinity	1.00	Salinity	1.00	Salinity	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Too acid	0.78	Too acid	1.00	Too acid	1.00
BX: Boxiron-----	40	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Salinity	1.00	Salinity	1.00
		Salinity	0.78	Flooding	1.00	Flooding	1.00
		Runoff limitation	0.40				
Broadkill-----	40	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Salinity	1.00	Salinity	1.00	Salinity	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Too acid	0.78	Too acid	1.00	Too acid	1.00
CeA: Cedartown-----	55	Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rosedale-----	25	Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45				
		Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
		Too acid	0.68	Filtering capacity	1.00	Filtering capacity	1.00
CeB: Cedartown-----	55	Leaching limitation	0.45				
		Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
Rosedale-----	25	Leaching limitation	0.45			Too steep for surface application	0.08
		Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
		Too acid	0.68	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45			Too steep for surface application	0.08
Ch: Chicone-----	75	Very limited Ponding	1.00	Very limited Ponding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Flooding	1.00	Too acid	1.00
		Too acid	0.78	Too acid	1.00	Filtering capacity	1.00
		Flooding	0.60	Filtering capacity	1.00	Flooding	0.60
Ek: Elkton-----	80	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.50				
Em: Elkton-----	80	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EvA: Evesboro-----	80	Depth to saturated zone	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.50				
		Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
EvB: Evesboro-----	80	Too acid	0.86	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.01	Droughty	0.01
		Droughty	0.01				
		Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
EvC: Evesboro-----	80	Too acid	0.86	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.01	Too steep for surface application	0.08
		Droughty	0.01			Droughty	0.01
		Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
Fa: Fallsington-----	75	Too acid	0.86	Filtering capacity	1.00	Too steep for surface application	1.00
		Leaching limitation	0.45	Droughty	0.01	Filtering capacity	1.00
		Droughty	0.01			Too steep for sprinkler application	0.10
		Droughty	0.01			Droughty	0.01
FmA: Fort Mott-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.70				
FmA: Fort Mott-----	80	Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45				

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FmB: Fort Mott-----	80	Very limited Filtering capacity Too acid	1.00 0.73	Very limited Too acid Filtering capacity	1.00 1.00	Very limited Too acid Filtering capacity Too steep for surface application	1.00 1.00 0.08
GaA: Galestown-----	75	Very limited Filtering capacity Too acid Droughty Leaching limitation	1.00 0.73 0.46 0.45	Very limited Too acid Filtering capacity Droughty	1.00 1.00 0.46	Very limited Too acid Filtering capacity Droughty	1.00 1.00 0.46
GaB: Galestown-----	75	Very limited Filtering capacity Too acid Leaching limitation Droughty	1.00 0.73 0.45 0.38	Very limited Too acid Filtering capacity Droughty	1.00 1.00 0.38	Very limited Too acid Filtering capacity Droughty Too steep for surface application	1.00 1.00 0.38 0.08
GaC: Galestown-----	75	Very limited Filtering capacity Too acid Leaching limitation Droughty	1.00 0.73 0.45 0.43	Very limited Too acid Filtering capacity Droughty	1.00 1.00 0.43	Very limited Too acid Too steep for surface application Filtering capacity Droughty Too steep for sprinkler application	1.00 1.00 1.00 0.43 0.10
HbA: Hambrook-----	75	Somewhat limited Restricted permeability Too acid	0.89 0.73	Very limited Too acid Restricted permeability	1.00 0.78	Very limited Too acid Restricted permeability	1.00 0.78
HbB: Hambrook-----	75	Somewhat limited Restricted permeability Too acid	0.89 0.73	Very limited Too acid Restricted permeability	1.00 0.78	Very limited Too acid Restricted permeability	1.00 0.78

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HmA: Hammonton-----	75					Too steep for surface application	0.08
		Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Depth to saturated zone	0.84	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.78	Depth to saturated zone	0.84	Depth to saturated zone	0.84
HmB: Hammonton-----	75					Very limited	
		Very limited		Very limited		Too acid	
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Depth to saturated zone	0.84	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.78	Depth to saturated zone	0.84	Depth to saturated zone	0.84
						Too steep for surface application	0.08
Hu: Hurlock-----	80					Very limited	
		Very limited		Very limited		Depth to saturated zone	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Restricted permeability	0.89	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.73	Restricted permeability	0.78	Restricted permeability	0.78
		Leaching limitation	0.70				
In: Indiantown-----	75					Very limited	
		Very limited		Very limited		Ponding	
		Ponding	1.00	Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.78	Filtering capacity	1.00	Filtering capacity	1.00
Ke: Kentuck-----	85					Very limited	
		Very limited		Very limited		Ponding	
		Ponding	1.00	Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Restricted permeability	0.89	Filtering capacity	1.00	Filtering capacity	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KsA: Klej-----	75	Too acid	0.78	Restricted permeability	0.78	Restricted permeability	0.78
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.70				
KsB: Klej-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.70	Droughty	0.07	Too steep for surface application	0.08
		Droughty	0.07			Droughty	0.07
Ma: Manahawkin-----	80	Not Rated		Not Rated		Not Rated	
		Not Rated; Fragments > 250mm		Not Rated; Fragments > 250mm		Not Rated; pH	
		Not Rated; Fragments 75 to 250mm		Not Rated; Fragments 75 to 250mm		Not Rated; Fragments > 250mm	
MC: Mannington-----	50	Not Rated; pH		Not Rated; pH		Not Rated; Fragments > 250mm	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Runoff limitation	0.40	Restricted permeability	0.22	Restricted permeability	0.22
Nanticoke-----	45	Restricted permeability	0.30				
		Very limited		Very limited		Very limited	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MeA: Matapeake-----	80	Runoff limitation	0.40	Restricted permeability	0.22	Restricted permeability	0.22
		Restricted permeability	0.30				
		Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
MeB: Matapeake-----	80	Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
		Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
		Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
MkA: Matapeake-----	80	Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
		Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
		Not Rated Not Rated; CEC or Clay Too acid	0.50	Not Rated Not Rated; CEC or Clay Too acid	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
MpA: Mattapex-----	80	Very limited Filtering capacity Depth to saturated zone Too acid	1.00 0.95 0.73	Very limited Too acid	1.00	Very limited Too acid	1.00
		Very limited Filtering capacity Depth to saturated zone Too acid	1.00 0.95 0.73	Very limited Too acid	1.00	Very limited Too acid	1.00
		Very limited Filtering capacity Depth to saturated zone Too acid	1.00 0.95 0.73	Very limited Too acid	1.00	Very limited Too acid	1.00
MpB: Mattapex-----	80	Very limited Filtering capacity Depth to saturated zone Too acid	1.00 0.95 0.73	Very limited Too acid	1.00	Very limited Too acid	1.00
		Very limited Filtering capacity Depth to saturated zone Too acid	1.00 0.95 0.73	Very limited Too acid	1.00	Very limited Too acid	1.00
		Very limited Filtering capacity Depth to saturated zone Too acid	1.00 0.95 0.73	Very limited Too acid	1.00	Very limited Too acid	1.00
MqA: Mattapex-----	80	Very limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MqB: Mattapex-----	80	Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Depth to saturated zone	0.95	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Depth to saturated zone	0.95
		Very limited Filtering capacity	1.00	Very limited Too acid	1.00	Very limited Too acid	1.00
		Depth to saturated zone	0.95	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.73	Depth to saturated zone	0.95	Depth to saturated zone Too steep for surface application	0.08
Mu: Mullica-----	55	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.86	Filtering capacity	1.00	Filtering capacity	1.00
		Droughty	0.39	Flooding	0.40	Droughty	0.39
Berryland-----	30	Not Rated		Not Rated		Not Rated	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.94	Filtering capacity	1.00	Filtering capacity	1.00
NnA: Nassawango-----	80	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Restricted permeability	0.30	Too acid	0.77	Too acid	0.77
		Too acid	0.22	Restricted permeability	0.22	Restricted permeability	0.22
NnB: Nassawango-----	80	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Restricted permeability	0.30	Too acid	0.77	Too acid	0.77
		Too acid	0.22	Restricted permeability	0.22	Restricted permeability	0.22

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NsA: Nassawango-----	80					Too steep for surface application	0.08
		Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00
		Restricted permeability	0.30	Too acid	0.77	Too acid	0.77
		Too acid	0.22	Restricted permeability	0.22	Restricted permeability	0.22
NsB: Nassawango-----	80					Very limited Filtering capacity	1.00
		Very limited Filtering capacity	1.00	Very limited Filtering capacity	1.00	Too acid	0.77
		Restricted permeability	0.30	Too acid	0.77	Restricted permeability	0.22
		Too acid	0.22	Restricted permeability	0.22	Too steep for surface application	0.08
Ot: Othello-----	40					Very limited Depth to saturated zone	1.00
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Too acid	1.00
		Leaching limitation	0.50	Too acid	1.00	Restricted permeability	0.22
		Too acid	0.50	Restricted permeability	0.22	Restricted permeability	0.22
Othello-----	40					Very limited Depth to saturated zone	1.00
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Too acid	1.00
		Leaching limitation	0.50	Too acid	1.00	Restricted permeability	0.22
		Too acid	0.50	Restricted permeability	0.22	Restricted permeability	0.22
Pk: Puckum-----	75					Not Rated	
		Not Rated		Not Rated		Not Rated; pH	
		Not Rated; CEC or Clay		Not Rated; CEC or Clay		Not Rated; CEC or Clay	
		Not Rated; pH		Not Rated; pH		Ponding	1.00
Pu: Purnell-----	80					Depth to saturated zone	1.00
		Ponding	1.00	Ponding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RoA: Rosedale-----	80	Ponding	1.00	Ponding	1.00	Ponding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Salinity	1.00	Salinity	1.00
		Filtering capacity	1.00	Flooding	1.00	Flooding	1.00
		Salinity	0.78	Filtering capacity	1.00	Filtering capacity	1.00
RoB: Rosedale-----	80	Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.68	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45				
RuA: Runclint-----	75	Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.25	Droughty	0.25
RuB: Runclint-----	80	Droughty	0.25	Low adsorption	0.21		
		Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.26	Droughty	0.26
SaA: Sassafras-----	75	Droughty	0.26	Low adsorption	0.02	Too steep for surface application	0.08
		Low adsorption	0.01			Low adsorption	0.01
		Somewhat limited		Very limited		Very limited	
SaB: Sassafras-----	75	Too acid	0.73	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaC: Sassafras-----	75	Somewhat limited Too acid	0.73	Very limited Too acid	1.00	Too steep for surface application	0.08
						Very limited Too acid	1.00
						Too steep for surface application	1.00
						Too steep for sprinkler application	0.10
Su: Sunken-----	100	Very limited Restricted permeability Ponding Depth to saturated zone Salinity Flooding	1.00 1.00 1.00 1.00 0.60	Very limited Ponding Depth to saturated zone Salinity Flooding Restricted permeability	1.00 1.00 1.00 1.00 1.00	Very limited Ponding	1.00
						Depth to saturated zone	1.00
						Salinity	1.00
						Restricted permeability	1.00
						Flooding	0.60
Tk: Transquaking-----	90	Not Rated Not Rated; pH Restricted permeability Ponding Depth to saturated zone Flooding	1.00 1.00 1.00 1.00	Not Rated Not Rated; pH Ponding Depth to saturated zone Salinity Flooding	1.00 1.00 1.00 1.00	Not Rated Not Rated; pH Ponding	1.00
						Depth to saturated zone	1.00
						Salinity	1.00
						Flooding	1.00
TP: Transquaking-----	50	Not Rated Not Rated; pH Restricted permeability Ponding Depth to saturated zone Flooding	1.00 1.00 1.00 1.00	Not Rated Not Rated; pH Ponding Depth to saturated zone Salinity Flooding	1.00 1.00 1.00 1.00	Not Rated Not Rated; pH Ponding	1.00
						Depth to saturated zone	1.00
						Salinity	1.00
						Flooding	1.00
Mispillion-----	30	Not Rated Not Rated; CEC or Clay Not Rated; Fragments > 250mm Not Rated; Fragments 75 to 250mm		Not Rated Not Rated; CEC or Clay Not Rated; Fragments > 250mm Not Rated; Fragments 75 to 250mm		Not Rated Not Rated; pH Not Rated; Fragments 75 to 250mm Not Rated; CEC or Clay	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Uc: Urban Land-----	55	Not Rated; pH		Not Rated; pH		Not Rated; Fragments > 250mm	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
Acquango-----	35	Not rated		Not rated		Not rated	
		Very limited Filtering capacity	1.00	Very limited Flooding	1.00	Very limited Filtering capacity	1.00
		Droughty	0.90	Filtering capacity	1.00	Droughty	0.90
		Flooding	0.60	Droughty	0.90	Flooding	0.60
		Leaching limitation Too acid	0.45 0.02	Too acid	0.07	Too acid	0.07
Um: Urban Land-----	45	Salinity	0.01	Salinity	0.01	Salinity	0.01
		Not rated		Not rated		Not rated	
Askecksy-----	35	Not rated		Not rated		Not rated	
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Leaching limitation	0.90	Filtering capacity	1.00	Filtering capacity	1.00
		Droughty Too acid	0.80 0.56	Droughty	0.80	Droughty	0.80
Un: Brockatonorton-----	40	Very limited Filtering capacity	1.00	Very limited Flooding	1.00	Very limited Filtering capacity	1.00
		Depth to saturated zone	0.86	Filtering capacity	1.00	Depth to saturated zone	0.86
		Flooding	0.60	Depth to saturated zone	0.86	Flooding	0.60
		Runoff limitation	0.40	Too acid	0.07	Too acid	0.07
		Too acid	0.02	Salinity	0.01	Salinity	0.01
Urban Land-----	40	Not rated		Not rated		Not rated	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ur: Urban Land-----	90	Not rated		Not rated		Not rated	
Ut: Urban Land-----	54	Not rated		Not rated		Not rated	
Udorthents-----	44	Very limited Filtering capacity Leaching limitation Too acid Depth to saturated zone	1.00 0.90 0.73 0.43	Very limited Too acid Filtering capacity Depth to saturated zone	1.00 1.00 0.43	Very limited Too acid Filtering capacity Depth to saturated zone	1.00 1.00 0.43
Uz: Udorthents-----	85	Very limited Filtering capacity Leaching limitation Too acid Depth to saturated zone	1.00 0.90 0.73 0.43	Very limited Too acid Filtering capacity Depth to saturated zone	1.00 1.00 0.43	Very limited Too acid Filtering capacity Depth to saturated zone	1.00 1.00 0.43
W: Water-----	100	Not Rated Not Rated; Slope Not Rated; Ksat Not Rated; Ksat Not Rated; CEC or Clay Not Rated; Fragments > 250mm		Not Rated Not Rated; AWC Not Rated; Ksat Not Rated; Ksat Not Rated; CEC or Clay Not Rated; Fragments > 250mm		Not Rated Not Rated; AWC Not Rated; Ksat Not Rated; Ksat Not Rated; pH Not Rated; Fragments 75 to 250mm	
WdA: Woodstown-----	75	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Too acid Depth to saturated zone	1.00 0.84	Very limited Too acid Depth to saturated zone	1.00 0.84
WdB: Woodstown-----	75	Somewhat limited Depth to saturated zone	0.84	Very limited Too acid	1.00	Very limited Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Zk: Zekiah-----	75	Too acid	0.73	Depth to saturated zone	0.84	Depth to saturated zone	0.84
						Too steep for surface application	0.08
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Too acid	0.78	Too acid	1.00	Too acid	1.00
		Runoff limitation	0.40				

