

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	100	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Low adsorption	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Runoff limitation	0.40				
Bm: Bibb-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
		Runoff limitation	0.40	Too acid	1.00		
Ek: Elkton-----	50	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Low adsorption	1.00	Restricted permeability	1.00
		Too acid	0.73	Restricted permeability	1.00	Too acid	1.00
		Leaching limitation	0.50	Too acid	1.00		
Elkton-----	50	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Low adsorption	1.00	Restricted permeability	1.00
		Too acid	0.73	Restricted permeability	1.00	Too acid	1.00
		Leaching limitation	0.50	Too acid	1.00		
Em: Elkton-----	50	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Low adsorption	1.00	Restricted permeability	1.00
		Too acid	0.73	Restricted permeability	1.00	Too acid	1.00
		Leaching limitation	0.50	Too acid	1.00		
Elkton-----	50	Very limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Low adsorption	1.00	Restricted permeability	1.00
		Too acid	0.73	Restricted permeability	1.00	Too acid	1.00
		Leaching limitation	0.50	Too acid	1.00		
Fa: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
		Leaching limitation	0.70	Too acid	1.00	Low adsorption	0.04
		Low adsorption	0.04				
Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
		Leaching limitation	0.70	Too acid	1.00	Low adsorption	0.04
		Low adsorption	0.04				
Fs: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
		Leaching limitation	0.70	Too acid	1.00	Low adsorption	0.04
		Low adsorption	0.04				
Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
		Leaching limitation	0.70	Too acid	1.00	Low adsorption	0.04
		Low adsorption	0.04				
GaA: Galestown-----	95	Very limited Filtering capacity	1.00	Very limited Low adsorption	1.00	Very limited Too acid	1.00
		Droughty	0.75	Too acid	1.00	Filtering capacity	1.00
		Too acid	0.73	Filtering capacity	1.00	Droughty	0.75
		Leaching limitation	0.45	Droughty	0.75		
GaB: Galestown-----	95	Very limited Filtering capacity	1.00	Very limited Low adsorption	1.00	Very limited Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GaC: Galestown-----	100	Droughty	0.75	Too acid	1.00	Filtering capacity	1.00
		Too acid	0.73	Filtering capacity	1.00	Droughty	0.75
		Leaching limitation	0.45	Droughty	0.75	Too steep for surface application	0.08
		Very limited Filtering capacity	1.00	Very limited Low adsorption	1.00	Very limited Too acid	1.00
		Droughty	0.75	Too acid	1.00	Too steep for surface application	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.75	Droughty	0.75
GaD: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Low adsorption	1.00	Very limited Too steep for surface application	1.00
		Slope	0.84	Too acid	1.00	Too acid	1.00
		Droughty	0.75	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.73	Slope	0.84	Too steep for sprinkler application	0.90
		Leaching limitation	0.45	Droughty	0.75	Droughty	0.75
GaE: Galestown-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Too steep for surface application	1.00
		Filtering capacity	1.00	Slope	1.00	Too steep for sprinkler application	1.00
		Droughty	0.75	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.75	Droughty	0.75
GaF: Galestown-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Too steep for surface application	1.00
		Filtering capacity	1.00	Slope	1.00	Too steep for sprinkler application	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GsA: Galestown-----	95	Droughty	0.75	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.75	Droughty	0.75
		Very limited Filtering capacity	1.00	Very limited Low adsorption	1.00	Very limited Too acid	1.00
		Droughty	0.75	Too acid	1.00	Filtering capacity	1.00
		Too acid	0.73	Filtering capacity	1.00	Droughty	0.75
GsB: Galestown-----	95	Leaching limitation	0.45	Droughty	0.75		
		Very limited Filtering capacity	1.00	Very limited Low adsorption	1.00	Very limited Too acid	1.00
		Droughty	0.75	Too acid	1.00	Filtering capacity	1.00
		Too acid	0.73	Filtering capacity	1.00	Droughty	0.75
GsC: Galestown-----	100	Leaching limitation	0.45	Droughty	0.75	Too steep for surface application	0.08
		Very limited Filtering capacity	1.00	Very limited Low adsorption	1.00	Very limited Too acid	1.00
		Droughty	0.75	Too acid	1.00	Too steep for surface application	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.75	Droughty	0.75
GsD: Galestown-----	100					Too steep for sprinkler application	0.10
		Very limited Filtering capacity	1.00	Very limited Low adsorption	1.00	Very limited Too steep for surface application	1.00
		Slope	0.84	Too acid	1.00	Too acid	1.00
		Droughty	0.75	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.73	Slope	0.84	Too steep for sprinkler application	0.90
		Leaching limitation	0.45	Droughty	0.75	Droughty	0.75

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GsE: Galestown-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Too steep for surface application	1.00
		Filtering capacity	1.00	Slope	1.00	Too steep for sprinkler application	1.00
		Droughty	0.75	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.75	Droughty	0.75
Jo: Johnston-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	1.00	Low adsorption	1.00
		Low adsorption	1.00	Low adsorption	1.00	Flooding	1.00
		Filtering capacity	1.00	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.50	Too acid	1.00	Too acid	1.00
KsA: Klej-----	95	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00	Very limited Depth to saturated zone	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	0.73	Too acid	1.00	Filtering capacity	1.00
		Leaching limitation	0.70	Filtering capacity	1.00	Droughty	0.01
		Droughty	0.01	Droughty	0.01		
KsB: Klej-----	95	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00	Very limited Depth to saturated zone	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	0.73	Too acid	1.00	Filtering capacity	1.00
		Leaching limitation	0.70	Filtering capacity	1.00	Too steep for surface application	0.08
		Droughty	0.01	Droughty	0.01	Droughty	0.01
LaA: Lakeland-----	100	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Too acid	1.00	Too acid	1.00
		Filtering capacity	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.86	Filtering capacity	1.00	Filtering capacity	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LaB: Lakeland-----	100	Leaching limitation	0.45				
		Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Too acid	1.00	Too acid	1.00
		Filtering capacity	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.86	Filtering capacity	1.00	Filtering capacity	1.00
LaC: Lakeland-----	100	Leaching limitation	0.45			Too steep for surface application	0.08
		Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Too acid	1.00	Too acid	1.00
		Filtering capacity	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.86	Filtering capacity	1.00	Too steep for surface application	1.00
LcC: Lakeland-----	100	Leaching limitation	0.45			Filtering capacity	1.00
		Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Too acid	1.00	Too acid	1.00
		Filtering capacity	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.86	Filtering capacity	1.00	Filtering capacity	1.00
Ma: Madeland-----	95	Leaching limitation	0.45			Too steep for surface application	0.68
		Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Too acid	1.00	Too acid	1.00
		Filtering capacity	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.86	Filtering capacity	1.00	Filtering capacity	1.00
MkA: Matapeake-----	100	Not rated		Not rated		Not rated	
MkB2: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Too acid	0.50	Too acid	1.00	Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation					
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value				
MkE: Matapeake-----	100	Very limited Slope Low adsorption	1.00 1.00	Very limited Low adsorption Slope	1.00 1.00	Too steep for surface application	0.08				
						Too acid	1.00	Very limited Low adsorption	1.00		
								Too steep for surface application	1.00		
								Too steep for sprinkler application Too acid	1.00		
MsA: Mattapex-----	95	Somewhat limited Depth to saturated zone Too acid	0.95 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Too acid	1.00				
						Depth to saturated zone	0.95	Depth to saturated zone	0.95		
								Very limited Low adsorption	1.00	Too steep for surface application	0.08
										Too acid	1.00
MsB2: Mattapex-----	95	Somewhat limited Depth to saturated zone Too acid	0.95 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Too acid	1.00				
						Depth to saturated zone	0.95	Depth to saturated zone	0.95		
								Very limited Low adsorption	1.00	Too steep for surface application	0.08
										Too acid	1.00
MsE: Mattapex-----	100	Very limited Slope Depth to saturated zone Too acid	1.00 0.95 0.73	Very limited Low adsorption Slope Too acid Depth to saturated zone	1.00 1.00 1.00 0.95	Very limited Too steep for surface application	1.00				
						Depth to saturated zone	1.00	Too steep for surface application	1.00		
								Too acid	1.00	Too steep for sprinkler application	1.00
										Too acid Depth to saturated zone	0.95
Mt: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated					
Mu: Muck-----	100	Not rated		Not rated		Not rated					

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Oh: Othello-----	100	Very limited Depth to saturated zone Leaching limitation Too acid Restricted permeability	1.00 0.50 0.50 0.30	Very limited Depth to saturated zone Low adsorption Too acid Restricted permeability	1.00 1.00 1.00 0.22	Very limited Depth to saturated zone Too acid Restricted permeability	1.00 1.00 0.22
Pm: Plummer-----	100	Very limited Depth to saturated zone Too acid Leaching limitation	1.00 0.73 0.70	Very limited Depth to saturated zone Low adsorption Too acid	1.00 1.00 1.00	Very limited Depth to saturated zone Too acid	1.00 1.00
Po: Pocomoke-----	100	Very limited Depth to saturated zone Low adsorption Too acid Leaching limitation	1.00 1.00 0.73 0.70	Very limited Depth to saturated zone Low adsorption Too acid	1.00 1.00 1.00	Very limited Depth to saturated zone Low adsorption Too acid	1.00 1.00 1.00
Ps: Pocomoke-----	100	Very limited Depth to saturated zone Low adsorption Too acid Leaching limitation	1.00 1.00 0.73 0.70	Very limited Depth to saturated zone Low adsorption Too acid	1.00 1.00 1.00	Very limited Depth to saturated zone Low adsorption Too acid	1.00 1.00 1.00
Pt: Portsmouth-----	100	Very limited Depth to saturated zone Low adsorption Filtering capacity Too acid Leaching limitation	1.00 1.00 1.00 0.73 0.70	Very limited Depth to saturated zone Low adsorption Too acid Filtering capacity	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Low adsorption Too acid Filtering capacity	1.00 1.00 1.00 1.00
SaA: Sassafras-----	95	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid	1.00
SaB2: Sassafras-----	95	Somewhat limited Too acid	0.73	Very limited Low adsorption	1.00	Very limited Too acid	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShA: Sassafras-----	95	Somewhat limited Too acid	0.73	Too acid	1.00	Too steep for surface application	0.08
				Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid	1.00
SmA: Sassafras-----	95	Very limited Filtering capacity Too acid	1.00 0.73	Very limited Low adsorption	1.00	Very limited Too acid	1.00
				Too acid Filtering capacity	1.00 1.00	Filtering capacity	1.00
SmB: Sassafras-----	100	Very limited Filtering capacity Too acid Droughty	1.00 0.73 0.25	Very limited Low adsorption	1.00	Very limited Too acid	1.00
				Too acid Filtering capacity Droughty	1.00 1.00 0.25	Filtering capacity Droughty Too steep for surface application	1.00 1.00 0.25 0.08
SmB2: Sassafras-----	95	Very limited Filtering capacity Too acid Droughty	1.00 0.73 0.25	Very limited Low adsorption	1.00	Very limited Too acid	1.00
				Too acid Filtering capacity Droughty	1.00 1.00 0.25	Filtering capacity Droughty Too steep for surface application	1.00 1.00 0.25 0.08
SmC: Sassafras-----	100	Very limited Filtering capacity Too acid Droughty	1.00 0.73 0.25	Very limited Low adsorption	1.00	Very limited Too acid	1.00
				Too acid Filtering capacity Droughty	1.00 1.00 0.25	Too steep for surface application Filtering capacity Droughty Too steep for sprinkler application	1.00 1.00 0.25 0.10
SmC2: Sassafras-----	100	Very limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SmC3: Sassafras-----	100	Filtering capacity	1.00	Low adsorption	1.00	Too acid	1.00
		Too acid	0.73	Too acid	1.00	Too steep for surface application	1.00
		Droughty	0.25	Filtering capacity	1.00	Filtering capacity	1.00
				Droughty	0.25	Droughty	0.25
						Too steep for sprinkler application	0.10
SmD: Sassafras-----	100	Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Low adsorption	1.00	Too acid	1.00
		Too acid	0.73	Too acid	1.00	Too steep for surface application	1.00
		Droughty	0.25	Filtering capacity	1.00	Filtering capacity	1.00
				Droughty	0.25	Droughty	0.25
						Too steep for sprinkler application	0.10
SmE: Sassafras-----	100	Very limited		Very limited		Very limited	
		Slope	0.84	Low adsorption	1.00	Too steep for surface application	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Droughty	0.25	Filtering capacity	1.00	Filtering capacity	1.00
				Slope	0.84	Too steep for sprinkler application	0.90
						Droughty	0.25
SnA: Sassafras-----	95	Very limited		Very limited		Very limited	
		Slope	1.00	Low adsorption	1.00	Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Filtering capacity	1.00	Too acid	1.00	Too steep for sprinkler application	1.00
		Too acid	0.73	Filtering capacity	1.00	Too acid	1.00
		Droughty	0.03	Droughty	0.03	Filtering capacity	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SnB: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application	1.00 0.08
SnB2: Sassafras-----	95	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application	1.00 0.08
SnB3: Sassafras-----	95	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application	1.00 0.08
SnC: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.10
SnC2: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.10
SnC3: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.10
SnD: Sassafras-----	100	Somewhat limited Slope Too acid	0.84 0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too steep for surface application Too acid	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SnD2: Sassafras-----	100			Slope	0.84	Too steep for sprinkler application	0.90
		Somewhat limited Slope	0.84	Very limited Low adsorption	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.73	Too acid Slope	1.00 0.84	Too acid Too steep for sprinkler application	1.00 0.90
SnE: Sassafras-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.73	Slope	1.00	Too steep for sprinkler application	1.00
				Too acid	1.00	Too acid	1.00
SnF: Sassafras-----	100	Very limited Slope	1.00	Very limited Low adsorption	1.00	Very limited Too steep for surface application	1.00
		Too acid	0.73	Slope	1.00	Too steep for sprinkler application	1.00
				Too acid	1.00	Too acid	1.00
SsA: Sassafras-----	95	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid	1.00
SsB: Sassafras-----	95	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application	1.00 0.08
Sw: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WdA: Woodstown-----	95	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.84	Very limited Too acid Depth to saturated zone	1.00 0.84
WdB2: Woodstown-----	95	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.84	Very limited Too acid Depth to saturated zone Too steep for surface application	1.00 0.84 0.08
WoA: Woodstown-----	95	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.84	Very limited Too acid Depth to saturated zone	1.00 0.84
WoB: Woodstown-----	95	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.84	Very limited Too acid Depth to saturated zone Too steep for surface application	1.00 0.84 0.08
WoB2: Woodstown-----	95	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.84	Very limited Too acid Depth to saturated zone Too steep for surface application	1.00 0.84 0.08
WoC: Woodstown-----	95	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
				Depth to saturated zone	0.84	Depth to saturated zone	0.84
						Too steep for sprinkler application	0.10

