

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Depth to bedrock	1.00
		Depth to bedrock	1.00			Restricted permeability	0.94
AdB2: Aldino-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to bedrock	1.00	Too acid	1.00
		Too acid	1.00	Slope	0.50	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Depth to bedrock	1.00
		Depth to bedrock	1.00			Restricted permeability	0.94
AuB2: Aura-----	100	Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.68	Very limited Low adsorption	1.00
		Low adsorption	1.00	Too acid	0.42	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
AuC2: Aura-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.68	Too acid	1.00
		Too acid	1.00	Too acid	0.42	Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
AvD2: Aura-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.68	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.42	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BaA: Baile-----	100	Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Too acid Seepage	1.00 0.77	Too acid	0.14	Too acid Restricted permeability	1.00 0.94
BaB: Baile-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Too acid	1.00	Slope	0.50	Too acid	1.00
		Seepage	0.77	Too acid	0.14	Restricted permeability Too steep for surface application	0.94 0.68
BcA: Barclay-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
BcB: Barclay-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.08
BeA: Beltsville-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.94
BeB2: Beltsville-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BeC2: Beltsville-----	100	Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.94
						Too steep for surface application	0.08
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Too steep for surface application	0.22			Restricted permeability	0.94
BeC3: Beltsville-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Too steep for surface application	0.22			Restricted permeability	0.94
BuA: Butlertown-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Restricted permeability	0.94
		Too acid	0.91			Too acid	0.91
		Depth to saturated zone	0.43			Depth to saturated zone	0.43
BuB2: Butlertown-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Restricted permeability	0.94
		Too acid	0.91			Too acid	0.91
		Depth to saturated zone	0.43			Depth to saturated zone	0.43

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuC2: Butlertown-----	100	Very limited		Very limited		Too steep for surface application	0.08
		Low adsorption	1.00	Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.91			Restricted permeability	0.94
		Depth to saturated zone	0.43			Too acid	0.91
BuC3: Butlertown-----	100	Too steep for surface application	0.22			Depth to saturated zone	0.43
		Very limited		Very limited		Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Slope	1.00	Restricted permeability	0.94
		Too acid	0.91			Too acid	0.91
BuD2: Butlertown-----	100	Depth to saturated zone	0.43			Depth to saturated zone	0.43
		Too steep for surface application	0.22				
		Very limited		Very limited		Very limited Low adsorption	1.00
		Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
CeA: Chester-----	100	Too steep for surface application	1.00			Restricted permeability	0.94
		Too acid	0.91			Too acid	0.91
		Depth to saturated zone	0.43				
		Very limited		Very limited		Very limited Low adsorption	1.00
CeB2: Chester-----	100	Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00			Too acid	1.00
		Too acid	1.00				

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ChB2: Chillum-----	100	Seepage	1.00	Slope	0.50	Too acid Too steep for surface application	1.00
		Too acid	1.00				0.68
		Very limited Low adsorption	1.00				Very limited Restricted permeability
ChC2: Chillum-----	100	Seepage	1.00	Slope	1.00	Too acid Too steep for surface application	1.00
		Too acid	1.00				0.08
		Very limited Low adsorption	1.00				Very limited Restricted permeability
ChC3: Chillum-----	100	Seepage	1.00	Slope	1.00	Too steep for surface application Too acid Too steep for sprinkler application	1.00
		Too acid	1.00				0.22
		Too steep for surface application	0.22				0.22
ChD2: Chillum-----	100	Very limited Low adsorption	1.00	Slope	1.00	Too steep for surface application Too acid Too steep for sprinkler application	1.00
		Seepage	1.00				1.00
		Too steep for surface application	1.00				1.00
ChD3: Chillum-----	100	Too acid	1.00	Slope	1.00	Too steep for surface application Too steep for sprinkler application	1.00
		Too steep for surface application	1.00				1.00
		Very limited Low adsorption	1.00				Very limited Restricted permeability
ChD3: Chillum-----	100	Seepage	1.00	Slope	1.00	Too steep for surface application Too steep for sprinkler application	1.00
		Too steep for surface application	1.00				1.00
		Very limited Low adsorption	1.00				Very limited Restricted permeability

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ClB2: Christiana-----	100	Too acid	1.00			Too acid	1.00
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid Seepage	1.00 1.00	Too acid	0.42	Too acid Too steep for surface application	1.00 0.08
CmB2: Chrome-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too steep for surface application	0.68
CmC2: Chrome-----	100	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
CmD2: Chrome-----	100	Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
CnD3: Chrome-----	100	Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
CnE3: Chrome-----	100	Low adsorption	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
CnE3: Chrome-----	100	Very limited Depth to bedrock	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Co: Coastal Beaches-----	90	Too steep for surface application	1.00	Depth to bedrock	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Not rated		Not rated		Not rated	
Cp: Clay Pits-----	95	Not rated		Not rated		Not rated	
Cr: Codorus-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Flooding	0.60	Too acid	0.91
		Depth to saturated zone	1.00			Flooding	0.60
		Too acid	0.91				
CsB2: Collington-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
CsC2: Collington-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CtB2: Collington-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
CtC2: Collington-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
CtC3: Collington-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
CtD2: Collington-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
CtD3: Collington-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
Cu: Comus-----	100	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater						
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value					
CwC: Conowingo-----	100	Low adsorption	1.00	Flooding	0.60	Too acid	0.91					
		Seepage	1.00									
		Too acid	0.91									
		Very limited	1.00	Very limited	1.00	Very limited	1.00					
		Low adsorption						Restricted permeability				
		Depth to saturated zone						Depth to saturated zone				
Seepage	Depth to bedrock											
Too acid	Slope											
Too steep for surface application	Too steep for surface application											
ElA: Elkton-----	50	Very limited	1.00	Very limited	1.00	Very limited	1.00					
		Depth to saturated zone						Restricted permeability				
		Seepage						Depth to saturated zone				
Elkton-----	50	Too acid	1.00	Too acid	0.14	Restricted permeability	0.94					
		Very limited						1.00	Very limited	1.00	Very limited	1.00
		Depth to saturated zone										
ElB: Elkton-----	50	Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00					
		Too acid						1.00	Too acid	0.14	Restricted permeability	0.94
		Very limited										
Depth to saturated zone	Restricted permeability											
Elkton-----	50	Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00					
		Too acid						1.00	Too acid	0.14	Restricted permeability	0.94
		Very limited										
Depth to saturated zone	Restricted permeability											
EmA: Elkton-----	50	Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00					
		Very limited						1.00	Very limited	1.00	Very limited	1.00
		Depth to saturated zone										

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Elkton-----	50	Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
		Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
EmB: Elkton-----	50	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.94
		Elkton-----	50	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00
Seepage	1.00			Depth to saturated zone	1.00	Too acid	1.00
Too acid	1.00			Too acid	0.14	Restricted permeability	0.94
EoA: Elsinboro-----	100			Very limited Low adsorption	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00				
		EoB2: Elsinboro-----	100	Very limited Low adsorption	1.00	Very limited Depth to saturated zone	1.00
Seepage	1.00			Restricted permeability	1.00	Too acid	1.00
Too acid	1.00					Too steep for surface application	0.08
EoC2: Elsinboro-----	100			Very limited Low adsorption	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Slope	1.00	Too acid	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EvB: Evesboro-----	100	Very limited Seepage Too acid	1.00 1.00	Somewhat limited Too acid	0.42	Very limited Too acid Filtering capacity	1.00 1.00
EvD: Evesboro-----	100	Very limited Seepage Too acid	1.00 1.00	Very limited Slope Too acid	1.00 0.42	Very limited Too acid Too steep for surface application Filtering capacity	1.00 1.00 1.00
		Too steep for surface application	0.78			Too steep for sprinkler application	0.78
EvE: Evesboro-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application Too acid	1.00 1.00	Too acid	0.42	Too steep for sprinkler application Too acid Filtering capacity	1.00 1.00
FaA: Fallsington-----	100	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Too acid	1.00 1.00
		Too acid Low adsorption	1.00 0.01	Too acid	0.14	Low adsorption	0.01
FaB: Fallsington-----	100	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Too acid	1.00 1.00
		Too acid Low adsorption	1.00 0.01	Too acid	0.14	Too steep for surface application Low adsorption	0.08 0.01
FaC: Fallsington-----	100	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Too acid	1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FmA: Fallsington-----	100	Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
		Low adsorption	0.01			Low adsorption	0.01
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
FmB: Fallsington-----	100	Too acid	1.00	Too acid	0.14	Low adsorption	0.04
		Low adsorption	0.04				
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
GeA: Glenelg-----	100	Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
		Low adsorption	0.04			Low adsorption	0.04
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
GeB2: Glenelg-----	100	Seepage	1.00	Cobble content	0.02	Too acid	1.00
		Too acid	1.00				
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
GeC2: Glenelg-----	100	Seepage	1.00	Slope	0.50	Too acid	1.00
		Too acid	1.00	Cobble content	0.02	Too steep for surface application	0.68
		Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
GeC3: Glenelg-----	100	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Cobble content	0.02	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
GeC3: Glenelg-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GeD2: Glenelg-----	100	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Cobble content	0.02	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited	1.00	Very limited	1.00	Very limited	1.00
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
GeD3: Glenelg-----	100	Seepage	1.00	Cobble content	0.02	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited	1.00	Very limited	1.00	Very limited	1.00
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Cobble content	0.02	Too steep for sprinkler application	1.00
GeE: Glenelg-----	100	Too acid	1.00			Too acid	1.00
		Very limited	1.00	Very limited	1.00	Very limited	1.00
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Cobble content	0.02	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
GnA: Glenville-----	100	Very limited	1.00	Very limited	1.00	Very limited	1.00
		Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.60
		Too acid	0.31			Too acid	0.31
GnB2: Glenville-----	100	Very limited	1.00	Very limited	1.00	Very limited	1.00
Seepage	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00		



Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too acid	1.00	Restricted permeability	1.00	Too acid	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.68	Too acid	0.14	Restricted permeability	0.94
		Too steep for surface application	0.22			Depth to saturated zone	0.68
KpA: Keyport-----	100	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Too acid	0.14	Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
						Too steep for sprinkler application	0.22
KpB2: Keyport-----	100	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Too acid	0.14	Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
						Too steep for surface application	0.08
KpC2: Keyport-----	100	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.68	Too acid	0.14	Restricted permeability	0.94
		Too steep for surface application	0.22			Depth to saturated zone	0.68
KpD2: Keyport-----	100	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KsB3: Keyport-----	100	Seepage	1.00	Too acid	0.14	Too acid	1.00
		Depth to saturated zone	0.68			Restricted permeability	0.94
		Very limited		Very limited	1.00	Depth to saturated zone	0.68
		Too acid	1.00			Too acid	1.00
KsC3: Keyport-----	100	Seepage	1.00	Too acid	0.14	Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
		Very limited		Very limited	1.00	Too steep for surface application	0.08
		Too acid	1.00			Restricted permeability	1.00
LeB2: Legore-----	100	Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.68	Too acid	0.14	Restricted permeability	0.94
		Too steep for surface application	0.22			Depth to saturated zone	0.68
		Very limited				Too steep for sprinkler application	0.22
LeC2: Legore-----	100	Low adsorption	1.00	Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Low adsorption	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Too acid	0.67			Too steep for surface application	0.68
LeC2: Legore-----	100	Too acid	0.67			Too acid	0.67
		Very limited		Very limited	1.00	Too steep for surface application	1.00
		Low adsorption	1.00			Restricted permeability	1.00
		Seepage	1.00	Slope	1.00	Too steep for sprinkler application	1.00
LeC2: Legore-----	100	Too steep for surface application	1.00	Restricted permeability	1.00	Too acid	0.67
		Too acid	0.67			Too steep for surface application	1.00
		Very limited		Very limited	1.00	Restricted permeability	1.00
		Low adsorption	1.00			Too steep for sprinkler application	1.00
LeC2: Legore-----	100	Seepage	1.00	Slope	1.00	Too acid	0.67
		Too steep for surface application	1.00	Restricted permeability	1.00		
		Too acid	0.67			Too steep for surface application	1.00
		Very limited		Very limited	1.00	Too steep for sprinkler application	1.00
Low adsorption	1.00	Too acid	0.67				

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LeD2: Legore-----	100	Very limited Too steep for surface application Low adsorption	1.00 1.00	Very limited Slope  Restricted permeability	1.00 1.00	Very limited Low adsorption  Too steep for surface application Too steep for sprinkler application Restricted permeability Too acid	1.00 1.00 1.00 1.00 0.67
LgC3: Legore-----	100	Very limited Low adsorption Seepage  Too steep for surface application Too acid	1.00 1.00 1.00 0.67	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application Restricted permeability  Too steep for sprinkler application Too acid	1.00 1.00 1.00 1.00 0.67
LgE3: Legore-----	100	Very limited Too steep for surface application Low adsorption  Seepage  Too acid	1.00 1.00 1.00 0.67	Very limited Slope  Restricted permeability	1.00 1.00	Very limited Low adsorption  Too steep for surface application Too steep for sprinkler application Restricted permeability Too acid	1.00 1.00 1.00 1.00 0.67
LoA: Leonardtown-----	100	Very limited Depth to saturated zone Low adsorption Seepage Too acid	1.00 1.00 1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Depth to saturated zone Low adsorption Too acid Restricted permeability	1.00 1.00 1.00 0.94
LoB: Leonardtown-----	100	Very limited Depth to saturated zone Low adsorption Seepage	1.00 1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Depth to saturated zone Low adsorption Too acid	1.00 1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too acid	1.00			Restricted permeability	0.94
						Too steep for surface application	0.08
LyC: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
LyD: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
LyE: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
MaB: Made Land-----	95	Not rated		Not rated		Not rated	
MaD: Made Land-----	100	Not rated		Not rated		Not rated	
MlB2: Manor-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too acid	1.00
		Too acid	1.00	Too acid	0.03	Too steep for surface application	0.68
MlC2: Manor-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.03	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MlC3: Manor-----	100	Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
MlD2: Manor-----	100	Too steep for surface application	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
MlD3: Manor-----	100	Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
MlE: Manor-----	100	Too steep for surface application	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
MmD: Manor-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnA: Matapeake-----	100	Too acid	1.00	Too acid	0.03	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Too acid	0.14	Too acid	1.00
MnB2: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Too acid	0.14	Too acid Too steep for surface application	1.00 0.08
MnC2: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid Too steep for surface application	1.00 0.22	Too acid	0.14	Too acid Too steep for sprinkler application	1.00 0.22
MnC3: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid Too steep for surface application	1.00 0.22	Too acid	0.14	Too acid Too steep for sprinkler application	1.00 0.22
MnD2: Matapeake-----	100	Very limited Low adsorption Seepage	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnD3: Matapeake-----	100	Very limited Low adsorption Seepage	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Low adsorption Too steep for surface application	1.00 1.00
		Too steep for surface application Too acid	1.00 1.00	Too acid	0.14	Too steep for sprinkler application Too acid	1.00 1.00
MoA: Matapeake-----	100	Very limited Low adsorption Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Low adsorption Too acid	1.00 1.00
MoB2: Matapeake-----	100	Very limited Low adsorption Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 0.08
MpA: Mattapex-----	95	Very limited Seepage Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.14	Very limited Too acid Depth to saturated zone	1.00 0.95
MpB2: Mattapex-----	100	Very limited Seepage Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.14	Very limited Too acid Depth to saturated zone Too steep for surface application	1.00 0.95 0.08
MpC2: Mattapex-----	100	Very limited Seepage Too acid Depth to saturated zone Too steep for surface application	1.00 1.00 0.95 0.22	Very limited Depth to saturated zone Restricted permeability Slope Too acid	1.00 1.00 1.00 0.14	Very limited Too acid Too steep for surface application Depth to saturated zone Too steep for sprinkler application	1.00 1.00 0.95 0.22

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mr: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
MtA: Montalto-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too acid	0.77
		Too acid	0.77			Restricted permeability	0.15
MtB2: Montalto-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too acid	0.77
		Too acid	0.77			Too steep for surface application	0.68
						Restricted permeability	0.15
MtC2: Montalto-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
						Restricted permeability	0.15
MvD: Montalto-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
						Restricted permeability	0.15
MyC3: Montalto-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MyD3: Montalto-----	100	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
						Restricted permeability	0.15
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
NeA: Neshaminy-----	100	Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.77			Too acid	0.77
						Restricted permeability	0.15
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.91
NeB2: Neshaminy-----	100	Too acid	0.91	Cobble content	0.01	Restricted permeability	0.15
		Cobble content	0.01				
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Too acid	0.91
NeC2: Neshaminy-----	100	Too acid	0.91	Slope	0.50	Too steep for surface application	0.68
		Cobble content	0.01	Cobble content	0.01	Restricted permeability	0.15
		Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
NeD2: Neshaminy-----	100	Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Cobble content	0.01	Too acid	0.91
		Cobble content	0.01			Restricted permeability	0.15
		Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OhA: Othello-----	100	Too steep for surface application	1.00	Slope	1.00	Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91	Cobble content	0.01	Too acid	0.91
		Cobble content	0.01			Restricted permeability	0.15
		Very limited		Very limited		Very limited	
OhB: Othello-----	100	Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.15
		Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
RuB: Rumford-----	100	Seepage	1.00	Somewhat limited		Very limited	
		Low adsorption	1.00	Restricted permeability	0.32	Low adsorption	1.00
		Too acid	1.00	Too acid	0.03	Too acid	1.00
		Very limited		Very limited		Filtering capacity	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	0.08
RuC: Rumford-----	100	Low adsorption	1.00	Restricted permeability	0.32	Low adsorption	1.00
		Too acid	1.00	Too acid	0.03	Too acid	1.00
		Very limited		Very limited		Too steep for surface application	1.00
		Seepage	1.00	Slope	1.00	Filtering capacity	1.00
		Low adsorption	1.00	Restricted permeability	0.32	Too steep for sprinkler application	0.22
RuD: Rumford-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaA: Sassafras-----	100	Seepage	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	0.32	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.03	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Filtering capacity				1.00	
SaB2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
SaC2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
SaC3: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
SaD2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
SaD3: Sassafras-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SfB2: Sassafras-----	100	Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
SgB2: Sassafras-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
SgC2: Sassafras-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
SgC3: Sassafras-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
SgD3: Sassafras-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SrE: Aura-----	50	Too acid	1.00			Too acid	1.00
		Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
Sassafras-----	50	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
St: Stony Land-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
Wa: Watchung-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Seepage	1.00			Restricted permeability	0.94
		Too acid	0.77			Too acid	0.77
WoA: Woodstown-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.68	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14		

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoB2: Woodstown-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.68	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14	Too steep for surface application	0.08
WoC2: Woodstown-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.84	Restricted permeability	0.68	Depth to saturated zone	0.84
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
WoC3: Woodstown-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.84	Restricted permeability	0.68	Depth to saturated zone	0.84
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
WoD: Woodstown-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Depth to saturated zone	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Restricted permeability	0.68	Too acid	1.00
		Depth to saturated zone	0.84	Too acid	0.14	Depth to saturated zone	0.84
WsA: Woodstown-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14		

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WsB2: Woodstown-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.84
		Depth to saturated zone	0.84	Too acid	0.14	Too steep for surface application	0.08

